Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices





Useful Tables for Gardener and Farmer.

Seed for a Given Number of Plants, etc.

Cabbage z oz. 3,000 plants.	Marrow Squash 1 oz. to 30 hills.
Cauliflower I " 3,000 "	Asparagus
Celery	Beet 1 " 50 "
Eggplant I " 2,000 "	Carrot
Endive	Okra
Lettuce	Onion
Pepper	Onion Sets, Small 1 qt. to 50 "
Tomato	Parsley 10z.to 150
Pole Beans	Parsnip
Corn	Radish
Cucumber 1 oz. to 50 "	Salsify
Watermelon I " 30 "	Spinach
Muskmelon I " 60 "	Turnip
Pumpkin	Peas rqt.to 100 "
	Dwarf Poons
Early Squash 50 "	Dwarf Beans I " 100 "

Seed Usually Sown upon One Acre.

Plants or Trees for One Acre.

Distance Apart.	Number.	Distance Apart. Num	ber.
6 inches by 6 inches	 . 174,240	5 ft. by 5 ft	,742
I ft. by I ft	 43,560		,210
1½ ft. by 1½ ft			680
2 ft. by 1 ft	 . 21,780	9 ft. by 9 ft	537
2 ft. by 2 ft	 . 10,890	10 ft. by 10 ft	485
			302
3 ft. by 1 ft	 . 14,520	16 ft. by 16 ft	170
		20 ft, by 20 ft	110
		25 ft, by 25 ft	
1 ft. by 4 ft	 2,722	30 ft. by 30 ft	40

GENERAL REMARKS.

HE PROPRIETOR, having devoted many years to horticulture in its several departments, feels confident in his ability to select from the vast and confusing list of seeds such species and varieties only as are really worthy of cultivation, to the exclusion of all the various sorts that are not adapted to our climate, but which are too frequently recommended and sold, to the serious loss and disappointment of planters.

As the profession has always been pursued with a view to a permanent business, great care is taken to preserve an unsullied reputation, by having supplies of all the leading kinds of seeds raised annually by careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under his personal supervision.

The observance of such a system may be considered as a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here only enumerate the leading articles in his collection; and from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes:

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus (†). The half-hardy, which are subject to risk if sown when frosts prevail, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beet, Cabbage, Lettuce, Radish, Salsify, Turnip, etc., being from their nature apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrot, Celery, Leek, Onion, Parsley, Parsnip, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seed being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures.

To insure a fair chance, plant your seed moderately thick, and thin out the surplus plants while young.

In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch.

For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

Boxes, barrels and bags used in packing will be charged at cost prices.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed, and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

The following are published annually, and mailed free to all applicants: CATALOGUE OF VEGETABLE, FLOWER, GRASS, HERB AND MISCELLANEOUS SEEDS, with brief directions for their care and treatment. (This one.) Ready in January.

MARKET GARDENERS' PRICED CATALOGUE OF VEGETABLE SEEDS, etc. Ready in January.

CATALOGUE OF DUTCH BULBOUS ROOTS. Ready in September. Address all orders plainly to

ALFRED BRIDGEMAN,
37 East Nineteenth Street, NEW YORK.

Novelties and Specialties in FLOWER SEEDS.

ASTER.

Comet, Snow-White. The flowers of this splendid new class are very large and extremely double, with incurved petals, giving them the appearance of the finest Japanese chrysanthemums. Pkt. 25 cts.

Ball, or Jewel. (Benary.) A magnificent rose and white variety. The flowers are very double, petals incurved; blooms in great profusion. Pkt. 25 cts.

Snowball, or Princess. (Benary.) Flowers pure white; in form they are semi-spherical, and composed of quite short and very thickly set imbricated petals. Pkt. 25 cts.

Aquilegia Stuarti.

A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine, rich blue. Pkt. 25 cts.

Cockscomb. "Vesuvius."

This novelty is the result of careful cultivation extending over a period of many years.

The plant is of dwarf habit, and above the

beautiful green foliage is elevated the charming comb, of a magnificent fiery red on golden yellow ground. As the comb is formed not so dense as the other varieties of Cockscomb, the grand contrast between the golden ground and the fiery red upper part of the comb comes to effectual presentation, and the effect of this wonderful coloring is brought to the highest perfection by a line of fiery gold which runs over the whole length of the head. The peculiar beauty of this new Cockscomb is seen the best in full sunshine, where the flower much resembles a blaze. This novelty is equally well adapted for the garden, as also for pot-culture. Pkt. 40 cts.

Cineraria grandiflora kermesina.

A new semi-double hybrid variety. The flowers are of an intense, dark crimson, and average 2½ inches across. Pkt. 50 cts.

Dianthus Caryophyllus fl. pl. "Margaret."

A new class of perpetual blooming Carnations, producing over 80 per cent. of double flowers, and of many striking colors. The plants are vigorous, and grow about 12 inches high. Pkt. 25 cts.



Datura cornucopia ("Horn of Plenty.")



Datura Cornucopia.

novelty most conspicuous. The plant is of a very robust habit. The stem is thick, dark brown-purple, shining as if varnished. The branches are very numerous, spreading symmetrically 3 or 4 feet in every direction. leaves are large, of a dark green color. flowers are trumpetshaped, measuring 8 to 10 inches in length and 5 to 7 inches across the mouth, and form three distinct flowers growing each within the other, the throat and mouth of the corolla a most delicate French white, beautifully contrasted and marbled with royal purple on the outside. Pkt. 25 cts.

Gaillardia, Perfection.

The finest strain of this standard summerflowering plant. For table bouquets, etc., this flower has no superior. Pkt. 20 cts.

Gloxinia, Emperor Frederick.

Flowers erect, and average 31/2 inches in diameter. Foliage emerald-green; color bright scarlet to nearly the base of the throat, and edged with a pure white band. Pkt. 50 cts.

Hibiscus, Crimson Eye. (New.)

A robust grower, with dark red stems and foliage. The flowers are of immense size, often measuring 20 inches in circumference. The color is of the purest white, with a large spot of deep, velvety crimson in the center of each flower. It will succeed anywhere, and is perfectly hardy, blooming the first year from seed sown in the open ground. Pkt. 15 cts.

Lobelia erinus Compacta "Goldelse."

This grand novelty, with its golden yellow foliage and deep blue flowers, makes a contrast of charming beauty. Pkt. 20 cts.

Mignonette, Improved Victoria.

This novelty, which grows about 6 inches high, will put every lover of flowers in ecstasy by its perfectly regular, pyramidal habit, and elegantly formed spikes, which are profusely covered with pretty, brilliant red flowers; valuable for pot culture. Pkt. 20 cts.

PAPAVER.

Glaucum. (Tulip Poppy.) The plant of this splendid annual grows from 12 to 14 inches high and produces, well above the foliage, 50 to 60 large and splendid flowers of the most vivid scarlet imaginable. Pkt. to cts.

Cardinal Poppy. (Benary.) A new class of this popular border annual. Flowers extra large and double. Brilliant scarlet on white ground. Pkt. 10 cts.

Primula Chinensis cristata. (Benary.)

Foliage crisped and quite distinct. Flowers white, rose, carmine and crimson, together with numerous intermediate tints, and are single, semi-double and quite double. Pkt. 50 cts.

Novelties and Specialties in VEGETABLE SEEDS.

Asparagus, Columbian Mammoth White.

This variety is a sport from Conover's Colossal. It produces pure white shoots, and requires no artificial blanching. It is a strong grower, and comes remarkably true from seed. Oz. 15 cts., lb. \$1.50.

BEANS.

Dreer's Bush Lima. Of vigorous, bushy habit, growing from 1½ to 2 feet high, and producing pods in great abundance; the Beans grow close together in the pods, and are very thick, sweet and succulent. Qt. 40 cts.

Improved Golden Wax Bush. New; very early and distinct. The pods are of a rich golden color, entirely free from spot or rust, and are of excellent quality. Qt. 30 cts.

Canadian Wonder Bush. The pods are flat and green in color. Excellent as a snap Bean, and one of the best for cooking when ripe. Qt. 30 cts.

Beet, Extra Early Eclipse.

The tops are very small; roots smooth and globe-shaped; flesh deep crimson, very fine grained, and remarkably sweet. Oz. 10 cts., lb. 75 cts.

Cabbage, Early Winnigstadt.

A standard sure-heading, second-early variety; very reliable; it heads well on light soils, where large-growing sorts often fail, and makes a good late sort for delayed plantings. Oz. 25 cts., lb. \$2.

Carrot, Half-Long Red Carentan.

A new slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 15 cts., lb. \$1.

Cauliflower, Erfurt Extra Early Dwarf.

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Original pkt. 50 cts.

Celery, Giant Pascal.

This new variety is the result of careful selection from the well-known "Golden Self-Blanching" Celery. It partakes of the nutty flavor of that excellent variety; and in taste is not at all bitter or astringent. It grows about 2 feet high, with stalks that are solid, crisp, not stringy, very large, and broader than those of any other. Before blanching it is green, with heart of golden yellow and very full. It is very easily blanched, requiring only five or six days' earthing-up, while its preservative qualities make it a fine shipper. \square For late winter use. Oz. 25 cts.

Corn, Champion Sweet.

New. 'This Corn is, without doubt, the earnest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 25 cts.



Celery, Giant Pascal.

Cucumber, Tailby's Hybrid.

White Spined crossed with an English frame variety. It grows larger than White Spined, and is one of the most valuable in its class for open-air cultivation. Oz. 15 cts., lb. \$1.

Lettuce, Buttercup.

A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts.

MUSK=MELONS.

Wilson's. Winter Pineapple sort. When ripe the outside is of a rich yellow, intermingled with a light green, the yellow predominating on the lower half. The most remarkable and valuable feature of this new melon is its wonderful keeping quality; they do not ripen on the vine, like other melons, but have to be picked before hard frost and laid away in a cool, dry cellar, where they will keep sound and sweet for months. When wanted for use they must be brought into a warm room, where they will ripen in a few days. Pkt. 10 cts.

Emerald Gem. Very early and prolific; smooth, ribbed, dark green skin; flesh orange, sweet and delicious. Oz. 15 cts., lb. \$1.

PEAS.

Cleveland's Alaska. An extra early blue variety, of delicious flavor. The pods are of beautiful green color, long, and well filled with Peas; grows about 2½ feet high. Qt. 25 cts.

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes in

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing 9 or 10 large Peas of the finest quality. Qt. 40 cts.

Potato, Pride of Ireland.

This new seedling originated with a successful potato-grower in Wisconsin, who says it is a late variety, a very good keeper, and cooks well; skin is very white, with a sort of light, russety netting; the flesh is white and of good quality. It cannot fail to satisfy the grower who wants a heavy yielder. Bus. \$2, bbl. \$4.50.

Pumpkin, Jonathan.

This is one of the best crookneck varieties ever introduced. It is a good keeper, of large size, very prolific and wonderfully smooth and even fleshed, being free from that coarse stringiness which most varieties have. Oz. 10 cts.

RADISHES.

Scarlet Globe. (Benary.) New; excellent for frame, and has short leaves; brilliant red; flesh fine, white, tender and crisp. Oz. 15 cts., lb. \$1.25.


Chinese Round Scarlet. A new short-top summer or winter-using variety. It grows of medium size; flesh pure white, of mild flavor. Original pkt. 20 cts.

Salsify, Mammoth Sandwich Island.

In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained, and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

Spinach, Long-Standing.

Thick, dark green leaves, of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.



Squash, Sibley, or Pike's Peak.

Squash, Sibley, or Pike's Peak.


A striking variety, having the stem at the swelled end. The shell is pale green in color, very hard and flinty; flesh solid, thick, a brilliant orange in color, and is possessed of rare edible qualities. It can be had in use from October to March. Oz. 10 cts.

Upland Cress.

A new hardy perennial vegetable, thriving on soil, wet or dry. It is of easy culture, and when once established requires little after care. In taste it is very agreeable, having the identical flavor of true water cress. Pkt. 20 cts., oz. \$150.

Collections of Select Vegetable Garden Seeds.

STANDARD SORTS for Family Use, in quantities to suit Small	No. 1:	No. 2.	No. 3.	No. 4.	No. 5.
or Large Gardens, as follows:	Contains	Contains	Contains	Contains	Contain
Beans Early Valentine Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
"Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
"Refugee Bush	1/2 pt.	r pt.	ı qt.	ı qt.	2 qts.
"Large White Lima Pole	Ipt.	ı pt.	ı qt.	3 pts.	2 qts.
Beet Extra Early Turnip	I OZ.	2 OZ.	4 OZ.	4 OZ.	8 oz.
" Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage Early Ox-Heart	pkt.	½ OZ.	½ OZ.	½ OZ.	I OZ.
"Early Winnigstadt	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
"Large Late Drumhead	pkt.	1/2 OZ.	I OZ.	I OZ.	I OZ.
"Drumhead Savoy	pkt.	½ OZ.	½ OZ.	½ oz.	I OZ.
"Red, or Pickling	pkt.	pkt.	pkt.	½ oz.	I OZ.
Cauliflower Paris Nonpareil	pkt.	¼ oz.	1/2 OZ.	½ oz.	I OZ.
Carrot Early Orange, or Horn	I oz.	2 OZ.	2 OZ.	4 oz.	8 oz.
"Long Orange	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.
Cress Curled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 OZ.	4 OZ.
Corn Early Sugar	½ pt.	ı pt.	I qt.	I qt.	2 qts.
"Mammoth Sugar	½ pt.	ıpt.	I qt.	2 qts.	2 gts.
Stowell's Evergreen	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
Celery Early White Solid	pkt.	½ OZ.	I OZ.	I OZ.	J oz.
Cucumber Early Russian	pkt.	I OZ.	I OZ.	2 OZ.	a OZ.
"Long Green	I OZ.	I OZ.	2 OZ.	4 oz.	4 OZ.
Egg-PlantImproved N. Y. Purple	pkt.	1/4 OZ.	¼ oz.	½ OZ.	½ oz.
EndiveGreen Curled	pkt.	1/2 OZ.	½ OZ.	I oz.	I OZ.
Kohlrabi Early White Vienna	pkt.	½ oz.	½ OZ.	I OZ.	I OZ.
KaleGreen Curled Scotch		I OZ.	I OZ.	I OZ.	I OZ.
Lettuce Early Curled Silesia	pkt. pkt.	½ oz.	½ oz.	I OZ.	I OZ.
"Early Tennisball	pkt.	½ oz.	I OZ.	I OZ.	I OZ.
"Large Butter-Head	pkt.	½ oz.	I OZ.	I OZ.	2 OZ.
	* .	½ oz.	I OZ.	I OZ.	2 OZ.
LeekLarge Flag	pkt.	½ oz.	I OZ.	2 OZ.	
Melon Orange Christina	pkt.	I OZ.	I OZ.		4 OZ.
"Green Citron (Netted) "Mountain Sweet Water	pkt.	I OZ.	2 OZ.	2 OZ.	4 OZ.
Wouldam Sweet Water	I OZ.	I OZ.	2 OZ.	4 oz.	4 OZ.
Onion Extra Early Red	½ OZ.	I OZ.		2 OZ.	4 OZ.
" White Portugal	½ OZ.		2 OZ.	2 OZ.	4 0Z.
PeasCarter's "First Crop"	I pt.	I qt,	2 qts.	2 qts.	2 qts.
Laxton's Alpha	I pt.	I qt.	ı qt.	2 qts.	2 qts.
McLean's Little Gem	I pt.	I qt.	ı qt.	I qt.	2 qts.
MCLCall 5 Muvalicel	I pt.	I qt.	I qt.	1 qt.	2 qts.
Champion of England	I pt.	ı qt.	2 qts.	2 qts.	2 qts.
Parsley Extra Curled	pkt.	I OZ.	I OZ.	2 OZ.	4 OZ.
PepperSweet Mountain	pkt.	¼ OZ.	½ OZ.	I OZ.	I OZ.
Parsnip Cup, or Guernsey	I OZ.	I OZ.	2 OZ.	4 OZ.	8 oz.
RadishLong Scarlet	pkt.	2 OZ.	2 OZ.	4 OZ.	4 OZ.
Red Turnip, or Cherry	pkt.	2 OZ.	4 OZ.	4 OZ.	8 oz.
Chinese Winter	pkt.	I OZ.	2 OZ.	2 OZ.	2 OZ.
Salsify Long White	½ OZ.	½ OZ.	I OZ.	2 OZ.	4 OZ.
Squash Early Bush	I OZ.	I oz.	2 02.	2 OZ.	4 OZ.
" Hubbard Winter	I OZ.	I OZ.	2 OZ.	4 OZ.	4 OZ.
SpinachRound-Leaved Flanders	4 OZ.	6 oz.	8 oz.	8 oz.	ı lb.
Tomato Early Red Smooth	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
" The Trophy	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
TurnipWhite Dutch	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.
"Yellow Stone	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.



GENERAL LIST

OF

VEGETABLE SEEDS.

For the accommodation of very small growers, those seeds priced by the ounce or quart at thirty cents and under may be had put up in five-cent papers; seeds priced per ounce or quart above thirty cents may be had put up in papers costing not less than ten cents.

The names printed in smaller Roman type are identically the same or similar varieties to those immediately preceding, printed in heavy-faced type.

For price list by the pound, bushel or barrel, see pages 26-28.

For New Vegetable Seeds, etc., see pages 5 and 6.

I ARTICHOKE.

Artichaut, Fr. Urtischofe, Ger. Alcachofa, Sp.

Sow early in spring, in deep, rich soil, and when large enough transplant into rows four feet apart and two feet between the rows. Should be protected in winter by a covering of litter.

French or	Green Glob	e		Per oz. \$0 40
Jerusalem	Artichoke	qt.	25 cts.	Per pk.

ASPARAGUS.

Asperge, Fr. Spargel, Ger. Esparragos, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

	Per oz.	Per 4 oz.
Palmetto	.\$0 15	\$0 30
Conover's Colossallb., 60 c	. 10	25

ASPARAGUS ROOTS.

A saving of one to two years is effected by planting roots. Those offered below are strong two-year-old roots. For private use, the beds should be formed five feet wide with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, nine inches.

			Per	100 P	er I,	000
Palmetto,	two years	old	· \$1	00	\$7	00
Conover's	Colossal,	two year	'S			
old			• I	00	6	50

BEANS.

ENGLISH DWARF.

Féve de marais, Fr. Gartenbohne, Ger. Haba comun, Sp.

Plant as early as practicable in spring, four inches apart, and two inches deep in drills four feet apart.

	Per qt. F	er80	ıts.
*Sword Long Pod	\$0 30	\$I	50
Long Turkey.			
*Broad Windsor (Taylor's)	. 30	I	50
Green Mazagan	. 25	· I	25
English Horse Bean.			
Green Nonpareil	. 25	I	25

TBEANS.

DWARF OR BUSH.

Haricot, Fr. Bohne, Ger. Frijol enano, Sp.

Plant from the middle of April to August for successional crops, in drills two inches deep, and from two to three feet apart.

	I CI Y	La EC	ST 0 (1120
*Extra Early Valentine	.\$0	25	\$I	25
*Long Yellow Six-Weeks		25		25
*Early Mohawk		25	Ι	25
Early China Dwarf		25		25
Golden Refugee		30		50
*Refugee or 1,000-to-1		25		25
White Kidney or Royal		20		25
Red Kidney or French		25		25
White Marrowfat		25		25
*Yosemite Mammoth Wax		40		50
Crystal White Wax		30		75
*Black Wax (with yellow pods		30		50
, jono w pous	,	0-		0




Celery, Golden Self-Blanching



Beet, Golden Tankard.



Cabbage, Pomeranian, or Filderkraut.



Cabbage, Selected All-Seasons.

	1
BEANS, Dwarf or Bush, continued.	Per oz. Per 4 oz.
*Golden or Cream Wax\$0 30 \$1 50	Long Dark Red\$0 10 \$0 25
*Golden Wax Improved 30 1 50	Long Smooth Blood 10 25
Week a say water was	Rochester, or Radish. *Half-Long Dark or Pear-Shaped . 15
THE	Vollows Turnin ou Orongo
*** 1 ()	Yellow Turnip or Orange 10 25 Silver Swiss Chard 10 25
Wonder of France	Wintowin Pland Dad Coming Chand
Canadian Wonder 30 1 50	Sea Kale Beet, for greens.
*Burpee's Bush Lima 40 2 50	For prices per lb., see page 26.
Dreer's Bush Lima 40 2 50	Tot prices per io., see page 20.
Dwarf Horticultural 25 1 25	CATTLE BEET.
Turtle Soup or Black Spanish . 20 1 00	Per 4 oz. Per lb.
For prices per bushel, see page 26.	White Imperial Sugar\$0 15 \$0 50
, confident for animal, and page ani	White French Sugar
†BEANS.	MANGEL-WURZEL.
POLE OR RUNNING.	Sow in May and June in rows about two
Haricot a rames, Fr. Stangen Bohne, Ger'	feet apart; thin out to ten inches apart in
Frijol vastago, Sp.	the rows.
Pole Beans are more tender, and require	Per 4 oz. Per lb.
rather more care in culture than the Bush	Long Red\$0 15 \$0 50
Beans. They succeed best in a rich sandy	Scarcity, or Cattle Beet.
loam.	*Mammoth Long Red 15 50
Plant from the middle of May to July, in	*Norbiton Giant Red
hills about four feet apart each way.	Champion Yellow Globe 15 50
Per qt. Per 8 qts	*Golden Tankard
*Extra Early Lima (new)\$0 40 \$2 00	dr = = = = = = = = = = = = = = = = = = =
*Dreer's Improved Lima 40 2 00	‡BROCCOLI.
Large White Lima 40 2 00	Chou Brocolis, Fr. Brocoli, Spargel-Kohl,
*King of the Garden Lima 40 2 00	Ger. Broculi, Sp.
Early Golden Cluster Wax 50 3 00	_
"Horticultural or Wren's Egg 30 1 75	Sow in May and June. This should be
Small White Lima 40 2 00	transplanted in July, in rows about two feet
Carolina, Saba, Sewee or Sieva.	apart each way.
White Dutch Case-Knife 30 I 75	Per oz. Per 4 oz.
*Mont d'Or or Golden Butter 40 2 25	*Extra Early White\$0 60 \$2 00
Giant Red Wax 40 2 50	*Early Purple Cape 40 1 00
Indian Chief (with yellow pods). 40 2 25 Black German Wax or Algerian.	White Cape or Cauliflower 60 2 00
White Dutch Runner 30 2 00	Early Walcheren (true) 50 I 50 Walcheren Cauliflower.
Scarlet Flowering Runner 30 2 00	watcheren Caumower.
Asparagus or Yard Long 1 00	BURNET.
Asparagus of Tard Dong 00	
BEET.	Pimpernelle petite, Fr. Pimpernell, Ger. Pimpinela, Sp.
Betterave, Fr. Runfelrüben, Ger. Remo-	Sow in rows early in spring.
lacha, Sp.	Per oz. Per 4 oz. Garden
Sow during April for early, May and June	\$ 50 JO
for winter use, in drills about two inches	I BRUSSELS SPROUTS
deep and sixteen inches apart.	
*Extra Early Turnip\$0 10 \$0 25 Early Bassano, or Sugar.	Chou de Bruxelles, Fr. Grüner Sproffen, Ger. Breton de Bruselas, Sp.
*Eclipse Crimson Turnip 10 25	Sow in May, transplant in July; cultivate

same as Cabbage.

Tree or Miniature Cabbage.

Roseberry or French 25

25

25

25


25

Early Blood Turnip 10

Dewing's Blood Turnip 10

*Edmand's Early Blood Turnip ... 10

*Egyptian Blood Turnip 10





Kohlrabi, White Vienna.

Cabbage Lettuce, Hanson's.

Celery, Giant Pascal.

‡ CABBAGE.	Half-Long Red (stump-rooted) \$0 10 \$0 25
Chou pommé ou Cabus, Fr. Kopffohl, Ger.	Scarlot Carontan (carologa)
Repollo, Sp.	*Onleant - Comment
	Dengara Overno Intermediate
Sow the early varieties in protecting	Tong Orango
frames in September, or hot-beds early in	Long Scarlet or Surry, Altringham.
the spring; sow late kinds about the middle	Long Whiteper lb., 75 cts 10 25
of May; transplant in July in fresh, rich ground, in rows about 2½ feet apart, and	Large White Belgian.
from one to two feet apart in the rows, ac-	For prices per lb., see page 26.
	† 0 4 11 151 0WED
cording to kinds. Per oz. Per 4 oz.	CAULIFLOWER.
Early York or May\$0 20 \$0 50 Early Royal Dwarf.	Chousleur, Fr. Blumenfohl, Ger. Colistor, Sp.
*Early Oxheart	As a rule, early Cauliflower is a very un-
French, Heart-Shaped, Early Etampes.	certain crop. Seed sown about the middle
*Early Winnigstadt, or Cone 25 75	of May, and transplanted early in July, is
*Early Flat Dutch	more likely to produce good heads. Sow
*Jersey Early Wakefield 30 I 00	for early and late, same as Cabbage.
Early Nonpareil, Early Becalan.	*Erfurt Extra Early Dwarf \$0 50 \$6 00
*Selected All-Seasons	Carrara Rock 50
Early Dutch Drumhead 20 50	*Early Dwarf Snowball 25 4 00
Early Dutch or Battersea.	Per oz. Per 4 oz.
*Large Late Flat Dutch	*Extra Early Paris (fine)\$0 75 \$2 50
Large Late Drumhead 25 75	Half-Early Paris Nonpareil 60 2 00
Large Late Brunswick, or Fottler's.	*Lenormand's Short-Stemmed 75 2 50 Carter's Extra Dwarf Mammoth.
*Henderson's Succession 30 I 00	Early London, or Dutch 40 1 25
*Autumn King 40 I 00	Large Late Stadtholder 40 I 25
#D-mand Davier IIIm Carrott	
*Dwarf Early Ulm Savoy 25 75	*Large Algiers (fine late) 75 2 50
*Late Drumhead Savoy 25 75	*Large Algiers (fine late) 75 2 50 Italian, or Autumn Giant 40 I 25
*Late Drumhead Savoy	Italian, or Autumn Giant 40 I 25
*Late Drumhead Savoy	7/ 12 4 4 4 4 6 6 6 6 6 6
*Late Drumhead Savoy	Italian, or Autumn Giant 40 I 25
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp.
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich
*Late Drumhead Savoy 25 75 Large Globe Savoy. 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six
*Late Drumhead Savoy 25 75 Large Globe Savoy. 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26.	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet
*Late Drumhead Savoy 25 75 Large Globe Savoy. 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON.	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Cardon, Ger.	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. Per oz. Per 4 oz.
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Cardon, Ger. Sow early in spring, and transplant in	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. Peroz. Per 4 oz. *Early Dwarf White\$0 25 \$0 75
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Carbon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Carbon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Cardon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery.	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Carbon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. **CARDOON.** Cardon, *Fr.** Cardon, *Ger.* Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Per oz. Per 4 oz. Large Solid \$0 30 \$0 75	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Plume Peroz. Per 4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Cardon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Peroz. Per4 oz. Large Solid 575 CARROT.	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Plume Peroz. Per 4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75 *New Giant Pascal 25 75
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. **CARDOON.** Cardon, *Fr.** Cardon, *Ger.* Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Per oz. Per 4 oz. Large Solid \$0 30 \$0 75	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Plume Peroz. Per 4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75 *New Giant Pascal 25 75 Large White, or Giant 20 50
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. **CARDOON.** Cardon, *Fr.** Cardon, *Ger.* Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Large Solid \$0 30 \$0 75 **CARROT.* Carrotte, *Fr.** Möhre, *Ger.** Zanahoria, *Sp.** Sow in April for early; middle of June for	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Plume Peroz. Per 4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75 *New Giant Pascal 25 75 Large White, or Giant 20 50 *Early Dwarf Red 30 75
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. **CARDOON.** Cardon, *Fr. **Cardon, *Ger.* Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Large Solid \$0 30 \$0 75 **CARROT.* Carrotte, *Fr. **Miöhre, *Ger. Zanahoria, *Sp.**	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Peroz. Per4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75 *New Giant Pascal 25 75 Large White, or Giant 20 50 *Early Dwarf Red 30 75 Dwarf Crimson, Rose-Colored.
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. **CARDOON.** Cardon, *Fr.** Carbon, *Ger.* Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Large Solid \$\frac{Peroz}{2}\$ Peroz. Per40z. Large Solid \$\frac{Peroz}{2}\$ CARROT. Carrotte, *Fr.** Möhre, *Ger.** Zanahoria, *Sp.** Sow in April for early; middle of June for winter use, in drills about fifteen inches apart.	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Plume Peroz. Per 4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75 *New Giant Pascal 25 75 Large White, or Giant 20 50 *Early Dwarf Red 30 75 Dwarf Crimson, Rose-Colored. London Large Red 30 75
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. CARDOON. Cardon, Fr. Cardon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Peroz. Per 40z. CARROT. Carrotte, Fr. Möhre, Ger. Zanahoria, Sp. Sow in April for early; middle of June for winter use, in drills about fifteen inches apart. Per 0z. Per 40z.	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. Per oz. Per 4 oz. *Early Dwarf White
*Late Drumhead Savoy. Large Globe Savoy. Perfection Curled Savoy. Perfection Curled Savoy. Perfection Curled Savoy. Perfection Curled Savoy. Red Drumhead. 25 75 Red Dutch, or Pickling. 25 75 Marblehead Mammoth. 20 50 Large Early Schweinfurt. 20 50 Pomeranian, or Filderkraut. 20 50 Pomeranian, or Filderkraut. 20 50 Pomeranian, or Filderkraut. 20 50 CARDOON. Cardon, Fr. Cardon, Ger. Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Peroz. Per 40z. Large Solid. CARROT. Carrotte, Fr. Möhre, Ger. Zanahoria, Sp. Sow in April for early; middle of June for winter use, in drills about fifteen inches apart. Peroz. Per 40z. *Extra Early Forcing. Orange Turnip-Rooted.	CELERY. Céleri, Fr. Sellerie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. Peroz. Per4oz. *Early Dwarf White
*Late Drumhead Savoy 25 75 Large Globe Savoy 25 75 Large Red Drumhead 25 75 Red Dutch, or Pickling 25 75 Marblehead Mammoth 20 50 Large Early Schweinfurt 20 50 Pomeranian, or Filderkraut 20 50 For prices per lb., see page 26. **CARDOON.** Cardon, *Fr.** Cardon, *Ger.* Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as Celery. Peroz. Per 40z. Large Solid \$0 30 \$0 75 **CARROT.* Carrotte, *Fr.** Möhre, *Ger.** Zanahoria, *Sp.** Sow in April for early; middle of June for winter use, in drills about fifteen inches apart. Per 0z. Per 40z. **Extra Early Forcing \$0 15 \$0 30	CELERY. Céleri, Fr. Sesserie, Ger. Apio, Sp. Sow very early in spring, in moist rich ground, when the plants are from four to six inches high; transplant into trenches four inches deep and nine wide, and three feet from trench to trench. Set the plants six inches apart in the rows. *Early Dwarf White Peroz. Per4 oz. *Early White Plume 40 1 00 *Golden Heart Half-Dwarf 30 75 Golden Self-Blanching 40 1 25 *Perfection Heartwell 30 75 *Boston Market Dwarf White 30 75 *New Giant Pascal 25 75 Large White, or Giant 20 50 *Early Dwarf Red 30 75 Sandringham Dwarf White 20 50 Turnip-Rooted Celery 25 75










Cucumber, Greens Cluster.


‡ CHERVIL.	Per bush.
Cerfeuil, Fr. Kerbel, Ger. Perrifollo, Sp.	Long Orange Flint\$2 25
Sow early in spring, and at short intervals,	King Philip 2 00
Peroz Perioz	Queen of the Prairie (Dent) 2 00
Curled, or Double	Golden Beauty (Dent) 2 00 We can furnish, also, other varieties for
Tuberous-Rooted	field culture.
COLLARD OR COLE-	CORN SALAD OR FET-
WORT.	TICUS.
Chou, Fr. Blätter-Kohl, Ger.	Mâche, Fr. Ucfersalat, Ger. Canonigos, Sp.
Sow from May to July for succession, and	Sow in September, and manage same as
treat same as Cabbage, in rows a foot apart.	Spinach.
Per oz. Per 4 oz.	Peroz. Peraoz.
Georgia Grown Collards\$0 20 \$0 50	Small-Seeded\$0 10 \$0 25
†SUGAR CORN.	Large-Seeded 10 25
Mais, Fr. Welchforn, Ger. Maiz, Sp.	CRESS, OR PEPPER
	GRASS.
Plant from the middle of May to July for successional crops, in hills about three feet	Cresson, Fr. Kreffe, Ger. Mastuerzo, Sp.
apart.	Sow at short intervals, spring and fall.
EXTRA EARLY.	Per oz. Per 4 oz.
Per qt. Per 8 qts.	Upland Cress\$1 50
*Extra Early Minnesota\$0 25 \$1 25	*Extra Curled 10 \$0 25
*Extra Early Cory	Australian, or Golden 10 25
Early Narragansett 20 I 00	True Water Cress 50 1 50
Early Marblehead 20 I 00	† CUCUMBER.
	Concombre, Fr. Gurfe, Ger. Pepino, Sp.
SECOND EARLY.	Sow for early in hot-beds or frames; open
*Crosby's Early (fine) 25 1 25	ground from the middle of May to August
Triumph Early Sugar 25 1 25	for successional crops.
Moore's Early Concord 20 1 00	Per oz. Per 4 oz. *Extra Early Russian\$0 10 \$0 25
Amber Cream Sugar 20 I 00 *Squantum, or Potter's Sugar 25 I 25	*Early White-Spined (fine) 15 30
**Squantum, or Potter's Sugar 25 I 25 *Ne Plus Ultra 25 I 25	Short Green, or Boston Pickling . 10 25
10 Tus Ottia 25 1 25	*Green Prolific, or Pickling 15 25
GENERAL CROP.	Early Green Cluster 10 25
*Stowell's Evergreen 20 I 00	Early Short Prickly, Early Frame.
*Country Gentleman 25 I 25	Improved Long Green 15 30 *Thorburn's Everbearing 10 25
*Mammoth Sugar (extra fine) 25 1 25	
Excelsior, Asylum or Burr's. Egyptian, or Washington Market 25 I 25	Khiva Brown Netted
Large Eight-Rowed Sugar 20 I 00	New Jersey Hybrid.
Roslyn Hybrid	*Tailby's Hybrid 15 30
Black Mexican Sugar 25 I 25	Long Green Turkey 10 25
Per bus.	W. I. Gherkin, or Burr 20 60
Sweet Fodder (best for soiling) 2 50	German White (for forcing) 20 60
For prices per bushel, see page 26.	Nichols' Medium Green 10 25 Per pkt.
POP CORN.	General Grant (for forcing)\$0 25
Per qt. Per 8 qts.	Telegraph "25
Pop, or Parching	Duke of Edinburgh " 25
† FIELD CORN.	Marquis of Lorne " 25
Early Yellow Canada \$2 00	Also several other English long varieties for forcing; each, per pkt 25
Large White Flint 2 00	For prices per lb., see page 27.
	1 2 tot breeze Lar 10.1 and Last 1.



Pea, Alaska.



Radish, Chartier.



Field Corn, Queen of the Prairie.



Squash, Hubbard, or Winter.



Squash, Early White Bush.

† EGG-PLANT.

Aubergine, Fr. Cierpstanze, Ger. Berengena, Sp.

Sow in hot bed, or under glass, early in spring; about the end of May transplant to the open ground.

			Per 4	
Early Long Purple	, \$0	30	\$ 1	00
*Improved N. Y. Purple		50	I	25
Large Oval Purple, Round Purple				
*Early Black Pekin		40		
·			Per	okt.
Long White Chinese	• • •		\$0	10
Scarlet Chinese				10
Striped, or Guadaloupe				10
White Egg-Shaped	• • •	• • •	• • • •	10

I ENDIVE.

Chicorée-Endive, Fr. Endiven, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as Lettuce.

1	-		D
,			Per 4 oz.
*Green Curled Summer	.\$0	20	\$0 50
White Curled		20	50
French, or Moss Curled		25	60
*Broad-Leaved		25	60
Batavian or Escarolle.			
Brussels Chicory (Witloof)			25
Wild (for flavoring coffee)		10	25
(Chicory or Succory, per lb.	., \$1	.)	

GARLIC.

Ail, Fr. Knoblauch, Ger. Ajo, Sp.

Plant early in spring, in rows ten inches apart and two inches deep.

													1	GI	- 1	U
Garlic Sets.			•		•	٠			٠	•	٠		. 1	0	4	C

TKALE, OR BORECOLE. Chou-rest, Fr. Grüner Kohl, Ger. Breton, Sp.

Sow Spring Sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as Spinach. Sow all other kinds from April to June; manage same as Cabbage.

Per	oz.	Per 4 oz.
*Green Curled Scotch\$0		
*Dwarf Green Erfurt	15	40
Brown, or Purple Curled	15	40
*Curled Siberianper lb., \$1		25
, 'Hardy German Greens or Winter Spre	outs.	
*Striped Garnishing	25	75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		10

IKOHLRABI.

(Turnip-rooted Cabbage.)

Chou-rave, Fr. Kohl-Rabi, Ger. Col de nabo, Sp.

Sow from March to June for transplanting in succession.

							Per	oz.	Per 4	0%.
*Early	White	Vienna					.\$0	30	\$1	00
Early	Purple	Vienna						30	I	00

ILETTUCE.

Laitue, Fr. Lattich, Ger. Lechuga, Sp.

Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.


Per oz. P	er / 67
*German Early Head\$0 25	\$0 75
Early Egg, or Forcing 25	75
*Buttercup (fine for forcing) 20	50
*Big Boston (fine for forcing) 25	75
*Simpson's Curled Silesia 20 Early Cut Salad.	50
Black-Seeded Simpson 20	50
*Early Tennisball (fine)	50
**Golden Stone Head (fine) 25 Yellow-Seeded Butter.	75
Deacon (solid head) 20	50
Early Prize Head 20	50
Black-Seeded Large Butter 20	50
Turkish Cabbage, or Russian.	
Gray-Seeded Butter 25	75
*Perpignan, or Summer 25	75
Henderson's New York 20	50
Ice Drumhead (fine)	50
White Summer Cabbage 20	50
Stone Cabbage, or Winter Butter.	20
American Gathering 20	50
Victoria Cabbage 20	50
Red-Edged Cabhage.	
*Salamander, or Satisfaction 20	50
*All-the-Year-Round 20	50
Hanson's Cabbage 20	. 20
Shotwell's Brown Head 20	50
Hardy Green	. 50
White Paris, or Ice Cos 20	50
Green Paris Cos (Romaine) 20	50
Trianon Self-Closing Cos 20	50
California Curled, or Fringed 15	30
Asiatic Cabbage, or Imperial 15 Saxony Cabbage, Grand Admiral.	30
For prices per lb., see page 27.	



Pepper, Ruby King.



Leek.




Watermelon, Mammoth Iron-Clad.



Turnips.



Tomato.



Radishes.

LEEK.	Per oz. Per 4 oz.
Poireau, Fr. Sauch, Ger. Puerro, Sp.	Iceing or Ice Rind (red flesh) \$0 10 \$0 25 White-Seeded Ice Cream, Strawberry.
Sow from March to May; transplant in	*Black Spanish (red flesh) 10 25
wish swarm d	Phinney's Early (red flesh) 10 25
*Large American Flag \$0 30 \$0 75	*Jordan's Gray Monarch 15 30
Large Carentan (fine) 30 75	Green and Gold
	Ruby Gold
†MARTYNIA.	*Scaly Bark (crimson flesh) 15 30
Gemsenhoru, Ger.	*Vick's Early (red flesh) 15 30 The Volga (red flesh) 10 25
Sow in May in open ground, three feet	0 1 (0 1)
apart each way. Per oz. Per 4 oz. Craniollaria (for pickles)\$0 30 \$0 75	Mammoth Iron-Clad 10 25
Craniollaria (for pickles)\$0 30 \$0 75	*Striped Gipsy (fine late) 10 25
MUSHROOM.	Jackson, or Rattlesnake.
Champignon, Fr. Champignonbrut, Ger.	Japan Sculptured (cream flesh) 10 25
Seta Sb.	Citron (for preserves) 10 25
English Spawn per 8 lbs., \$1\$0 15	MUSTARD.
French, in boxes of 3 lbs each, 1 25	Sinapis, Lin. Moutarde, Fr. Senf, Ger.
Printed pamphlets on Mushroom	Sow at intervals, spring and autumn.
culture sent with all orders for spawn.	Per oz. Per 4 oz.
* MUSIC MELON	*White, or Yellow\$0 05 \$0 15
MUSK-MELON.	Black, or Brown 5
Melon, Fr. Melone, Ger. Melon, Sp.	Chinese (for salad)
Sow in frames for early; open ground in May and June, in hills six feet apart each	INASTURTIUM.
way.	
*Early White Japan \$0 15 \$0 30	Capucine grande, Fr. Kreffe Indianische, Ger. Maranuela, Sp.
*Early Christina (orange flesh) 15 30	
*Emerald Gem (orange flesh) 15 30	Sow in May and June in drills an inch deep.
*Large Nutmeg (green flesh) 15 30	†Tall (Indian Cress)
Green Citron (netted)	Dwarf " 20 50
The Banquet (rich salmon) 15 30 Early Jenny Lind (green flesh) 15 30	
Dolmonico (largos ovango Assla)	OKRA.
Improved Hackensack	Gombo, Fr. Effbarer Hibifcus, Ger. Quimbombo, Sp.
Bay View (extra large) 15 30	Sow after the middle of May, or early in
Surprise (new) 15 30	June, in rich ground, in drills about an inch
*Excelsior Nutmeg (green flesh) 15 30	deep and three feet apart; thin out to eight
*Golden Perfection (yellow flesh). 15 30	inches. Per oz. Per 4 oz.
Baltimore Market. Orange flesh 15 30	*Dwarf White Velvet\$0 10 \$0 25 *Early Dwarf Green 10 25
*Montreal Market (green flesh) 15 30	*Early Dwarf Green
Pomegranate (for perfume) 25 75	Extra Long Green 10 25
Also English varieties, for culture	ONION.
in framesper pkt., 20 cts	Oignon, Fr. Zwieble, Ger. Cebollo, Sp.
*WATER MELON	Sow seed in rich ground early in spring,
†WATER-MELON.	in drills one foot apart, and thin to two
Melon d'Eau, Fr. Wassermelone, Ger. Sandia, Sp.	inches apart
-	*Extra Early Flat Red \$0 20 \$0 60
Sow in frames for early; open ground May and June, in hills eight feet apart each	Large Red Wethersfield 20 60
way. Per oz. Per 4 oz.	*Large Red Globe 20 60
*Early Mountain Sweet\$0 10 \$0 25	*Large White Globe 30 I 00
Kolb's Gem 10 25	Yellow Dutch, or Strasburg 15 50



Radish, Early Scarlet Turnip.



Spinach, Savoy-Leaved.





Tomato, Livingston's Perfection.



Tomato, Golden Queen.

ONION, continued. Per oz. Per 4 oz.	SECOND EARLY PEAS.
*Yellow Danvers, or Globe\$0 25 \$0 60	*Heroine Ft. Per qt. Per 8 qts. ** *2 ½ .\$0 40 \$2 00
*White Portugal 30 I 00	*McLean's Advancer
New England White, Silver Skin.	Laxton's Fillbasket3 30 I 75
Queen (New Early White) 25 75	*Horsford's Market Garden .21/2 25 1 25
Prize-Taker (straw color) 30 75	*Dwarf Champion2 30 1 50
White Italian Tripoli 25 75	*Abundance (sow thin) $1\frac{1}{2}$ 25 1 25
Naples Giant Rocco (late) 20 50 About, per qt. Per pk.	*McLean's Little Gem 30 I 50
Potato Onions\$0 25 \$1 50	McLean's Blue Peter 30 1 50
White Multiplier 40 2 50	Tom Thumb (Amer.) 7 inch 25 1 50
Red Onion Sets 30 2 00	
*White Onion Sets 30 2 00	MAIN CROP AND LATE PEAS.
Yellow Onion Sets 25 1 75	*Champion of England 5 25 I 25
Top or Button Onions 30 2 00	*Yorkshire Hero 25 I 25
For prices per pound, see page 27.	*Ne Plus Ultra 5 25 I 50
PARSNIP.	*John Bull
	*Everbearing (sow thin) 2 ½ 25 1 25
Panais, Fr. Pastinate, Ger. Pastinaca, Sp.	Pride of the Market 2 35 2 00
Sow from March to June, in deep rich ground.	*Sander's Marrow5 30 1 50
Per oz. Per 4 oz.	*Carter's Telephone5 30 I 50
*Long White, or Guernsey\$0 10 \$0 25	Culverwell's Telegraph4 30 1.75
Cup, Hollow Crowned, or Sugar, Sutton's Student	*Carter's Stratagem2 30 1 50
Sutton's Student 10 25	Blue Imperial
PARSLEY.	Imperial Marrow. White Marrowfat
Persil, Fr. Peterfilie, Ger. Perejil, Sp.	Royal Dwarf.
Sow from March till June, in drills an inch	Black-Eyed Marrow 3 20 1 00
deep and one foot apart	Peruvian Marrow.
*Curled, or Double	SUGAR PEAS.
*Champion Moss-Curled 15 30	m-11 0 / 111 1)
*Carter's Fern-Leaved to 25	Wrinkled Sugar "4 40 2 00
Hamburg, or Rooted 10 25	Dwarf Sugar " 40 2 00
PEAS.	For prices per bushel, see page 28.
Pois, Fr. Grbse, Ger. Guisante, Sp.	La 1 or prices per busiler, see page 20.
EXTRA EARLY SORTS.	†PEPPER.
Plant for early use as early in spring as	
practicable, and for succession every two or	Piment, Fr. Spanischer Pfeffer, Ger.
three weeks until July. Plant in single or	Pimiento, Sp.
double rows three to five feet apart, according to height, and four inches deep.	Sow in hot-beds in February and March;
Those marked * are the wrinkled	in open ground May and June, transplanting
varieties.	to eighteen inches apart each way.
Ft. Per qt. Per 8 qts. Bridgeman's Extra Early 2½ \$0 25 \$1 50	Squash, or Tomato \$0 25 \$0 75
Carter's First Crop2½ 25 1 25	*Large Bell, or Bull-Nose 25 75
Sutton's Ringleader, First and Best.	*Sweet Spanish (for salad) 25 75
Daniel O'Rourke2½ 25 1 25	*Sweet Mountain (for Mangos) 30
Sangster's No. 1, Caractacus. Philadelphia Extra Early2½ 25 1 25	*Celestial 30 I 00
AT	Red Cherry 30 I 00
Alaska	Red Chili, or Red Cluster 30 I 00
Rural New-Yorker2½ 25 1 25	Long Red Cayenne 30 I 00
Kentish Invicta (fine)2½ 30 I 50	Ruby King
Prize-Taker, Rising Sun.	Cranberry-Shaped 25 75 Golden Dawn (new) 25 75
*Carter's Premium Gem 1½ 30 1 50 *American Wonder 1½ 30 2 00	For prices 11
*American Wonder $1\frac{1}{2}$ 30 2 00	TOLDINGS DELID. SEE DAGE 27

POTATOES.	Per oz. Per 4 oz. *Purple Summer Turnip\$0 10 \$0 25
Pomme de Terre, Fr. Kartosseln, Ger.	*Long Black Spanish 10 25
Our Potatoes are all specially grown for	*Round Black Spanish 10 25
seed purposes, and are "northern grown."	White Spanish, or Fall 15 40
Prices subject to variation.	*Scarlet Chinese Winter 10 25
About per hus	California Mammoth 30
Beauty of Hebron	White Japan, or Russian.
Early Rose, or Vermont	Raphanus (edible pods) pkt., 10 cts.
Extra Early (The Thorburn) 2 00	For prices per lb., see page 28.
Charles Downing 2 00	RHUBARB.
Early Puritan 2 00	Rhubarbe, Fr. Rhabarber, Ger. Ruibarbo, Sp.
Rural New-Yorker	Sow seed or plant roots in rich ground
Pride of Ireland (heavy yielder) 2 00	during April or May. Per oz. Per 4 oz.
Clark's No. 1 1 75	Myatt's Victoria
White Elephant (fine late) 1 75	Pie-Plant, Wine-Plant. Each. Per doz.
Dakota Red 1 50	Roots (large) \$0 20 \$2 00
White Star 1 50	SAGE.
Late Beauty of Hebron 1 50	Sauge, Fr. Salbei, Ger.
For prices per barrel, see page 28.	
†PUMPKIN.	Sow during the spring. Per oz. Per 4 oz.
	Common (Salvia officinalis)\$0 25 \$0 75
Potiron, Fr. Kurbis, Ger. Calabaza, Sp.	SALSIFY, OR OYSTER
Sow in May or June, in hills six by eight feet apart.	PLANT.
Per oz Per 4 oz	Salsifis, Fr. Bocffbart, Ger. Ostra Vege-
*Large Cheese, or Pie\$0 10 \$0 25 West Indian Mammoth25 75	tal, Sp.
West Indian Mammoth 25 75 Mammoth, or Large Tours 20 60	Sow from April till June, in drills twelve
Jonathan 10 25	inches apart, and thin out to six inches
Per qt. Bush.	an anti-
Connecticut Field\$0 25 \$4 00	Long White
† DADIG!!	Mammoth Sandwich Island 20 50
RADISH.	Scolymus (Salsify sp.) 25 60
Radis, Rave, Fr. Rettig, Ger. Rabanos	SCORZONERA.
and Rabanitos, Sp.	Scorsonére, Fr. Sfozonere, Ger. Escor-
Sow for successional crops at short intervals, from March till September, in drills an	conera, Sp.
inch doop and a fact apart	Sow from April to June. Per oz. Per 4 oz.
*Scarlet Globe Turnip (new)\$0 15 \$0 40	Black Salsify
*French Breakfast (fine) 10 25	
Red Olive-Shaped, White-Tipped.	SAVORY.
*Early Scarlet Turnip (fine) 10 25	Bohnenfraut, Ger. Per oz. Per 4 oz.
Red Turnip, or Cherry. *Early Round Dark Red 10 25	*Summer\$0 25 \$0 75
White-Tipped Scarlet Turnip 15 30	Winter 40 1 00
New Golden Olive-Shaped 15 30	SKIRRET.
Early White Olive-Shaped 15 30	Chervis, Fr. Zucferwurzel, Ger. Cherivia, Sp.
Early Scarlet Olive-Shaped 10 25	Sow from April till June. Per oz. Per 4 oz.
*Long Scarlet Short-Top 10 25	Sium Sisarum
Beckert's Chartier Long Red 10 25	
*Golden Globe (fine) 10 25	SORREL.
Yellow Summer Turnip 10 25	Oseille, Fr. Sauerampfer, Ger. Acedera, Sp.
Gray Summer Turnip 10 25	Sow during the spring. Per oz. Per 4 oz.
*White Summer Turnip 10 25	*Large-Leavedper lb., \$1.25\$0 15 \$0 40
Giant Stuttgart Summer Turnip . 10 25	Garden Patience Dock 30 60

SPINACH.

Epinard, Fr. Spinat, Ger. Espinaca, Sp.

Sow early in the spring, in very rich ground. Also during September and October for winter use in drills twelve inches apart, and half an inch deep.

Per 40z. Per lb.

apart, and half an inch deep.	r 4 oz.	Per	· 1h
*Round-leaved\$			
*Long-Standing	15		40
Broad Flanders	15		40
*Large Viroflay	15		40
Large Round Thick-leaved.			
Savoy-leaved	15		40
Bloomsdale, or Norfolk.			
Prickly-leaved	15		40
New Zealand per oz., 15 c	30	I	00
Holland, or Orach. " 20 C	50	I	00
French, or Mountain Spinach.			

†SQUASH.

Courge, Fr. Kurbis, Ger. Calabozo Tontanera, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about four feet apart, other kinds eight feet apart.

	Per 4 oz.
*Early White Bush\$0 IO Scallop, or Patty-Pan.	\$0 25
Egg-Plant Bush	25
*Early Striped Bush 10 Green-Striped Bergen.	- 25
Early Golden Bush 10	25
*Summer Crook-Neck Bush 10	25
Early Orange Marrow 15	30
Boston Marrow 15	30
*Hubbard, or Winter 15	30
*Sibley, or Pike's Peak 10	25
Marblehead Marrow 15	30
*Essex Hybrid	. 30
*Winter Crook-Neck	30
Turban, or Turk's Cap 15	30
Fordhook (Long-keeper) 15	30
*Perfect Gem (Late-running) 15	. 30
Lima Cocoanut	25
Butman (Winter) 10	25
English Vegetable Marrow 20	50
Mammoth Chili (extra size) 30	60
Patagonian	50
Brazil Sugar 10	25
For prices per lb., see page 28.	

SWEET BASIL.

Basilic, Fr. Basilicum, Ger.

_																Pe	r	oz.	Pe	er	4	oz.
Sweet	٠	۰		2					۰	^	r	^	^	0	۰	. \$	0	40		\$	I	00

SWEET MARJORAM.

Marjolaine, Fr. Marjoran, Ger.

TOBACCO SEED.

(Nicotiana tabacum.)

| Per oz. Per 4 oz. | So 30 \$1 00 | Imported Havana | So 1 50 | Imported Havana | So 1

THYME.

Thym, Fr. Thymian, Ger.

Sow during the spring.	Per	OZ.	Per 4 oz*
*English	.\$0	50	\$1 50
French (Small-leaved)		40	1 25

†TOMATO, OR LOVE-APPLE.

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.

Sow in hotbeds for early; open ground, April and May; transplant in rows three or four feet apart.

rour reet apart.	Per	oz.	Per 4	oz.
*Ponderosa	· \$0	50	\$1	25
*Livingston's Perfection		25		75
*Ignotum		25		75
The Lorillard				75
Extra Early Conqueror		25		75
*Mikado (early, large, red) Turner's Hybrid.		25		75
*The Trophy (selected)		25		75
*Dwarf Champion		25		75
*Acme (smooth, dark red)		25		75
Livingston's Beauty		25		75
*Livingston's Favorite		25		75
*Early Ruby (dwarf, compact)		30		75
Large Red Cherry, or Gem		25		75
Large Golden Yellow		30		75
Red Pear-Shaped, or Fig		25		75
Yellow Plum		30		75
*Cardinal (brilliant red)		25		75
Table Queen (rich crimson)		30		75
*Carter's Green Gage (fine)		25		75
Strawberry, or Winter		30		75
De Laye, or Treepkt., ro-cts		-		
For prices per pound, see page	28.			
TURNIP				

TURNIP.

Navet, Fr. Rübe, Ger. Nabo Commun, Sp. All varieties, 10 cents per ounce.

Sow for early, very early in spring on fresh, broken up ground. Upon old ground early turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Rutabaga in July, in drills

TURNIP, continued.	Per oz.
fifteen inches apart; thin out to six inches.	Savory, Summer (Satureja Hortensis). \$0 25 Savory, Winter (Satureja Montana) 40
For best results, cultivate carefully all	Tansy (Tanacetum vulgaris) 50
through the season. Per 4 oz. Per lb. *Extra Early Milan \$0 25 \$0 75	Thyme, English (Thymus vulgaris) 50
	Thyme, French
White Strap-Leaved.	Wormwood (Artemesia absinthium) 50
Early White Stone 20 60	, 0
Early Snowball, or Six-Weeks. Early Purple-Top Munich 20 50	GRASS SEEDS.
70 1 77 11 0 14	About
Small Berlin, or Marrow. 25 75	Per bus. Timothy. 45 lbs. to bus market price
*Red-Top Strap-Leaved 20 50	Phleum pratense.
Red-Top White Globe 20 50	Creeping Bent Grass. 20 lbs. to bus\$3 50 Agrostis stolonifera.
*White Egg-Shaped (fine late) 20 50	Red Top. 14 lbs. to bus 1 50
*Yellow Stone, or Globe 20 50	Agrostis vulgaris.
Yellow Aberdeen 20 50 Scotch Yellow.	Rhode Island Bent Grass. 12 lbs. to bu. 3 50 Agrostis canina.
*Robinson's Golden Ball 20 50	Sweet Vernal Grass per lb., 75 cts
Orange Jelly.	Anthoxanthum odoratum.
White French, or Rock 20 50 Russian, Hanover, Sweet German.	Meadow Fescue. 22 lbs. to bus 4 50 Festuca pratensis.
*Purple-Top Ruta-Baga 20 50 Improved Yellow Swede, or Russia.	Meadow Fox-Tail Grass. 7 lbs. to bus. 2 25 Alopecurus pratensis.
White Ruta-Baga	Tall Meadow Oat Grass. 13 lbs. to bus. 2 50 Avena elatior.
Long White, Cow Horn 20 50	Orchard Grass. Choice; 14 lbs. to bus. 3 50 Dactylus glomerata.
	Sheep's Fescue Grass. 12 lbs. to bus 2 50
SWEET, POT AND ME-	Festuca ovina.
	Hungarian Grass. 48 lbs. to bus 1 75
DICINAL HERBS.	Panicum Germanicum.
DICINAL HERBS.	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25
DICINAL HERBS. Per packet, 5 to 10 cents.	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus.
Per packet, 5 to 10 cents. Sow under glass early in spring; about the	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum.
Per packet, 5 to 10 cents.	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus I 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)\$0 15	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)\$0 15 Basil, Sweet (Ocymum basilicum)40	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis.
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15lbs. 4 50 Permanent Pasture Grass 3 50
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus I 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)\$0 15 Basil, Sweet (Ocymum basilicum)40 Borage (Borago officinalis) (for bees) 20 Balm (Melissa officinalis)50 Bene (for dysentery)per lb., \$2 20 Coriander (Coriandrum sativum)15 Castor Oil Plant (Ricinus) .per lb., 50c 10 Caraway (Carum carui)15 Catnip (Nepeta cataria)60 Dandelion (Leontodon taraxacum)40	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus I 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)\$0 15 Basil, Sweet (Ocymum basilicum)40 Borage (Borago officinalis) (for bees) 20 Balm (Melissa officinalis)50 Bene (for dysentery)per lb., \$2 20 Coriander (Coriandrum sativum)15 Castor Oil Plant (Ricinus) .per lb., 50c 10 Caraway (Carum carui)15 Catnip (Nepeta cataria)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover 35 Crimson Clover 15
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)\$0 15 Basil, Sweet (Ocymum basilicum)40 Borage (Borago officinalis) (for bees) 20 Balm (Melissa officinalis)50 Bene (for dysentery)per lb., \$2 20 Coriander (Coriandrum sativum)15 Castor Oil Plant (Ricinus) .per lb., 50c 10 Caraway (Carum carui)15 Catnip (Nepeta cataria)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$\frac{9}{20}\$ White Clover \$\frac{3}{20}\$ Crimson Clover \$\frac{3}{20}\$ Crimson Clover \$\frac{1}{20}\$
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Per oz. Anise (Pimpinella Anisum)\$0 15 Basil, Sweet (Ocymum basilicum)40 Borage (Borago officinalis) (for bees) 20 Balm (Melissa officinalis)per lb., \$2 20 Coriander (Coriandrum sativum)15 Castor Oil Plant (Ricinus) .per lb., 50c 10 Caraway (Carum carui)15 Catnip (Nepeta cataria)60 Dandelion (Leontodon taraxacum)40 Dill (Anethum graveolens)per lb., \$115 Eucalyptus, or Fever Plant75 Fennel, Sweet (Anethum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover 35 Crimson Clover 15
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover \$35 Crimson Clover \$35 Crimson Clover \$15 Trifolium incarnatum. Yellow Clover, or Trefoil \$20
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus I 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover 35 Crimson Clover 35 Crimson Clover 15 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14 lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus. 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover \$35 Crimson Clover \$35 Crim
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover \$0 35 Crimson Clover \$0 35 Crimson Clover \$0 35 Crimson Clover \$0 20 White Clover, or Trefoil \$0 20 Lucerne, or Alfalfa Clover \$0 25 Alsike Clover, or Swedish \$0 25 Bokhara Clover \$0 40
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover " 35 Crimson Clover " 35 Crimson Clover " 15 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 40 BIRD SEEDS, ETC. Per qt. Per bus. Canary (best Sicily) \$0 20 \$4 00
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover \$0 35 Crimson Clover \$0 35 Crimson Clover \$0 35 Crimson Clover \$0 20 White Clover, or Trefoil \$0 20 Lucerne, or Alfalfa Clover \$0 25 Alsike Clover, or Swedish \$0 25 Bokhara Clover \$0 26 BIRD SEEDS, ETC. Per qt. Per bus. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed \$0 40
Per packet, 5 to 10 cents. Sow under glass early in spring; about the end of May transplant to open ground. Anise (Pimpinella Anisum)	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25 Holcus lanatus. Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00 Lolium Perenne. Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis. Kentucky Blue. Best ex. cleaned; 14lb. 3 00 Central Park Lawn Grass. 15 lbs. to bus 3 50 Extra Finest Mixed Lawn Grass. 15 lbs. 4 50 Permanent Pasture Grass 3 50 CLOVERS. Red Clover, price variable \$0 20 White Clover " 35 Crimson Clover " 35 Crimson Clover " 15 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 40 BIRD SEEDS, ETC. Per qt. Per bus. Canary (best Sicily) \$0 20 \$4 00

BIRD SEEDS, Etc., continued. Per qt. Per bu.	Fir Tree Oil Soap 1/2-lb. can, 25c.;
Yellow Millet \$0 15 \$3 00	2-lb. can,\$0 75
English Rape (large-seeded) 20 4 00	Persian Insect Powderper lb., I oo Flowers of Sulphur
German Rape (small-seeded) 20 4 00	Pure Paris Green
Bird Gravel (for cages) 19 2 00	White Hellebore 30
Rough Rice 20	Whale-Oil Soap " 12
Maw, or Poppyper lb., 30 cts	Gishurst's Compoundper box, 50
Bird Lettuce " 50 "	Tobacco Stems per 100 lbs., 2 00 Tobacco Dust
Imperial Egg Food " 50 "	Tobacco Insecticide Soap 50
Mocking-bird Food per bottle, 40c	
Canary Food " 25C	MISCELLANEOUS.
Prices variable.	Grafting Wax per lb., \$0 40 Raphia (for tying) 25
211000 Variable.	Cuba Bast (for tying)
VARIOUS SEEDS.	Lead Wire (for grape-vines) " 25
Devid Deviler	Mats, straw (6 ft. by 6 ft.) each, 1 50
Flax Seed\$0 25 \$3 50	Round Scythe Stones
Sunflower 15 2 50	Indelible Garden Pencils
Broom Corn 25 3 00	Thermometerseach, 50 cts. to 1 50
Vetches (for Pigeons, etc 20 3 00	Bellows (for insect powder, etc.) each, I oo
Chinese Sugar Cane Per lb. \$0 25	Plant Protectors per doz., \$2 to 3 00
Rural Branching Sorghum	Elastic Plant-Sprinkler each, I co
Yellow Locust (Robinia)	Elastic Putty Bulb (for glazing greenhouses, sash, etc.) " 1 00
Honey Locust	Canes (useful as Flower Sticks) 100, 1 25
Ocade Orange (Maclura)	STANDARD FLOWER-ROTS
Osage Orange (Maclura)	STANDARD FLOWER-POTS.
Pearl, or Egyptian Millet 25	Per 100. Per 1,000
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb\$0 80 \$6 50 3 '' Gill 1 25 9 00 4 '' Half-Pint 2 00 20 00
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb \$0 80 \$6 50 3 '' Gill I 25 9 00 4 '' Half-Pint 2 00 20 00 5 '' Pint 2 75 25 00
Pearl, or Egyptian Millet	Per 10. Per 1,000 21/4 inch Thumb\$0 80 \$6 50 3 '' Gill 1 25 9 00 4 '' Half-Pint 2 00 20 00 5 '' Pint 2 75 25 00 6 '' Quart 1 25 40 00
Pearl, or Egyptian Millet	Per rco. Per 1,000 21/4 inch Thumb\$0 80 \$6 50 3 '' Gill I 25 9 00 4 '' Half-Pint 2 00 20 00 5 '' Pint 2 75 25 00 6 '' Quart 1 25 40 00 7 '' Three-Pint 6 50 60 00
Pearl, or Egyptian Millet	Per rco. Per 1,000 21/2 inch Thumb
Pearl, or Egyptian Millet	Per rco. Per 1,000 21/4 inch Thumb \$0 80 \$6 50 3 '' Gill 1 25 9 00 4 '' Half-Pint 2 00 20 00 5 '' Pint 2 75 25 00 6 '' Quart 1 25 40 00 7 '' Three-Pint 6 50 60 00 8 '' Half-Gallon 9 00
Pearl, or Egyptian Millet	Per 10. Per 1,000 21/4 inch Thumb \$0 80 \$6 50 3 '' Gill 1 25 9 00 4 '' Half-Pint 2 00 20 00 5 '' Pint 2 75 25 00 6 '' Quart 1 25 40 00 7 '' Three-Pint 6 50 60 00 8 '' Half-Gallon 9 00 9 '' Gallon 11 50 10 '' Two-Gallon 20 00
Pearl, or Egyptian Millet	Per rco. Per 1,000 21/2 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per rco. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per rco. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per 100. Per 1,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per Ico. Per I,000 21/4 inch Thumb
Pearl, or Egyptian Millet	Per Ico. Per I,000 21/4 inch Thumb

FRUIT SEEDS.

1 Ct 10.		
Apple Seed	Currant, Mixed\$0	40
Cherry Pits, Mahaleb 30	Gooseberry, Mixed	75
Pear Seed 1 50	Raspberry Seed, Mixed	50
Quince Seed 1 50	Strawberry Seed, Mixed	50

VEGETABLE SEEDS, ETC.

BY THE POUND, BUSHEL or BARREL.

Orders for less than Half-Bushels and Half-Pounds are liable to somewhat higher rates.

BUSH BEANS.	er bus.	CABBAGE.	
Burpee's Bush Lima	00 01	Early York, or May	Per lb.
Dreer's Bush Lima	9 00	Large Early Oxheart	. \$1 50
Extra Early Valentine	4 50	Early Flat Dutch, or Summer	. 1 50
Long Yellow Six-Weeks	4 50	Early Jersey Wakefield	. 3 00
Early Mohawk	4 50	All-Seasons	2 50
Early China Dwarf	4 50	Henderson's Succession	3 00
Golden Refugee	5 00	Autumn King	2 00
Refugee, or 1,000-to-1	4 00	Early Winnigstadt	2 00
Canadian Wonder	5 00	Early Dutch, or Drumhead	T 50
White Kidney, or Royal	5 00 4 00	Large Late Drumhead	. 2 50
Red Kidney, or French	4 00	Premium Late Flat Dutch	. 2 50
White Marrowfat	4 00	Dwarf Early Ulm Savov	2 50
Dwarf Horticultural	4 50	Large Late Drumhead Savoy	. 2 50
Turtle Soup, or Black Spanish	4 00	Red Dutch, or Pickling	. 2 50
Flageolet Wax	5 00		
Yosemite Mammoth Wax	9 00	CARROT.	•
Black Wax	5 00	Eutro Forly Foreign	Per lb.
Crystal White Wax	6 00	Extra Early Forcing	. \$I OO
Golden, or Cream Wax	6 00	Oxheart, or Guerande	. I 00
Golden Wax Improved	5 00	Early Orange Horn (pointed)	. I co
Wardwell's Kidney Wax	5 00	Half-Long Red Orange (stump-rooted)	. 1 00
POLE, OR RUNNING BEANS		Danvers Orange (true)	. 1 00
P. P.	er hus l	Improved Long Orange	· 75
Extra Early Lima		80	. 75
Dreer's Improved Lima	7 00	CELERY.	
Large White Lima (extra size)	7 00		Per lb.
King of the Garden Lima Early Golden Cluster Wax	7 00	Early Dwarf White	. \$2 50
Horticultural, or Wren's Egg	9 00	Early White Plume Boston Market Dwarf White	. 3 00
Small White Lima	6 50	Boston Market Dwarf White	. 2 50
White Dutch Case-Knife	6 50	Perfection Heartwell	. 2 50
Mont d'Or, or Golden Butter	7 00	Giant Pascal	. 2 25
Giant Red Wax	7 00	Large White, or Giant Golden Heart Half-Dwarf	. 1 50
Indian Chief (with yellow pods)	7 00	Sandringam Dwarf White	. 2 50
White Dutch Runner	6 00	Golden Self-Blanching	4 50
Scarlet Flowering Runner	6 00	Early Dwarf Red	2 50
BEETS.	D 11	Turnip-Rooted Celery (Erfurt)	2 00
Extra Early Turnip	Per 1b.		00
Eclipse Crimson Turnip	75	CHERVIL.	Per lb.
Early Blood Turnip	60	Curled, or Double	\$I 00
Egyptian Blood Turnip	75		
Dewing's Blood Turnip	60	SUGAR CORN,	
Edmand's Early Blood Turnip	60	Evtra Farly Minnocata	Per bus.
Long Dark Red	75	Extra Early Minnesota	. \$4 00
Half-Long Dark, or Pear-Shaped	75	Extra Early Cory	14 00
Yellow Turnip, or Orange	6	Crosby's Early	4 00
Silver Swiss Chard	75	Ne Plus Ultra	4 00
Victoria Blood-Red Swiss Chard	6° 0 75 75 75	Triumph Early	4.00
CAULIFLOWER.	Per lb.	Large Sweet, or Sugar	4 00
Early Extra Paris	\$9 00	Stowell's Evergreen	4 00
Half Early Paris Nonpariel	8 00	Egyptian, or Washington Market	4 00
Large Late Algiers	9 00	Mammoth Sugar (extra fine)	4 00
Lenormand's Short-Stemmed	9 00	Sweet Fodder (best for soiling)	2 50
Early London, or Dutch	4 00	Southern Shelled (for fodder)	I 25

CORN SALAD, OR FETTICUS.	MUSKMELON.	h
Round-Leaved Small-Seeded \$0 75	Early White Japan \$0 7	5
Round-Leaved Large-seeded		'5 '5
CRESS, OR PEPPER GRASS,	Delmonico (large; orange flesh)	75
Extra Curled	Green Citron (netted) 7	'5 '5
Australian, or Golden 60	Bay View (extra large)	5
CUCUMBER. Per 1b.		'5 '5
Extra Early Russian \$0 75 Early White-Spined (pickling) 75	WATERMELON.	
Early White-Spined (pickling)	Per li Early Mountain Sweet \$0 7	
	Ice, or Ice Rind (white-seeded) 7	5
Green Prolific (pickling)	a 1 1 ml	'5 '5
Long White-Spined	Black Spanish	'5
Tailby's Hybrid		'5 '5
Nichol's Medium Green		75
EGG-PLANT.	MUSTARD.	
Early Long Purple \$2 50	Per II	
Improved New York Purple 4 50 Black Early Pekin 4 00	White, or Yellow	0
	NASTURTIUM.	
ENDIVE. Per lb.	Tall (Indian Cress)	
Green Curled Summer	Dwarf (Indian Cress)	0
French, or Moss Curled 1 75	OKRA.	
Broad-Leaved	Per li	
8 000000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Early Dwarf Green	2
	Extra Long Green	5
KALE. Per lb.	Extra Long Green	5
Green Curled Scotch	Extra Long Green	5
Green Curled Scotch	ONION. Prices may vary as the season advances.	5 5
Green Curled Scotch	ONION. Prices may vary as the season advances. Per li	5
Green Curled Scotch	ONION. Prices may vary as the season advances. Per lt Extra Early Flat Red \$2 0 Large Red Wethersfield 2 0	5 · b.
Green Curled Scotch	ONION. Prices may vary as the season advances Per li Extra Early Flat Red	5 b.
Green Curled Scotch	ONION. Prices may vary as the season advances. Extra Early Flat Red . \$2 0 Large Red Wethersfield . 2 0 Large Red Globe . 2 0 White Purtugal . 4 0 Large White Globe (true) . 4 0	. b. 00
Green Curled Scotch	ONION. 7 ONION. Prices may vary as the season advances. Extra Early Flat Red \$2 0 Large Red Wethersfield 2 0 Large Red Globe 2 0 White Purtugal 4 0 Large White Globe (true) 4 0 Prize-Taker (straw color) 3 0	
Green Curled Scotch	ONION. Prices may vary as the season advances. Extra Early Flat Red . \$2 0 Large Red Wethersfield . 2 0 Large Red Globe . 2 0 White Purtugal . 4 0 Large White Globe (true) . 4 0	. b. 00
Green Curled Scotch	ONION. Prices may vary as the season advances Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o	. b. 00
### Per lb. Sprown, or Purple Curled 1 00	ONION. Prices may vary as the season advances Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o	. b. 00 00 00 00 00 00 00 00 00 00 00 00 00
### Company of the co	ONION. Prices may vary as the season advances Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lt Curled, or Double (extra) \$0 7 Champion Moss Curled 7	. b. 00 00 00 00 00 00 00 00 00 00 00 00 00
### Company of the co	Dwarf White Velvet 7 ONION. Prices may vary as the season advances Per life Per life Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per life Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Carter's Fern-Leaved 7	. b. 000 00 00 00 b. 5555
### Company of the co	ONION. Prices may vary as the season advances Per lit \$2 o Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lit Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Carter's Fern-Leaved 7 Hamburg, or Rooted 7	. b. 0000000000000000000000000000000000
### Per lb. ### Green Curled Scotch	ONION. Prices may vary as the season advances. Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per It Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Carter's Fern-Leaved 7 Hamburg, or Rooted 7 Plain, or Single 7	55 b. 00 00 00 00 b. 55555
Per lb. Si oo	ONION. Prices may vary as the season advances Per lit \$2 o Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lit Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Carter's Fern-Leaved 7 Hamburg, or Rooted 7 Plain, or Single 7 Per lit ** Per lit ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** **	5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.
Per lb. Si oo	ONION. Prices may vary as the season advances Per lie \$2 o Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lie Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Champion Moss Curled 7 Hamburg, or Rooted 7 Plain, or Single 7 Per lie ** Long White, or Guernsey \$0 6	5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.
Per lb. \$1 00	ONION. Prices may vary as the season advances Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lt Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Chamburg, or Rooted 7 Plain, or Single 7 PARSNIP. Per lt Long White, or Guernsey \$0 6 Sutton's Student 6	5.55.55.55.55.55.55.55.55.55.55.55.55.5
Per lb. \$1 00	ONION. Prices may vary as the season advances. Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lt Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Carter's Fern-Leaved 7 Hamburg, or Rooted 7 Plain, or Single 7 PARSNIP. Per lt Long White, or Guernsey \$0 6 Sutton's Student 6	. b. 00 00 00 00 00 b. 5 5 5 5 5 5 b. 00 00 00 00 00 00 00 00 00 00 00 00 00
Green Curled Scotch . \$1 00 Brown, or Purple Curled . 1 00 Hardy Curled Siberian (Winter Sprouts) 1 00 Spring Sprouts (English) . 25 KOHLRABI. Early White Vienna . \$3 00 Early Purple Vienna . 3 00 LEEK. Large American Flag, or Scotch . \$2 50 Large Carentan . 2 50 LETTUCE. Buttercup (fine for forcing) . \$1 50 Big Boston (fine for forcing) . 1 50 German Early Head . 1 50 Golden Stone Head (fine) . 1 50 Early Egg, or Forcing . 1 50 Simpson's Curled Silesia . 1 25 Ice Drumhead, or Malta . 1 00 Early Tennisball, or Boston Market . 1 25 Black-Seeded Large Butter . 1 25 Salamander, or Satisfaction . 1 25 White Summer Cabbage . 1 25 White Summer Cabbage . 1 25	ONION. Prices may vary as the season advances Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Champion Moss Curled 7 Chamburg, or Rooted 7 Plain, or Single 7 PARSNIP. Long White, or Guernsey \$0 6 Sutton's Student \$0 6 PEPPER. Large Squash, or Tomato \$2 5	55 b.0000000 b.55555 b.000
Green Curled Scotch . \$1 00 Brown, or Purple Curled . 1 00 Hardy Curled Siberian (Winter Sprouts) 1 00 Spring Sprouts (English) . 25 KOHLRABI. Early White Vienna . \$3 00 Early Purple Vienna . 3 00 LEEK. Per lb. Large American Flag, or Scotch . \$2 50 Large Carentan . 2 50 LETTUCE. Buttercup (fine for forcing) . \$1 50 Big Boston (fine for forcing) . 1 50 German Early Head . 1 50 Golden Stone Head (fine) . 1 50 Early Egg, or Forcing . 1 50 Early Tennisball, or Boston Market . 1 25 Black-Seeded Large Butter . 1 25 Black-Seeded Large Butter . 1 25 Perpignan Head, or Summer . 1 25 Salamander, or Satisfaction . 1 25 White Summer Cabbage . 1 25 White Summer Cabbage . 1 25 White Summer Cabbage . 1 25 Hardy Green, or Winter . 1 00 Asiatic Cabbage, or Imperial . 1	ONION. Prices may vary as the season advances. Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Per lt Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Carter's Fern-Leaved 7 Hamburg, or Rooted 7 Plain, or Single 7 Per lt Per lt Long White, or Guernsey \$0 6 Sutton's Student 6 PEPPER. Per lb Large Squash, or Tomato \$2 5 Large Bell, or Bull Nose 2 5 Sweet Spanish (for Salad) 2 5	. b. 000000 b. 55555 b. 000
Green Curled Scotch . \$1 00 Brown, or Purple Curled . 1 00 Hardy Curled Siberian (Winter Sprouts) 1 00 Spring Sprouts (English) . 25 KOHLRABI. Early White Vienna . \$3 00 Early Purple Vienna . 3 00 LEEK. Per lb. Large American Flag, or Scotch . \$2 50 Large Carentan . 2 50 LETTUCE. Buttercup (fine for forcing) . \$1 50 Big Boston (fine for forcing) . 1 50 German Early Head . 1 50 Golden Stone Head (fine) . 1 50 Salgy Egg, or Forcing . 1 50 Simpson's Curled Silesia . 1 25 Ice Drumhead, or Malta . 1 00 Early Tennisball, or Boston Market . 1 25 Black-Seeded Large Butter . 1 25 Perpignan Head, or Summer . 1 25 Perpignan Head, or Summer . 1 25 White Summer Cabbage . 1 25 Hardy Green, or Winter . 1 00	ONION. Prices may vary as the season advances. Extra Early Flat Red \$2 o Large Red Wethersfield 2 o Large Red Globe 2 o White Purtugal 4 o Large White Globe (true) 4 o Prize-Taker (straw color) 3 o Yellow Dutch, or Strasburg 2 o Yellow Danvers, or Globe 2 o PARSLEY. Curled, or Double (extra) \$0 7 Champion Moss Curled 7 Champion Moss Curled 7 Chamburg, or Rooted 7 Plain, or Single 7 PARSNIP. Long White, or Guernsey \$0 6 Sutton's Student 6 PEPPER. Large Squash, or Tomato \$2 5 Large Bell, or Bull Nose 2 5	. b. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

PEAS.	RADISH-continued.	Per lb.
Per bus.	Early Round Dark Red	\$0.75
Bridgeman's Extra Early \$4 50	White-Tipped Scarlet	75
Carter's First Crop 4 00	Golden Olive-Shaped	T 00
Extra Early Daniel O'Rourke 4 50	Early White Olive-Shaped	75
Philadelphia Extra Early 4 00	Early Scarlet Olive-Shaped	7.5
Bliss' Everbearing 4 50	Long Scarlet Short-Top	75
Alaska 4 50	Beckert's Chartier Long Red	75
Carter's Premium Gem 5 00	Golden Globe (fine)	75
Laxton's Fillbasket 6 00	Yellow Summer Turnip	75
Horsford's Market Garden 4 50	Gray Summer Turnip	60
Dwarf Champion 4 50	Gray Summer Turnip	75
Abundance (sow thin) 4 50	Giant Stuttgart Summer Turnip	60
Pride of the Market 6 oo	Purple Summer Turnip	бо
Yorkshire Hero 4 50	Long Black Spanish	75
Kentish Invicta 4 50	Round Black Spanish	75
McLean's Advancer 4 50	White Spanish, or Fall	60
Laxton's Alpha 5 00	Scarlet Chinese Winter	75
McLean's Little Gem 5 50	California Mammoth	75
American Wonder 7 00		, ,
Carter's Telephone 5 50	SALSIFY, OR OYSTER-PLAN	T.
Culverwell's Telegraph 6 oo	Long White	Per lb.
Carter's Stratagem 5 50	Mammoth Sandwich Island	\$1 00
Heroine 6 50	Long Plack (Scorgonore)	1 50
McLean's Blue Peter 5 oo Tom Thumb (American) 5 oo	Long Black (Scorzonera)	1 50
Dwarf Blue Imperial 4 50	SQUASH.	D 11
Champion of England		Per lb.
Champion of England 4 00 Black-Eyed Marrowfat 3 00	Early White Bush	\$0 75
Black-Eyed Marrowfat 3 00 White Marrowfat 3 00	Early Striped Bush	75
White Mariowiat 5 00	Early Golden Bush	
PUMPKIN.	Summer Crookneck	75
Per lb.	Boston Marrow	75
Large Cheese, or Pie	Hubbard, or Winter	75
Mammoth, or Large Tours 1 00	Essex Hybrid	75
Connecticut Field per bus., \$4.	Marblehead Marrow	
POTATOES.	Perfect Gem	
Prices may vary as the season advances.	Winter Crookneck	75
About, per bbl.	Mammoth Chili (extra size) English Vegetable Marrow	1 50
Beauty of Hebron	English vegetable marrow	75
Charles Downing 4 25	TOMATO.	D 11
Extra Early Thorburn 4 50	-	Per lb.
Early Rose, or Vermont 4 00	Livingston's Perfection	\$2 50
Clark's No. 1 4 25	Ignotum	2 50
Early Mayflower 4 25	Acme (smooth, dark red)	
Early Puritan 4 25	Ponderosa	4 00
Rural New Yorker 4 00	The Lorillard	2 50
White Elephant (fine late) 4 25	The Trophy (selected)	
Late Beauty of Hebron 4 00	Cardinal (brilliant red)	
Pride of Ireland 4 50	Mikado	
White Star 4 00	Livingston's Beauty	
PARISH	Dwarf Champion	
RADISH. Per lb.	Livingston's Favorite	
Scarlet Globe Turnip	Table Queen (rich crimson)	2 50
French Breakfast		2 50
Early Scarlet Turnip	Large Golden Yellow Yellow Plum	2 50

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

Asparagus Roots. Jerusalem Artichoke Tubers. Cauliflower Plants. Cabbage and Celery Plants. Lettuce Plants. Chives and Challots. Egg-Plants. Pepper Plants. Hop-Vine Plants. Horse-Radish Sets, Mint and Tarragon Roots.
Tomato Plants.
Rhubarb Roots.
Strawberry Plants.
Sweet Potato Plants.


HORTICULTURAL IMPLEMENTS				
		Ea	ch	
Bill and Brush Hooks (156)	\$1	50 to	\$2	00
Flower Gatherers, to cut and hold		75 to	I	75
Manure and Hay Forks		75 to	I	25
Ladies' Weeding Forks (1)		25 to	I	25
Spading or Digging Forks		00 to		50
Tobacco Fumigators	1	50 to	9	00
Cast Steel Dutch or Push Hoes, 4 to 10-inch		40 to		00
Cast Steel Draw or Garden Hoes		60 to		75
Cast Steel Potato Hook or Prong Hoes	6	00 to	12	
Triangular Hoes or Tree Scrapers (16)				75
Improved Hammers and Hatchets				50
Cast Steel Grass Hooks and Sickles				00
Cast Steel Grass Plot Edging Knives, 10-inch (9)		50 to		75
Asparagus Knives (19)	_	4		00
Pruning Knives of all sizes and patterns (186-938)	. 1	00 to		50
Budding Knives of various sizes and patterns (204-207)	-	75 to		00
Hand Mowers of various sizes and patterns (204-207)	1	00 to		00
Watering Pots, several sizes		50 to	_	
Garden Reels and Garden Lines (18)		50 to		00
Cast Steel Rakes, with handles		75 to		00
Wooden, Lawn and Hay Rakes		50 to		00
The Davis Lawn Rake		35 to		50 60
Scythe Rifles and Scythe Stones		io to		25
Vine Scissors, for thinning out grapes (19)	т	00 to		50
Hand Pruning Shears, various sizes and patterns (15)		75 to		50
English Bow Slide Hand Pruning Shears		/ 5 .0		00
Improved Pole Pruning Shears				75
Grass Border Shears, for cutting borders (10) 9-inch, (\$2.75) 10-inch				00
Cast Steel Hedge or Box Shears, with fly nut (100)	2	25 to	_	75
Ladies' Wood-Handled Garden Shears				50
Spring Grass or Sheep Shears		75 to		25
English Cast Steel Pruning Saws		75 to	2	00
Waters' Pole Pruner (6)	ľ	oo to	I	50
Pole Pruning Saw, with chisel			I	50
English Patent Lawn Scythes (14)		50 to	3	00
Improved Scythe Snaths				80
Cast Steel Spades, short and long handled	I	oo to	I	50
Cast Steel Shovels, short and long handled	I	25 to	I	50
Greenhouse Syringes, various sizes and patterns (4)	2	50 to	IO	00
Transplanting or Garden Trowels, several sizes (25)		20 to		25
Hale's Perfect Mole Trap			2	00
Glaziers' Points, Van Reyper's per box (1,000), 75 cts				

HORTICULTURAL BOOKS.

Allen's American Farm Book (revised) . \$2 50 Allen's American Cattle 2 50 Asparagus Culture 50 Bulbs and Tuberous-Rooted Plants 2 00 Barry's Fruit Garden 2 00 Henderson's Gardening for Profit
Asparagus Culture
Bulbs and Tuberous-Rooted Plants 2 oo Henderson's Hand-Book of Plants 3 oo Barry's Fruit Garden 2 oo Home Floriculture 1 50
Barry's Fruit Garden 2 00 Home Floriculture 1 50
Dail Cont the Cont the Cont To
Bridgeman's Gardener's Assistant 2 00 King's Bee Keeper's Text Book 1 00
Chorlton's Foreign Grape Grower's Guide 75 Landscape-Gardening (Parsons) 3 50
Downing's Fruits and Fruit Trees of Our Farm of Four Acres 60
America 5 oo Parsons on the Rose 1 50
Earley's How to Grow Mushrooms 40 Practical Floriculture 1 50
Ellwanger's Treatise on the Rose 1 25 Profits in Poultry, and Their Profitable
Falconer's Mushrooms: How to Grow Management
Them
Fuller's Hardy Grape Culturist 1 50 Robinson's Ferns in their Homes and Ours 1 50
Fuller's Small Fruit Culturist 1 50 Secrets of Rose Culture. "Hatton" 50
Fuller's Practical Forestry 1 50 Thomas' American Fruit Culturist 2 00

25 New Publications not listed supplied to order at publishers' prices.

as described. It has all the attachments shown in cut. The rakes level the ground for planting, gather stones and



DOUBLE-WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

trash, cultivate, cover seed, etc. The hoes cut loose and clean, killing everything they meet, leaving the ground level. The cultivator teeth mellow the soil deep or shallow, and are useful for marking out. The plows lay out deep furrows and cover them, hill-up or plow away as desired. hill-up or plow away as desired, The leaf-guards allow cultivation of large plants, such as beets, carrots, parsnips, beans and peas. No vegetable grower can afford to be without it. **Price, complete, \$6.**

Plain Double-Wheel Hoe .- To meet the demand from some sections, the "Planet Jr." Double-Wheel Hoe Planet Jr." Plain Double-Wheel Hoe, will be offered with only one pair of hoes and without leaf-guards, as the "Planet Jr." Plain Double-Wh \$3.50. This makes a very effective and cheap tool for parties who have limited work or chiefly hoeing.

The Planet Jr. Single-Wheel Hoe, Cultivator, Rake and Plow.

The tool combines lightness, great strength, variety and adjustability of tools. It has all the tools shown in the cut. It is pronounced by practical men without an equal in design and finish, ease of operation. variety of adjustment and perfection of work. The form of the hoe insures a forward slanting cut next to the plant, and consequent close work without danger, and at the same time thorough cultivation of the soil. The rakes and cultivator teeth, in combination with the hoes and plow, enable

SINGLE WHEEL-HOE, CULTIVATOR, RAKE AND PLOW COMBINED.

the operator to perform almost every variety of work, either in field or garden. A leaf-guard (detachable) is very useful in late hoeing. All rows from 6 to 18 inches apart can be perfectly hoed at one passage. The frame allows every desirable adjustment, is quickly raised and lowered to regulate depth, and the wheel can be attached centrally or at one side of the machine, giving the operator the advantage of hoeing both sides of the row at one passage when desired. **Price**, \$4.50.



"FIRE-FLY" WHEEL GARDEN PLOW.

"Fire-Fly" Wheel Garden Plow.

This tool is intended for those who have but small gardens and a moderate amount of time to spend in them. It enables them to raise vegetables for their family or for market with a minimum expenditure of labor and time, the latter being often the most important item to many who would be glad to grow their own vegetables if they could do it in their spare moments. The moldboard is tempered and polished steel. The depth may be changed as desired very quickly. The low price brings it within reach of all. **Price**, \$2.

The "Fire-Fly" Single-Wheel Hoe, Cultivator and Plow Combined.

This convenient tool has rapidly convinced gardeners of its high merits. It combines lightness and strength with great adjustability, while its highly polished and tempered tools make gardening comparatively a pleasure. The tools are all ished and tempered tools make gardening comparatively a pleasure. The tools are all made after the most perfect models, and are: 1st, a pair of admirable hoes, which can be set to work to and from the row, and to any desired depth; next, a set of three reversible cultivator teeth, to be used together or singly or in conjunction with the hoes; 3rd, a large, excellent garden plow. The whole tool is light and strong attractive in appearance and light and strong, attractive in appearance and capable of standing hard usage for years, while the price is its final recommendation.


Price, \$3.75, boxed.



FIRE-FLY" SINGLE-WHEEL HOE, CULTIVATOR AND PLOW COMBINED.

The Planet Jr. Grass-Edger.

A cheap, handy and effective Grass Edger is a treasure, and here it is; one with which you can in an hour



THE PLANET JR. GRASS-EDGER.

a treasure, and nere it is; one with which you can in an hour edge beautifully the walks and the flower and shrub beds of an ordinary half-acre lawn. Think of it; why in the usual way it would take a day. This perfect little tool does either straight or curved work most accurately, edging at the desired angle and at the speed of a mile an hour. It will give more genuine pleasure and satisfaction for a moderate cost and the little time expended in its use than the lawn mower. It should be the constant companion of the mower, and is regarded as invaluable in giving the last touch of neatness to the lawn when the the constant companion of the mower, and is regarded as invaluable in giving the last touch of neatness to the lawn when the mower has done its best. Strawberry growers will find it a rapid and perfect tool for cutting off surplus runners. For this work the hoe may be removed. By removing the wheel, the hoe may be used alone with great satisfaction in the vegetable garden, first cutting away from the crop, and then returning the earth **Price**, \$4; extra-heavy, \$6.

For sale by ALFRED BRIDGEMAN, No. 37 East 19th St., New York City.

FLOWER SEEDS.

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL,
AND PERENNIAL FLOWERS,

Piants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-Hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth—every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second, and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants that live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as TENDER, HALF-HARDY OF HARDY.

Tender Biennials and Perennials are greenhouse or dwelling-house plants requiring artificial heat to protect them from frost.

Half-Hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures. The use of strong, crude manures should be carefully avoided. In ordinary good soil, an annual dressing of decomposed stable manure, dug in to the depth of about ten inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing. With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York City) hardy kinds may be sown in the open ground about the middle of April, half-hardy during the first week of May, and tender after the middle of May.

The best method to obtain early flowers is to sow seed of the most desirable tender and half hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hot-bed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing. Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The Depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting. As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The Risk and Trouble of transplanting may be avoided by adopting the following method of sowing the seed: Take a package of say twenty varieties, and number the bags from one to twenty; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings, or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk [*] denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which, see page 56.

The Third Column shows the color of the flower, abbreviated as follows, viz:

```
1.-light.
                                                                       sul.-sulphur.
                 cr.—crimson.
                                                     r.—red.
b.—blue.
                 div.-diverse.
                                   li.-lilac.
                                                     ro.-rose.
                                                                       tri.-three col'd.
blk.-black.
                                                                       v.-violet.
bord .- bordered da .- dark.
                                   mar.-marbled.
                                                     saf.—saffron.
                                                                       va.-variegated.
                                                     s.-scarlet.
                 gn.-green.
                                   or.-orange.
br.-brown.
                                                    spot .- spotted.
                                                                       w.-white.
                 gol.-golden.
                                   pk.-pink.
bu.-buff.
                                                                      yel.-yellow.
                 gy.—gray.
                                  pur.—purple.
                                                    stri.—striped.
car.—carmine.
```

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denoting trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz:

```
tA.—tender annual.

hhA.—half hardy annual.

hA —hardy annual.

hhB.—half-hardy perennial, or greenhouse plant.

hhB.—half-hardy perennial.

hhB.—half-hardy perennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 65.


FLOWER SEEDS.

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany, all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

For Ornamental Grasses, see page 53; Flower Seeds by Weight, page 65; Index of Common Names, etc., pages 55 and 56.

Flower Seeds Forwarded by Mail, Free of Postage, on Receipt of Prices Annexed.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Almania anala 11.4	Abassia II-bal Gassa		7/	1-1-0	
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 05
—grandiflora	New Deep Rose	pink div.	1/2	hhA	10
Abutilon in vars	Crimson Bell-flower	crim.	div.	tP tP	25
Acacia in vars	Acacia, Fine Mixed	div.	div.	tP	25
Aconitum napellus	Monk's-hood	blue	1	hP	25
Acroclinium roseum†		rose	2	hhA	5
-album†	Everlasting Flower, Rose White	white	I	hhA	5
—fl. pl.†	Double Rose		1	hhA	10
Adlumia cirrhosa	Mountain-fringe Vine	pink	1	hP	IO
Adonis æstivalis	Pheasant's-eye	scarlet	10	hA	10
Ageratum Mexicanum	Ageratum, Blue	blue	1 2	hA	5
nanum	Imperial Dwarf	blue		hA	5
-album	Imperial Dwarf Dwarf White	white	1/2	hA	5
	Dwarf Wille		1/2	hP	5
Lasseauxi	Rose-flowered	rose	I	hP	5
Agrostemma coronaria	Rose Campion	rose	2		5
—alba	White Campion	white	1 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered		1 1/2	hhA	5
linifolia	Rœzl's New	l. s.	I	hhA	10
Aloysia citriodora	Lemon-scented Verbena	white	2	hhP	Io
Althor albo float	Finest Hybrid	div.	2	tP	Io
Althea alba fl. pl	Hollyhock, Double White	white	3	hB	10
coccinea fl. pl	Double Scariet	scarlet	3	hB	10
rosea fl. pl	Double Rose		3	hB	10
lutea fl. pl	Double Yellow	yellow	div.	hB	10
varius fl. pl	Double Mixed	div.		hB	10
Alyssum maritimum	Alyssum, Sweet	white	1/2	hA	5
—compacta	Tom Thumb	white	1/2	hA	5
saxatile	Golden	golden	I	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2	tA.	5
caudatus†	Love-lies-bleeding	crim.	.3	hhA	5
hypochondriacus†	Prince's-feather	crim.	3	hhA	5
Henderi	Amaranthus, Variegated		3	hA.	5
melancholicus	Blood Red	red	3	hhA	5
bicolor ruber	Carmine and Yellow	car.&yl.	2	hhA	5
salicifolius	Fountain Plant	br.&s.	3	hhA	10
nobilis pyramidalis		rose	5	hhA	IO
Ammobium alatum†	Ammobium, Winged		11/2	hA	5
Ampelopsis Veitchii*	Japanese Ivy		50	hP	10
Anagallis varius	Pimpernel, Mixed	div.	1	hhA	5
Anchusa Capensis	Cape Alkanet	blue	2	hhP	IO



Balsam.

Begonia, Tuberous. Brachycome.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Anemone coronaria	Wind flower	div.	I	hP	\$o o5
pulsatilla	Pasque-flower	violet	I	hP	5
Antirrhinum hybridum	Snapdragon, Fine Mixed	div.	I 1/2	hhP	5
Angelonia grandiflora	Angelonia, Śweet-scented	blue	1 1/2	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Aquilegia Siberica	Columbine, Double Violet	violet	1 1/2	hP	10
chrysantha	Golden-spurred	yellow	2	hP hP	10
cœrulea Skinneri	Large-flowered Scarlet and Yellow	b. & w. sc.& yl.	11/2	hP	. 10 10
caryophylloides	Striped	striped	1 1/2	hP	10
varius	Vulgaris and Mixed	div.	2	hP	10
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	10
Arctotis breviscapa	Arctotis, Orange, Dark Center		1/2	hhA	10
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	yellow	21/2	hA	10
Aristolochia sipho*	Dutchman's-pipe Vine	yel &br.	15	hP hA	25
Arnebia cornuta	Arabian Primrose Swallow-wort	orange	2	hP	5
Asperula azurea setosa	Asperula, Light Blue	blue	1	hA	10
odorata	Sweet-scented	white	1/2	hP	10
Aster Chinensis Eugenie	Aster, Imbricated Pompone	div.	2	hA	10
-Comet	Comet	rose	2	hA	10
—Truffaut's Mixed	Pæony-flowered	div.	2	hA	10
——White	Pure White	white	1 1/2	hA	10
Blood Red	Dark Red	red	1 1/2	hA	10
——cœruleus —Cocardeau	Crown-flowered	blue div.	1 1/2	hA hA	10
-Washington	New Perfection	div.	2	hA	10
-Mignon	Pure White Mignon	white	1 1/2	hA	15
-Mignon Mixed	Mixed	div.	1 1/2	hA	15
Victoria White	Dwarf White	white	1,2	hA	10
——Mixed	Mixed Victoria	div.	2	hA	10
—albiflorus	White	white	11/2	hA	10
—ruber —chrysanthemiflorus	Red		1 1/2	hA hA	10
-Ried's Mixed	German Quilled	div.	1 1/2	hA	5
-varius	Mixed China	div.	2	hA	5
tenellus	Biennial Aster	blue	1 1/2	hhB	10
Astragalus caryocarpus	Astragalus, Red-fruited	rose	2	hP	10
Athanasia annua	African Daisy	yellow	I	hA	10
Aubrietia deltoides	Rock Plant	lilac	1/2	hP	10
Azalea indicaBalsamina impatiens rosea	Azalea, Fine Mixed	div.	div.	tP tP	25
—kermesina	Double Scarlet	scarlet	11/2	tA	10
—albiflora	Double White		1 1/2	tA	10
—violacea	Double Violet	violet	1 1/2	tA	10
-Victoria	Double Striped	striped	1 1/2	tA	IO
—Solferino	Double Spotted		/ /-	tA	10
—camelliaflora	Mixed Double		2	tA	10
—varius	Mixed Paris(Polydaria australis)		1 1/2	hP	5
Baptisia australis	Begonia, Single Tuberous-rooted	div.	2 2	tP	5 25
—fl. pl. :	Double Tuberous-rooted	div.	2	tP	50
Bartonia aurea	Golden Bartonia	yellow	1 1/2	hA	5
Bellis perennis	Daisy, Finest Double	div.	1/2	hhP	25
-Longfellow	Double Rose		1/2	hhP	25
Belvedere Kochia	Summer Cypress		3	hA	5
Bidens atrosanguinea	Bocconia, Oak-leaved		6	hA hP	10
Brachycome iberidifolia	Daisy, Blue Swan River		3/4	hhA	10
—in varieties	Mixed		3/4	hhA	10
Browallia elata	Amethyst, Blue		1 1/2	tA	10
alba	White	white	1 1/2	tA	IO
Bryonopsis erythrocarpa*.	Ornamental-fruited Vine	red	8	l tA	10






Campanula.



Centaurea.




Clematis.



Clematis Persicum giganteum.


Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	ı	hA	\$0 05
aurantiaca	Orange	orange	I	hA	5
Calandrinia speciosa	Lindley's Calandrinia	red	1	hA	5
—umbellata	Umbel-flowered	crim.	I	hA	IO
Calceolaria hybrida grand.	Calceolaria, Mixed	div.	2	tP	25
—punctata superba	Superb Spotted	div.	I 1/2	tP	25
rugosa	Finest Shrubby	div.	2	tP	50
scabiosæfolia	Golden Slipperwort	yellow	1/2	hA	10
Calampelis scaber*	(Eccremocarpus) Vine	orange white	10	hA	10
Calendula pluvialis	Marigold, Cape	orange	1 1/2	hA	5
-officinalis	Double Pot	golden	I	hA	5
—Prince of Orange	New Double Pot	golden	I	hA	5
Calliopsis tinctoria	Coreopsis, Golden	y. & br.	2	hA	5 5
—coronata ······	Crowned	spotted	1 1/2	hA	5
-Golden Wave	Golden Yellow	vellow	I	hA	5
-atrosanguinea	Crimson	crim.	2	hA	10
Callirrhoe pedata	(Nuttalia grandiflora)	red	2	hhA	10
Campanula medium	Canterbury-bell, Blue	blue	2 1/2	hhB	5
_alba	White	white	21/2	hhB	5
—in varieties	Single Mixed	div.	21/2	hhB	5
— alba fl. pl	Double White	white	2 1/2	hhB	10
-rosea fl. pl	Double Pink	pink	2	hhB	10
—varius	Double Mixed	div.	2 '	hhB	10
speculum	Venus' Looking-glass	div.	3/4	hÀ	. 5
Carpatica	Carpathian Bell-flower	div.	1/2	hP	5
Canna indica	Indian-shot, Scarlet	scarlet	2	hhP	•5
Nepalensis	New Yellow	1. & y.	3	hhP	10
Warscewiczii	Deep Red	d. red	3	hhP	10
in varieties	Mixed French	div.	div.	hhP	10
Cannabis gigantea	Giant Hemp		10	tA	5
Cardiospermum halica'm*	Balloon-vine	white	10	tA	5
Carduus benedictus	Ornamental Thistle	yellow	3_,	hA	10
Castilleja indivisa	Scarlet Castilleja	scarlet	1 1/2	hhA	25
Cedronella cana	Sweet-scented Cedronella Cockscomb, Mixed	purple div.	2	hP	10
Celosia cristata, in vars.†	New Japan	scarlet	3	tA tA	5
—Japonica —margaritacea†	Rose-spiked		2	tA	5
-Glasgow Prize†	New Purple		2 3/4	tA	10
aurea pyramidalis†	New Golden	golden	2	tA	10
Triomphe d'Exposit'n	Crimson-plumed		3	tP	IO
kermesinat	Crimson-feathered	crim.	2	tA	10
Centaurea moschata	Sweet Sultan, Purple	purple	2	hA	5
—alba	White	white	2	hA	5
suaveolens	Yellow	yellow	1 1/2	hA	5
in vars	Mixed	div.	div.	hA	5
cyanus	Corn-bottle or Mixed Blue	div.	2	hA	5
—fl. pl	Double Mixed		2	hA	10
—cœruleus	Blue-bottle		2	hA .	5
rosea · · · · · · · · ·	Rose		2	hA	5
Americana	Centaurea, American	lilac	3	hA	5
Clementei	White Cut-leaved	white	I	hhP	10
gymnocarpa	Silver Cut-leaved		1 1/2	hhP	10
candidissima	White-leavedLong-tubed Centranthus	white	I.	hhP	25
Centranthus macrosiphon. Cheiranthus cheiri	Wallflower, Bloody		I	hA	5
-fl. pl.	German	h. & w.	2 div	hhB hhB	5
Cerastium Biebierstieni	Silver-leaved Rock Plant.		div.	hP	10
Chamæpeuce diacantha	Spine-leaved Chamæpeuce	var.	7 ² 2	hP	10
	Bearded Penstemon	scarlet	2	hP	10
Unelone barbata	Dearded I chistellium.				
Chelone barbata	Finest Mixed	div.			25
Chorozema, in vars Chrysanthemum Dunnetti	Finest Mixed	div. vellow	điv.	tP hΑ	25 5



Large Double Dahlie.

(Cordyline.)

	T			Dunation	
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Chrysanthemum Lord Bea-				1	
consfield	Chrysanthemum, Crimson-edged	crim.	I	hA	\$0 10
The Sultan	Maroon, Gold Ring	maro'n	I	hA	10
venustum	Crimson	crim.	2	hA	. 5
varius	Double Annual Mixed	div.	div.	hA	5
frutescens	Paris Daisy, Marguerite	white	1	hA	10
indicum fl. pl	Chinese Artemesia	div.	div.	hhP	IO
Cineraria hybrida grand	Cineraria, Hybrid	div.	2	tP	25
—nana in vars	Dwarf Hybrid	div.	I	tP	25
—flore pleno	New Double	div.	1 1/2	hhP	50
maritima	Dusty-miller	yellow lilac	2	tP hA	10
pulcherrima	Crimson	crim.	I	hA	· 5
—alba nana	White	white	1 ½ 3/4	hA	10
varius	Mixed	div.	div.	hA	5
Clematis flammula*	Virgin's-bower	white	10	hP	10
varius*	Mixed Perennial Clematis	div.	div.	hhP	25
Cleome speciosa	Spiderwort or Spider-flower	purple	4	hA	IO
Clianthus puniceus*	Glory Vine, Crimson	crim.	6	tP	10
Dampieri*	Dampier's	scarlet	6	tP	10
Clitonia pulchella	Clintonia, Blue and White	bl. & w.	1/2	tA	10
—alba Cobœa scandens*	Pure White	white	1/2	tA tP	. 10 I0
—alba*	White Climbing	purple white	20	tP	15
Coccinea indica*	New Scarlet-fruited Gourd	red	6	tA	IO
Cockscomb. See Celosia.		rea		62.1	-
Coleus in varieties	Fine Mixed Coleus	div.	div.	tP	- 25
Collinsia bicolor	Collinsia, Two-colored	p. & w.	I	hÁ	5
—alba	White	white	I	hA	5
vera	Sky-blue and White	sk-b&w	1	hA	5
varius	Mixed	div.	I .	hA	5
Collomia coccinea Commelina cœlestis	Scarlet Collomia	scarlet	I	hA	5
Convolvulus majus albus* .	Morning-glory, White	blue white	I 1/2	hhP hA	5 5
—kermesinus*	Scarlet	scarlet	10	hA	5
-maculatus*	Spotted	div.	10	hA	5
-varius*	Mixed	div.	10	hA	5
—azureus superbus*	New Golden	yellow	8	hA	10
mauritanicus	Convolvulus, Bright Blue	blue	tra.	hhP	10
un caulis	Upright	b.&pur.	I	hA	5
minor albus	White Dwarf	white	tra.	hA	5
—monstrosus	Large-flowering Mixed Dwarf	tri.	tra.	hA	5
Coroepsis. See Calliopsis.	mixed Dwatt	div.	tra.	hA	. 5
Coronilla in vars	Mixed Coronilla	vellow	div.	tP	. 25
Cosmidium Burridgeanum.				hA	10
Cosmos bipinnata purpurea		purple	4	hA	10
—alba	White	white	4	hA	10
in vars	Mixed	div.	4	hA	10
Crepis barbata	(Tolpis barbata)	yellow	I	hA	5
rubra	Red Hawkweed	red	I	hA	5
Crucianella stylosa Cucumus flexuosus*	Perennial Rock-plant Melon, Snake	pink	1/2	hP	10
odoratissimus*	Pomegranate	yellow	10	tA	10
grossularifolius*	Gooseberry-fruited	yellow	8	tA tA	5
perennis*	Cucumber Vine	J C110 W	15	tA	10
Cucurbita aurantiaca*	Gourd, Mock-orange	vellow	Io	tA	5
melopepo*	Apple-shaped	yellow	10	tA	10
massue*	Hercules'-club	white	10	tA	5
lagenaria*	Bottle		10	tA	5
Cuphea platycentra	Cigar-plant	tri.	1 1/2	tP	10
Cyclamen Persicum	Cyclamen, Mixed	w.&ro.	1/2	tP.	25
—giganteum Cyclanthera pedata*	Large-flowering	div.	6	tP h A	25 10
Cyclanthera pedata"	Climbing Cucumber	yenow	0 ,	hA	10



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Cynoglossum linifolium	Venus' Navelwort	white	1/2	hP	\$0 05
Cytisus scoparius	Scotch Broom	yellow	3	hA	10
Dahlia nanus in vars	Dahlia, Single Dwarf	div.	3	hhP	10
Large Double	Double Large-flowering	div.	4	tP	IO
Datura fastuosa alba	Double Stramonium	white	-3	hA	5
meteloides	Datura, Wright's	y. & li.	2	hA	10
humilis fl. pl	Double	yellow	2	hhA	10
Delphinium ajacis, in vars	Larkspur, Mixed Rocket	div.	1	hA	5
consolida in vars	Mixed Branching	div.	2	hA	5
imperiale fl. pl	Annual Double	blue	2	hA	IO
Stock-flowered	Rose Scarlet Double	r. scar.	1/2	hA	15
Brunonianum	Musk-scented	l. blue	I	hP	25
"Zulil"	Sulphur Yellow	yellow	3	hP	15
Chinensis in vars	Mixed Chinese		2 1/2	hP	5
—formosum	Blue and White	b. & w.	2	hP	· IC
-cœlestinum	Celestial Blue	blue	2	hP	10
-album grandiflorum	Pure White	white	2	hP	IC
nadicaule	New Scarlet		$I \frac{1}{2}$	hP	IC
elatum	Mixed Bee	div.	3	hP	5
Dianthus Chinensis alba	Indian Pink, Double White	white	3/4	hA	IC
—atrosanguinea	Double Red	red	3/4	hA	IC
—varius	Fine Mixed	div.	div.	hA	5
—nanus in vars	Double Dwarf	div.	1/2	hA	IC
imperalis fl. pl	Pink, Double Imperial	div.	I	hA	10
—nanus in vars	Dwarf Crimson	crim.	1/2	hA	IO
Heddewigi	Mixed Single Japan	div.	I	hA	10
—fl. pl	Mourning-cloak		I	hA	. 10
-diadematus fl. pl	New Diadem		I	hA	10
—laciniatus	Fringed Japan	div.	1 1/2	hA	10
—striatus fl. pl	New Striped Japan	div.	I	hA	10
deltoides	London Pride or Maiden	pink	3/4	hP	. 5
plumarius	Pheasant's-eye	div.	I	hP	5
caryophyllus in vars	Carnation Pink, Mixed	div.	2	hhP	10
—flore pleno	Marguerite	div.	I	hhP	25
-nanus	Double Dwarf Vienna	div.	I	hhP	10
—Grenadin fl. pl	New Scarlet	scarlet	1 1/2	hhP	25
—perpetual fl. pl	Tree, or Monthly	div.	2	hhP	25
punctatus	Pink, Mixed Picotee	div.	2	hhP	25
barbatus in vars	Sweet-William, Mixed	div.	I	hP	5
—flore pleno	Double Mixed	div.	1	hP	10
Dictamnus rubra	Fraxinella, or Gas plant	red .	1 1/2	hP	5
Didiscus cœrulea	(Trachimene Hugelia)	blue	2	hhA	10
Dracæna in vars	(Cordyline)	div.	div.	tP	25
Digitalis alba	Foxglove, White	white	3	hP	. 5
purpurea	Purple	purple	3	hP	5
punctata	Spotted	spotted	.3	hP	5
in varieties	Mixed	div.	div.	hP	5
gloxiniæflora	Gloxinia-flowered	div.	2 1/2	hP	5
Dolichos lablab*	Hyacinth-bean, Purple	purple	10	tA	- 5
—albus*	White	white	10	tA	5
Dracocephalum Canadense.	Balm of Gilead	li.&pur.	2	hhP	IC
Echeveria in vars	Fine Mixed Echeveria	div.	div.	tP	25
Elsholzia cristata	Crested Elsholzia	pink	I.	hA	5
Epacris hybrida	Mixed Hybrid Epacris	div.	div.	tP	50
Erica in varieties	Fine Mixed Heath		div.	tP	: 25
Erodium moschatum	Musk Geranium	lilac	3/4	hhP	IC
Eryngium Leavenworthit.		purple	2	hA	IC
Erysimum Peroffskianum .	Hedge Mustard		I	hA	5
Erythrina crista-galli	Coral-plant		4	tP	25
Eschscholtzia Californica	Chriseis, Californian	yellow	I	hA	5
-Mandarin	Orange and Scarlet	-	I	bA	5
	Orange		· I	hA	5
crocea					
rosea	Rose		1	hA	5

Botanical Names, etc. Common Names, etc. Color. Height in Feet.	Duration and Hardi- ness.	Price per Paper.					
Eschepholtzia varius Chrispia Eine Minud	l h A	4					
Eschscholtzia varius Chriseis, Fine Mixed div.	hA	\$0 05					
Eucalyptus globosus Fever-and-Ague Plant 10 Eupatorium Fraseri White Eupatorium white 2	tP	10					
	hhP hhA	10					
Euphorbia marginata Spurge, Variegated w.& gr. 2 pandurata Red-striped r. & gr. 2	hhA	5					
Eutoca Wrangeliana Eutoca, Wrangel's lilac 1	tA	10					
viscida Bright Blue blue	tA	5.5					
Fenzlia dianthiflora Three-colored Fenzlia l.cr.∨ ½	hhA	10					
Ferns in varieties Fine Mixed Ferns div. div.	hhP	25					
Fuchsia in varieties Mixed Fuchsias div. div.	tP	25					
Gaillardia picta Cr. & y. I	hhA	5					
—Lorenziana Mixed div. 1½	hhP	10					
Gentiana acaulis Blue Gentian biue	hP	IO					
Geum coccineum fl. pl Double Geum scarlet 1½	hP	5					
Gilia tricolor	hA	5					
nivalis alba	hA	5					
capitata Azure Blue blue	hA	5					
in varieties Mixed div.	hA	5					
Gladiolus Gandavensis Hybrid Gladiolus div. div.	tP	10					
Glaucium rubrum Horned poppy, Red red I	hhP	IO					
corniculatum White-leaved yellow I	hhP	Io					
Gloxinia, Emperor Fred'k Scarlet Gloxinia scarlet	tP	50					
in varieties Finest Mixed div. I	tP	25					
Godetia, Duchess of Albany Godetia, White white 1½	hA	10					
Lady Satin Rose Brilliant Rose rose 1½ Lady Albemarle Dark Crimson crim. 1½	hA hA	IO					
	tA	1					
	tA	5					
-kermesina† Crimson crim. I -aurea† Orange orange I	tA	5 5					
-nana compacta† Rich Red red ½	tA	10					
in varieties† div. 1	tA.	5					
Gypsophila elegans Gypsophila, White white	hA	5					
muralis Dwarf Rose rose ½	hA	10					
Hedysarum coronarium* French Honeysuckle r. & w. 2	hB	5					
Helianthus annuus Sunflower, Double Dwarf yellow 4	hA	5					
-Oscar Wilde Yellow, Dark Center gol. y. 4	hA	5					
—giganteum Mammoth Russian yellow 9	hA	5					
—centrochlorus fl. pl Green-centered y. & gr. 4	hA	10					
-agrophyllus fl. pl Silvery-foliage striped 5	hA.	5					
Helichrysum bracteatum† . Eternal Flower, Yellow yellow 2	hA	5					
-album† White white 2	hA	5					
macranthum† Pink pink 2	hA	5					
—in varieties† Mixed div. 2	hA	5					
—nanum in varietiest. Mixed Dwarf	hA.	5					
monstrosum fl. pl.† Mixed Double div. 2 Well-arbite Architecture Block Plan Helicabile	hA	10					
Heliophila Arabiodes Bright Blue Heliophila blue	hhA +P	10					
iteliotropium i cruvianum mixeu ilenotrope	tP hhA	10					
zion-periodi di ittiti di Evolidating nonci vivi	hB	5					
Hesperis matronalis Mixed Sweet-rocket pur.&w bu.&br. 1½ Hibiscus Africanus Bladder Ketmia bu.&br.		5					
militaris Rose-mallow rose 4	hP	5					
Hollyhock. See Althea.	111						
Humea elegans (Calomeria Aramantoides) red 6	hhP	10					
Humulus Japonicus* Japan Hop green 25	hA	10					
Iberis amara Candytuft, White white	hA	5					
coronaria Rocket white	hA	5					
odorata Fragrant white 3/4	hA	5					
Dunnetti. Dark Crimson d. crim. 1	hA .	5					
lilacina Rosy Lilac lilac 3/4	hA	5					
Empress Large White white I	hA	10					
1 11 .	hA -	5					
umbellata Purple purple I							
in varieties div.	hA	5					
in varieties Mixed div. nana hybrida Dwarf Mixed div. sempervirens White Perennial white	hA hA hhP	10					

				1	
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Impatiens glanduligera	Touch-me-not :	red	2	tA	\$0 IO
—Sultani	Perennial Balsam	1	2	hhP	25
Ipomœa quamoclit*	Cypress-vine, Scarlet)	10	tA	5
—alba* :	White		Io	tA	5
coccinea	Star Ipomœa, Scarlet		IO	hA	5
—lutea*	Two-colored	S. & y.	10	hA hh A	5
Ferrandiana* grandiflora alba*	Ipomœa, Sky-blue		10	hhA tA	5
bona-nox*			6	tA	5
rubro cœrulea*			10	tA	10
varius*	Mixed	div.	div.	tA	10
Leari*	Blue and Violet		8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue		I	hA	5
kermesina	Crimson		3/4	hA	IO
Kennedya in varieties* Lantana in varieties	Mixed Kennedya		div.	tP tP	25
Larkspur. See Delphinium		div.	uiv.	11	10
Lathyrus odoratus albus*.	Sweet Peas, White	white	5	hA	5
—carneus*	Crown Princess		5	hA	5
—Butterfly*	White and Lilac		5	hA	5
pictus*	Painted Lady		5	hA	5
-coccineus*	Invincible	1	5	hA	5
—Adonis*	Carmine		5	hA	5
-Miss Blanche Ferry*			5	hA.	5
—purpureus* —niger*	Purple		5 5	hA hA	5
—Captain Clarke*	Tricolor		5	hA	5 5
—Fairy Queen*	White and Rose		5	hA	5
—Princess Beatrice*	Beautiful Rose		5	hA	5
-Countess of Radnor*			5	hA	5
-Primrose*	Pale Primrose Yellow		5	hA	5
-Emily Henderson*.	Large White		5	hA	. 5
-Lottie Eckford*Eckford's*	Rose and White, edged blue New Hybrid	div.	5 5	hA hA	5
-varius*	Finest Mixed	div.	5	hA	5
latifolius*	Everlasting Peas	1		hP	5
—albus*	White		5 8	hP	10
Lavatera trimestris	Lavatera, Red		2	hA	5
Leptosiphon roseum	Leptosiphon, Rose		I	hA	5
Liatris pycnostachya	Kansas Gay-feather	pink	3/4	hP	10
Linaria maroccana bipartita striata	Rose Linaria		74 I	hhA hA	5 10
cymbalaria	Kenilworth Ivy		tra.	hP	IO
Linum Lewisi variegatum.	Flax, Variegated		2	hhA	10
grandiflorum rubrum.	Crimson	crim.	1	hhA	. 10
perenne			2	hP	IO
flavum	Yellow	yellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	tra.	tA	10
Lobelia gracilis	Lobelia, Slender	l. blue white	tra.	hhA hhA	10
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
-Emperor William	Azure-blue	blue	1/2	hhA	. IO
—Crystal Palace	Blue		I	hhP	10
-Royal Purple	Blue, White Eye	blue	I I	hhP	10
Speciosa compacta	Crystal Palace Dwar f	blue	1/ ₂ 2	hhA hP	. 10
Queen Victoria Lopezia coronata	Scarlet Cardinal-flower	scarlet	3	tP	25 10
Lophospermum in vars*	Mixed Lophospermum	div.	8	tP	10
Lunaria biennis in vars	Honesty, or Satin-flower	br. & w.	2	hB	5
Lupinus pilosus	Sun-dial, Large Rose	rose	2	hA	5
luteus	Yellow	yellow	2	hA	5
hirsutus	Large Blue	blue	2	hA	5



Phlox Drummondii.

Nigella.

Botanical Names, etc.	Common Names, 3tc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Lupinus albus	Sun-dial, White	white	2	hA	\$0 05
hybridus insignis	Dark Red	d. red	2	hA	10
Cruikshanki	Dark Blue		3	hA	5
tricolor elegans	Three-colored	tri.	.3	hA	5
varius	Mixed	div.	div.	hA	5
polyphyllus	Mixed Perennial	div.	div.	hP	5 5 5 5 5 5 5 5 5
Lychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	5
—alba	White	white	3	hP	5
Malcomia maritima	Virginian Stock	red	1/2	hA	5
Malope grandiflora	Large-flowered Malope	red	2	hA hA	5
Malva zebrina	Striped Mallow	w.&pur	2 2	hhA	5
Martynia fragrans Mathiola annua in vars	Fragrant Martynia	div.	I	hA	5
—fl. pl. mixed			I	hA	5 10
—Snowflake	German Large-flowering Double White	white	I	hA	25
bicornis	Night-scented	pink	1 1/2	hA	10
glabrum albus	Wallflower-leaved	white	I	hA	IO
—coccineus	Scarlet	scarlet	I	hA	IO
-varius	Mixed	div.	I	hA	IC
biennis	Buck's Stock Gilli, Intermediate.	scarlet	11/4	hhB	IO
—simplicicaulis	White Brompton	white	2	hhB	IO
—incarna purpurea	Purple Queen	purple	2	hhB	10
—fl. pl. in vars	Mixed German Brompton	div.	2	hhB	IO
Matricaria eximia	Matricaria, Quilled	white	I	hhB	5
—grandiflora	Double White	white	11/2	hhB	5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	IO
—rosea*	Rose	rose	8	tA	10
—coccinea*	Scarlet	scarlet	8	tA	IO
albiflora*	White	white	8	tA	IO
varius*	Mixed	div.	8	tA	IO
Mesembryanthemum					
cordifolium	Ice-plant, Annual	white	1/2	tA	5
-variegatum	Variegated foliage	ro. & p.	1/2	hhP	IO
glabrum	Dew Plant	red	3/4	hhA	5
Mignonette. See Reseda.	Campiting mlamt		-	4.0	_
Mimosa pudica	Sensitive-plant	pink	I I	tA	5
Mimulus moschatus	Musk Plant	yellow	1/2 1/2	tA hP	10
Roezl's	Hybrid	yellow div.	/2 I	hP	25 10
hybridus tigrinus	Mixed Spotted	spot.	3/4	tP	10
—flore pleno	Double Mixed	div.	3/4	tP	25
Mina lobata*	Mexican Climbing Vine	wh.&r.	15	tA '	10
Mirabilis jalapa in vars	Marvel of Peru, Mixed	div.	2	hA	5
—longiflora in vars	Scented	div.	2	hA	5
—fol. variegatis	Variegated-leaved	div.	2	hA	5
Mormordica balsamina*	Balsam-apple	vellow	10	hhA	5
—charantia*	Balsam-pear	yellow	10	hhA /	5
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	10
-Victoria	Double Blue	blue	1/2	hhP	25
azorica	Dark Blue	blue	1/2	hhP	10
palustris	Blue and White	b. & w.	3/4	hhP	10
dissitiflora	Large Blue	blue	I	hhP :	10
	Smilax Vine	green	6	t P	10
Myrtus communis	Broad-leaved Myrtle	white	2	tP	10
Nasturtium. See Tropæo-					
lum	* D11	1 11	- /	1 1 4	
Nemophila discoidalis	Love-grove, Bordered	blk.&w	3/4	hhA	5
insignis	Bright Blue	blue	1/2	hhA	5
—alba	White	white	3/4	hhA	5
maculata	Spotted	div.	3/4	hhA	5
in varieties	Mixed	div.	div.	hhA	5
Nicotiana affinis	Flowering Tobacco	white w. & li.	3	hhA hhP	10
Nierembergia gracilis					







Reseda odorata. (Mignonette.)

Myosotis alpestris. (Forget-me-not.)



Viola tricolor. (Pansy.)



Verbena.



Althæa rosea, (Hollyhock.)



Nemophila maculata.

Betanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Nolana prostrata	Trailing Nolana	b.&blk.	tra.	hA	\$0 05
Nycterinia Capensis	(Nycterinia odorata)	white	3/4	hhA	10
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	2.	hhP	5
Enothera biennis	Evening Primrose, Fragrant	yellow	- 2	hB	5
bistorta Veitchii	Spotted	y. & cr.	1	hA	5
Lamarckiana	Light Yellow	yellow	3	hB	5
Orobus niger	Bitter Vetch	purple	I	hA	5
Oxalis rosea	Oxalis, Rose	rose ro.&sal.	1/2	hhP hhP	10
Valdiviensis	New Sweet	vellow	3/	hhP	IG
Tropæoloides	Yellow-brown foliage	ychow	3/4 1/2	hhA	10
Pansy, or Heart's-ease	See Viola tricolor		/~		10
Papaver Rhœas	African Rose	div.	11/2	hA	5
album	Poppy, Double White	white	2	hA	5
coccineus	Double Scarlet	scarlet	2	hA	5
umbrosum	Rich Vermilion, Black spot	ver.	1 1/2	hA	5
Fairy-blush	Double White, Rose-tipped		2	hA	10
The Shirley	Mixed	div.	2	hA	10
Mikado	Mixed	div.	2	hA	10
ranunculiflorum	Mixed French	div.	2	hA	5
somniferum fl. pl	Mixed Carnation	div.	2	hA	- 5
—nudicaule	Iceland Poppy, Mixed		2	hP	10
orientale	Red Asiatic	r. & bl.	2	hhP	10
croceum	Yellow Asiatic	yellow	1 1/2	hhP	10
Passiflora, in vars*	Mixed Passion-flower	div.	10	tP	10
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
—tricolor	Three-colored	div.	div.	tP	25
odorotissimum	Apple-scented	pink	1/2	tP	25
hybridum, in vars	Finest Mixed	div.	div.	tP	25
Pentstemon gentianoides	Penstemon, Bicolor	pur.&w	2	hhP	10
—cœruleus	Hartweg's	blue	2	hhP	10
—in varieties Perilla Nankinensis	Mixed Ornamental-leaved Perilla	div.	2	hhP hhA	10
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	5 5
nyctaginiflora	White	white	tra.	hhA	5
striata	Striped	striped	tra.	hhA	10
Countess of Ellesmere	Rose	ro. & w.	tra.	hhA	10
varius	Mixed	div.	tra.	hhA	5
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
— —inimitable	Mixed Blotched	div.	tra.	hhA	25
— —nana compacta	Dwarf Striped	striped	1/2	hhA	10
— — aurea	Yellow-throated	yellow	tra.	hhA	25
flore pleno	Mixed Double	div.	tra.	hhA	25
fimbriata fl. pl	New Fringed	div.	tra.	hhA	50
Phaseolus multiflorus.*	Scarlet Flowering Bean	scarlet	10	tA	5
Phlox Drummondii alba	Phlox Drummondii, White		1	hA	10
—alba fl. pl	Double White	white	1	hA	10
—oculata	White, Purple-eyed	white	I	hA	10
-Leopoldiana	Pink, White-eyed	pink	I	hA	10
—coccinea	Deep Scarlet	scar.	1	hA	Io
—Isabellina—Chamois Rose	Pale Yellow	yellow	I	hA hA	10
-William I	Light Rose Red-striped	rose div.	I	hA	10
-Black Warrior	Dark Red	div.	I	hA	10
-marmorata	Marbled and Striped	div.	I	hA	10
-Princess Royal	Lilac, White-edged	div.	I	hA	IO
—variabilis	Slate-blue, Marbled	div.	I	hA	IO
—compacta	Dwarf Blood-red	red	1/2	hA	10
-cuspidata and fim-					
briata	Star-shaped, Mixed	div.	ī	hA	10
-varius	Mixed	div.	I	hA	. 5
—grandiflora	Large Mixed	div.	I	hA	10
			-	1111	10
— splendens	Large-flowering	cr. & w.	I	hA hA	10



Papaver. (Shirley Poppy.)





Passiftora.
(Passion Flower.)



Petunia, Single.



Torensa.



Whitlavia.



Zinnia, Tom Thumb.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Phlox Drummondii hor-					
tensiæflora	Phlox Hydrangea	rose	I	hA	\$c 25
decussata	Mixed Perennial	div.	div.	hP	IO
Pinks. See Dianthus.					
Platystemon Californicum.	California Poppy	yellow	I	hA	5
Polemonium cœruleum	Jacob's-ladder, Blue	blue white	1/2	hP hP	5
Polycalymma Stuarti†	White Bicolor Everlasting	y. & W.	1/2	hhA	5
Polygala, in varieties	Fine Mixed Polygala	div.	$\frac{1\frac{1}{2}}{\text{div.}}$	tP	10
Poppies. See Papaver.	2 - 3,8		arv,		25
Portulaca splendida aurea.	Sun-plant, Yellow	yellow	1/2	hA	5
—purpureus	Purple	purple	1/2	hA	. 5
—albiflora	White	white	1/2	hA	5
-Thellusoni	Scarlet	scarlet	1/2 1/2 1/2 1/2	hA	5 5 5 5 5 5
-bicolor	Yellow and Purple	y.&pur.	1/2 1/2	hA	5
—aurantiaca —rosea	Orange	orange	1/2	hA hA	5
—caryophylloides	Striped	div.	1/2 1/2	hA	5
-varius	Mixed Single	div.	1/2	hhA	5
—flore pleno	Mixed Double	div.	1/2	hhA	10
Potentilla, in varieties	Mixed Potentilla	div.	I	hP	IO
*Primula elatior, in vars	Mixed Polyanthus	div.	1/2	hhP	10
auricula	Fine Mixed Auricula	div.	1/2	hhP	25
Japonica	Purple Primrose	purple	I .	hhP	10
Obconica	Primrose, Everblooming	white white	2/	tP	25
-rosea	Chinese Primrose, Fringed Fringed Rose	rose	3/4 3/4	tP tP	25
—elegantissima	Fringed Spotted	li. & cr.	3/4	tP	25
- striata	Fringed Striped	div.	3/4	tP	50 25
—flore-pleno	Mixed Double	div.	dív.	tP	50
—varius	Mixed Fringed	div.	div.	tP	25
—filicifolia	Mixed Fern-leaved	div.	div.	tP	50
Pyrethrum parthenium	Feverfew, Double	white	1 1/2	hhP	10
auratum	Golden-leaved Bright Golden Double	yellow	I	hhP hhP	10
roseum	Rose-flowered Pyrethrum	rose	1 2	hP	10
Reseda odorata	Mignonette, Sweet	buff	·I	hA	10
—grandiflora	Large Sweet	buff	I	hA	5
—ameliorata	Pyramidal	rose	1 1/2	hA	5
—aurea	Golden Queen	gol. y.	I	hA	10
—Machet	New Pot	red	I	hA	10
eximea	Parsons' White	white	I	hA	5
—gigantea —Miles' Hybrid	New Spiral	crim. buff	2 1½	hA hA	5
Gabriele, very fine	Robust, Large Spikes		3/4	hA	5 10
Rhodanthe Manglesi†	Everlasting-flower, Rose		I I	tA	10
maculata†	Three-colored	y.r.&bk	2	tA	10
—alba†	New White	white	I 1/2	tA	10
varius†	Mixed	div.	div.	tA	10
Ricinus sanguineus	Castor-Bean, Red		10	tA *	5
Borboniensis	Large Green	vio.	15	tA	. 5
Cambodgensis	Ebony Black	*****	6 .	tA	10
giganteus	New Giant Dark Red	d. red	10	tA tA	10
Gibsoni varius	Mixed	div.	div.	tA	5
Rosa in varieties	Fine Mixed Rose	div.	div.	hhP	10
Salpiglossis hybrida	(Salpiglossis grandiflora)	div.	1 1/2	hhA	Io
Salvia patens	Salvia, Light Blue	blue	· I	tP	25
splendens	Brilliant Scarlet	scarlet	3 .	tP	10
argentea	Silver-leaved	white	3	hP	10
horminum	Purple Clary	purple	I	hA	5
Cammidalia					
Sanvitalia procumbens —flore pleno	Sanvitalia, Yellow and Brown New Double	yellow	tra.	hA hA	5

				1 - /-	
Betanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Carifraga in variation	Mixed Savifraga	div.	tro	bb D	#2.70
Scabiosa candidissima	Mixed Saxifraga	white	tra.	hhP hA	\$0 10
coccinea nana	Carmine	car.	I 1/2 I 1/2	hA	5
varius	Dwarf Mixed	div.	I /2	hA	5
Schizanthus Grahami	Schizanthus, Red and Orange		2	hA	5 5
Priesti	Pure White		2	hA	5
in varieties	Fine Mixed		2	hA	5
Sedum azureum	Stone-crop		1/2	hP	10
Maximowiczi	New Golden		1/2	hP	10
Senecio elegans alba	Jacobea, White	white	I	tA	5
—purpurea	Purple	purple	I .	tA	5
Silene armeria	Catchfly, Lobel's		I 1/2	hA	5
—compacta	Rose Purple	l. pur.	1/2	hA	5
varius	Mixed	div.	div.	hA	5
Solanum capsicastrum	Orange-fruited Solanum		I	tP	10
melongena	Egg-plant, White	white	I	tA	5
—coccineum	Scarlet	37	. 3	tA	5
—striatum	Striped	div.	2	tA	5
Statice Bonduelli	Statice, Golden		I	hhP	10
Suworowi	Rose		I I ½	hhP	IO
incana hybrida	Hybrid Mixed	div. white		hP tP	10
Stevia serrata	Vanilla-scented Stevia	WIIIIC	3	LI	10
Stocks. See Mathiola.					
Sweet Peas. See Lathyrus.	Passion-flower-like	div.		tP	
Tacsonia ignea* Tagetes patula aurea	Marigold, Double Golden		10	hA '	25
—striata fl. pl	Double-striped		I I ½	hA	5
striata	Cloth of Gold		1 1/2	hA	5
pumila	Golden Ring		I	hA	5
varius fl. pl	French Mixed		I	hA	5 5 5 5
erecta citrina fl. pl	Lemon African	yellow	2	hA	5
—aurantiaca fl. pl	Orange African		2	hA	5
-Nugget of Gold	Golden Yellow African	yellow	1 1/2	hA	IO
-El Dorado	Double African		2	hA	IO
signati pumila	Yellow-striped (for edging)		I	hA	5
Thunbergia Bakeri*	Thunbergia, Pure White		4	hhA	5
aurantiaca*	Orange, Dark-eyed		4	hhA	5
alata*	Buff, Dark-eyed		4	hhA	5
in varieties*	Superb Mixed	div.	4.	hhA	5
Torenia edentata	Fournier's New Torenia		1/2	tP	25
Tournefortia heliotropioi's.		blue	tra.	hhA hB	IO
Trachelium cœruleum	Blue Trachelium	blue	2	tP	10
Trichosanthes colubrina*	Climbing Scarlet-fruited Cucumb'r Sweet-scented Clover	white	10	hA	10
Trifolium odoratum Tritoma uvaria	Red-hot Poker Plant	red	3 2	hhP	5
Tropæolum peregrinum *	Canary-bird Flower	vellow	8	bA	10
majus Lobbianum*		div.	6	tP	10
Tom Thumb King	Dwarf Carmine	car.	I	hA	5
——sulphureum	- (77 1)	vellow	I	hA	5
—→Bronze color····	Dwarf Bronze	bronze	I	hA	5
— — Pearl		cream	I	hA	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Ruby King		red	I	hA	5
- Golden King		golden	1	hA	5
King Theodore	Dwarf Purple	d. pur.	I	hA	5
— —Empress of India	Dwarf Crimson		I	hA	5
— — varius	Mixed Tom Thumb	div.	I	hA	5
majus Schillingi*	Light Yellow		6	hA	5
—The Pearl*			6	hA	5
—Dunnetti*	Bright Orange			hA	5
-King Theodore*	Dark Crimson		6	hA	5
-atrosanguineum,*		1	6	hA hA	5
varius*			6	hA hP	5 5 5 5 5
Valeriana, in varieties	Mixed Garden Valerian	div.	2 2	hP	5 5
Greek	Sweet-stellieu	WITHC	-	114	. 3

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Venidium calendulacium	Orange, Brown Center		I	hhA	\$0 10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	IO
—striata	Italian Striped	striped	tra.	hhP	IO
coccinea	Bright Scarlet	scarlet	tra.	hhP	Io
—Defiance	Dark Scarlet	d. s.	tra.	hhP	IO
—cœrulea	Beautiful Blue	blue	tra.	hhP	IO
—Mammoth	Mammoth Mixed	div.	tra.	hhP	25
—in varieties	Finest Mixed	div.	tra.	hhP	10
—varius	Fine Mixed	div.	tra.	hhP	5
tencroides	White Sweet	white	tra.	hA	10
Veronica Syriaca	Dwarf Blue Veronica	blue	1/2	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w.&ro.	I	tA	10
—nova	Pure White	white	I	tA	10
rosea	Rose, Dark-eyed	rose	I	tA	10
varius	Mixed	div.	ī	tA	IO
Viola tricolor cœrulea	Pansy, or Heart's-ease, Blue	l. b.	1	hhP	10
-marginata	Gold-margined		1/2	hhP	
—Faust	King of the Blacks	black	1/2 1/2	hhP	10
	White	white	1/2	hhP	10
—alba	Yellow	yellow	1/2	hhP	10
—Prince	Belgian or Fancy	div.	1/2	hhP	10
—striata		b &pur.	1/2	hhP	25
—Emperor William	New Dark		/2	hhP	-10
-Odier	Five-blotched	div.	1/2		25
-Lord Beaconsfield.	Violet and Lavender		1/2	hhP	10
-Mahogany-colored.	Diverse Mineral	d:	1/2	hhP	10
maxima, in vars	Finest Mixed	div.	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hhP	25
—varius	Fine Mixed	div.	1/2	hhP	10
Trimardeau	Extra Large Mixed	div.	1/2	hhP	25
odorata, in vars	Mixed Sweet Violet	div.	1/2	hhP	10
Viscaria oculata	Rose of heaven, Pink	pk. & s.	I	hA	5
elegans picta	Painted	cr. & w.	I	hA	5
varius	Mixed	div.	div.	hA	5
Vitadenia triloba	Australian Daisy	pu. & li.	1/2	hA	10
Wahlenbergia grandiflora.	Blue Bellflower	blue	I	hhP	10
Waitzia grandiflora†	Large-flowered Waitzia	yellow	2	tA	25
Whitlavia grandiflora	Whitlavia, Violet-blue	blue	I	hA	. 5
—gloxinoides	Gloxinia-like	w. & b.	I	hA	IO
Wigandia Vigieri	Ornamental-leaved		4	tP	15
Xeranthemum annuum †	Everlasting-flower	purple	2	hA	5
—album†	White	white	2	hA	5
imperialis fl. pl†	Dark	pur.& v.	2	hA	IO
varium†	Mixed	div.	2	hA	5
Zauschneria Californica	Scarlet Tubular-flowered	scarlet	I	hhP	25
Zea Japonica	Striped-leaved Japanese Maize	w.&gr.	5	hhA	5
Zinnia elegans alba	Zinnia, Double White	white	2	hA	IO
—coccinea	Double Scarlet	scarlet	2	hA	10
—aurea	Double Yellow	yellow	2	hA	IO
—purpurea	Double Purple		2	hA	. IO
-violacea	Double Violet		2	hA	. IO
—grandiflora robusta	Double Large-flowering		2	hA	10
—zebra	Double Carnation, striped		2	hA	IO
—in vars	Double Mixed	div.	2	hA	10
—Tom Thumb	Dwarf Double Mixed		1	hA	10
-New Pompon	Double Cone-shaped	div.	I	hA	10

ORNAMENTAL GRASSES.

Per pkt.	Per pkt.
Per pkt. Agrostis pulchella (hA)	Coix lachrymæ (Job's-Tears) (hA)
our your as an eas (Lamarita) (1112) 1111111111111111111111111111	, , ,

Collections of Flower Seeds.

GERMAN AND FRENCH FLOWER SEEDS.

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS.

Truffaut's French Pæony-flowered Perfection, 12 distinct varieties Truffaut's Imbricated Pompon French, 12 varieties Quilled Double German, 12 varieties New Dwarf Bouquet German (Boltz), 10 varieties Globe or Uhland German, 10 varieties Dwarf Chrysanthemum-flowered German, 6 varieties Rose-flowered German, extra fine, 8 varieties Cocardeau, or Crown (white center), 6 varieties Giant Emperor German, 8 varieties Betteridge's Prize, 12 varieties New Victoria German, 8 distinct varieties	50 7! 7! 7! 7! 7! 50 7. 50 7.	5 5 5 5 0 5 0 5 5
BALSAMS.		
Miniature or Dwarf German, 10 varieties Camellia-flowered, extra double, spotted, 12 varieties Carnation-Striped, double, 8 fine varieties Double Dwarf Camellia-flowered, 6 varieties	7: 1 00 7: 7:	5
STOCKS.		
Dwarf German Ten-Weeks, 12 varieties New Large-flowering Dwarf Ten-Weeks, 12 varieties Wallflower-leaved Ten Weeks, 10 superb varieties Perpetual Emperor, 12 varieties. Winter Large-flowering German, 8 varieties	7: 7: 7: 7:	5 5 5
MISCELLANEOUS COLLECTIONS.		
Alpine or Rock Plants, 8 varieties Amaranthus (Ornamental Sorts), 8 varieties Antirrhinum (Snapdragon), 12 varieties Aquilegia (Columbine), 12 varieties Begonia, Tuberous-rooted, 6 varieties Canna (Dwarf French), 6 varieties Calliopsis (Coreopsis), 4 varieties	7. 50 7. 50 1 00 2	5000
Campanula (Canterbury-bell), 6 varieties Celosia cristata (Cockscomb), 6 varieties Chrysanthemums, Annual, 12 varieties Climbing or Running Plants, 12 varieties	50 50 50	0 0 0 5
Coleus, Superb Mixed, 12 varieties Delphinium (Larkspur), 10 varieties. "Candelabra-formed, 6 varieties. Dianthus Chinensis (Annual Pinks), 12 varieties	7. 6. I O	500
Everlasting or Eternal Flower, 12 varieties Ferns, Fine Mixed, 12 varieties Fuchsia, 12 varieties Herbaceous Hardy Plants	I 50 I 2	5
Hollyhocks, German Double, 12 varieties Iberis (Candytuft), 8 varieties Ipomœa Vines, 8 varieties Lathyrus (Sweet-Peas), 10 varieties	I 0	0.0
Lupinus (Lupins), 8 varieties Ornamental Grasses, 12 varieties Ornamental-leaved Plants, 12 varieties	4	5
Pansy or Heart's-ease, 12 distinct varieties	TO	0

GERMAN AND FRENCH FLOWER SEEDS (Miscellaneous Collections), continued.
Petunia fimbriata fl. pl., 6 varieties
" Double, 6 distinct varieties
"Single, 6 distinct varieties
Phlox Drummondii, 12 named varieties
Pinks, Carnation, 12 fine varieties 1 oc
" Perpetual or Tree, 6 fine varieties I 50
Portulaca, Double, 8 varieties
"Single, 10 varieties 50
Primrose, Fringed Chinese, 6 varieties
Salpiglossis hybrida, 12 varieties
Scabiosa (Sweet Scabious), 10 varieties
Tagetes (French and African Marigold), 8 varieties 40
Tropæolum (Nasturtium), Tom Thumb, 12 varieties
" Tall or Climbing, 12 varieties 75
"Lobbianum, 8 varieties
Verbena hybrida, 6 varieties
Wallflower, German Double, 6 varieties
Zinnia elegans, Double, 8 varieties

SEEDS ADAPTED TO GREENHOUSE CULTURE.

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names, in the descriptions of Flower Seeds.



ABUTILON.

Abutilon, in varieties.
Acacia, in varieties.
Alstrœmeria hybrida.
Angelonia grandiflora.
Azalea Indica.
Begonia hybrida.
Calceolaria, in varieties.
Campanula pyramidalis.
Centaurea Clementei.

'' gymnocarpa.
Chorozema, in varieties.
Cineraria hybrida.
Convolvulus mauritanicus.
Coronilla, in varieties.
Cuphea platycentra.
Cyclamen persicum.
Dianthus caryophyllus (Carnation).

Dracæna, in varieties. Dracocephalum (Balm of Gilead). Epacris hybrida. Erodium (Musk Geranium). Eupatorium, in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum. Gloxinia, in varieties. Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomœa Leari. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lopezia coronata. Lophospermum, in varieties. Mathiola (Stock Gilly). Maurandia, in varieties. Mimulus (Monkey-flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower), Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Solanum ciliatum. capsicastrum. Stevia serrata. Tacsonia ignea. Torenia edentata. Tropæolum Lobbianum, in varieties.

Vinca (Madagascar Periwinkle).

USEFUL ORNAMENTAL FOLIAGE-PLANTS.

(Suitable for Borders and Sub-Tropical Gardening.)

Amaranthus salicifolius.

bicolor ruber. " tricolor. 66 Henderi.

Aquilegia (Columbine).

Bocconia Japonica. Canna (Indian-shot).

Cannabis gigantea (Giant Hemp).

Carduus benedictus.

Celosia cristata (Cockscomb).

Huttonii.

Centaurea candidissima.

Cineraria maritima.

Datura meteloides.

Erythrina (Coral-plant). Eryngium Leavenworthi.

Euphorbia marginata.

pandurata. Glaucium (Horned Poppy). Helianthus (Russian Sunflower).

argophyllus.

centrochlorus fl. pl.

Humea elegans.

Liatris (Gay-feather).

Martynia fragrans.

Nicotiana affinis (Tobacco).

Ornamental Grasses.

Perilla Nankinensis. Pyrethrum aureum.

(Golden Gem).

Ricinus (Castor-oil Plant).

Salvia argentea.

Solanum ciliatum.

Statice incana.

Trifolium odoratum. Wigandia Vigieri,

Zea Japonica.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS.

Ageratum, in varieties. Alonsoa, in varieties. Alyssum martimum. Aubrietia deltoidea. Brachycome (Swan River Daisy). Calandrinia umbellata. Callirhoe pedata. Centaurea candidissima. Cineraria maritima. Clintonia elegans.

Convolvulus minor. mauritanicus. Eschscholtzia Mandarin. Fenzlia dianthiflora. Gilia tricolor, in varieties. Heliophila Arabioides. Iberis odorata, in varieties. Leptosiphon, in varieties. Linum (Flax). Loasa lateritia.

Lobelia gracilis, in varieties. Lophospermum, in varieties.

Malcomia (Virginia Stock). Maurandya, in varieties. Mimulus (Musk Plant).

(Monkey-flower). Nemophila (Love-grove).

Nierembergia gracilis. Nolana prostrata.

Pelargonium, Zonale (Geranium).

Petunia, in varieties. Portulaca, in varieties.

Reseda odorata (Mignonette).

Sanvitalia procumbens. Saponaria (Soapwort).

Saxifraga, in varieties.

Sedum (Stonecrop).

Thunbergia, in varieties. Tropæolum (Nasturtium).

Verbena. in varieties. Vinca (Madagascar Periwinkle).

Viola tricolor (Pansy).

Viscaria (Rose-of-heaven).

Zinnia Haageana.

Collections of Flower Seeds.

OUR OWN SELECTION.

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Packets of	Annuals,	Biennials	and Perennials	, best assorted	\$8 00
100	**	"	44 .	46	good assorted	4 00
50	"	"	44	"		
50	66	66	66	"	good assorted	2 00
25	66	"	best asso	orted		
20	"					I 00
12	"					I 00
10						50
12	44					I 50

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS.

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties. Balsamina camelliæflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Bluebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cynoglossum (Venus'-navelwort). Dianthus Chinensis (Pinks). barbatus (Sweet-william). caryophyllus (Carnation). Delphinium (Larkspur). Didiscus cœrulea. Erysimum (Hedge-Mustard). Gilia, in varieties. Gomphrena (Globe-Amaranthus).

Gypsophila, in varieties. Heliophila Arabioides. Heliotropium (Heliotrope). Hesperis (Sweet-Rocket). Iberis odorata, in varieties. Lathyrus (Sweet-Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist). Petunia hybrida. Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning-bride). Senecio (Jacobea). Silene Armeria (Catch-fly). Smilax asparagoides. Tournefortia (Summer Heliotrope). Tropæolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES.

Common Name.	Botanical Name.	Common Name.	Botanical Name.
African Marigold	Tagetes.	Catch-fly	Silene.
African Daisy	Athanasia.	China Pink	
Amethyst		Chinese Bell-flower	Abutilon
Animated Oats		Chinese Primrose	
Arabian Primrose		Chinese Larkspur	
Armeria		Clary	
Auricula		Climbing Cucumber	
Australian Daisy		Clove Pink	
Balsams		Cockscomb	
Balsam-apple		Columbine	
Balsam-pear		Coral-plant	Frythring
Balm-of-Gilead	Dracocephalum.	Cordyline	Dracæna
Balloon-vine	Cardiospermum.	Coreopsis	
Beans		Cowslip	
Bearded Penstemon		Cypress-vine	Inomoea
Bee Larkspur		Daisy	Rellis
Bladder Ketmia		Dame's-violet	
Bluebottle		Dew-plant	
Bell-flower		Dusty-miller	Cineraria
Bouncing-Bet	Sanonaria	Dutchman's-pipe	Aristolochia
Blue Hibiscus	Anoda	Eccremocarpus	Calemnelis
Californian Poppy		Egg-Plant	Solanum
Calomeria	Humea	Eternal-flower	Helichrysum
Candytuft		Evening Primrose	
Canary-bird Flower	Trongolum	Everlasting Peas	
Canterbury-bells	Campanula	Fever-and-Ague Plant.	
Cape Marigold	Calendula	Feather-grass	
Carnation Pink	Dianthus	Flax	
Cardinal-flower		Forget-me-not	
Castor Bean		Foxglove	
Castor Dean	· · · · · · · · · · · · · · · · · · ·	Longioro	11121811111111

Four-o'clocks Mirabilis, Prench Marigold Tagetes. Gas-plant Dictammus. Gay-feather Liatris. Pheasant's-eye Adonis. Geranium Pelargonium. Gilliflower Mathiola. Globe Amaranth Gomphrena. Glory-vine Clianthus. Gourds. Cucurbita. Hawkweed Crepis. Heart's-ease Viola. Heart's-ease Viola. Heath Erica. Hedge Mustard Erysimum. Hedgebog Hedgysarum. Hedgebog Hedgysarum. Horned Poppy Glaucium. Honesty Lunaria. Honesty Lunaria. Honesty Lunaria. Honesty Lunaria. Honesty Lunaria. Honesty Marien Polemonium. Japan Pink Dianthus. Indian-shot Canna. Jacob's-ladder Polemonium. Japan Pink Dianthus. Sipseph's-coat Amarantus. Sensitive-plant Mimosa. Snapafragon Antirrinium. Sipseph's-coat Amarantus. Lady's-slipper Balsamina. Lady's-slipper Balsamina. Larkspur Delphinium. Love-in-a-mist Nigella. Love-grass Eragrostis. Love-in-a-mist Nigella. Marigold Tagetes. Marigold Tagetes. Marigold Tagetes. Marigold Tagetes. Marigold Tagetes. Marigold Tagetes. Monk's-shood Aconium. Morning-glory Convolvulus, Monky-flower Mimulus. Monky-flower Mimulus. Monky-flower Mimulus. Monky-flower Mimulus. Monky-flower Mimulus. Mimulus. Mimulus. Wallflower Cheiranthes. Wallflower Cheiranthes. Wallflower Anemone. Youth-and-old-dag Zinnia.	Common Name.	Botanical Name.	Common Name.	Botanical Name.
French Martgold Tagetes. Gas-plant Dictamnus. Gay-feather Liatris. Geranium Pelargonium. Gilliflower Mathola. Globe Amaranth Gomphrena. Glory-vine Clianthus. Gourds Cucurbita. Hawkweed Crepis. Heart's-ease Viola. Heath Erica. Hedge Mustard Erysimum. Hedgehog Hedysarum. Hedgehog Hedysarum. Hollyhock Althea. Honesty Lunaria. Honesty Lunaria. Honesty Lunaria. Honesty Lunaria. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe-Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Larkspur Delphinium. L	Four-o'clocks	. Mirabilis.	Nasturtium	. Tropæolum.
Gas-plant Dictamnus. Gay-feather Liatris. Geranium Pelargonium. Gilliflower Mathiola. Globe Amaranth Gomphrena. Glory-vine Clianthus. Hawkweed Crepis. Heart's-ease. Viola. Heath Erica. Hedge Mustard Erysimum. Hedgehog Hedysarum. Hedgehog Hedysarum. Honesty Lunaria. Honeysuckle Hedysarum. Honneyty Glaucium. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe-lmmortal-flower Lunaria. Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Inganap Pink Dianthus. Indian-shot Canna. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Larkspur Delphinium. Semet-Peas Lathyrus. Sweet-Peas Lat			Passion-flower	. Passiflora.
Gay-feather Liatris Geranium Pelargonium. Globe Amaranth Gomphrena. Globe Amaranth Gomphrena. Glory-vine Clianthus. Gourds. Cucurbita. Hawkweed Crepis. Heart's-ease Viola. Heath Erica. Hedge Mastard. Erysimum. Hedgehog Hedysarum. Hollyhock Althea. Honesty Lunaria. Honeysuckle Hedysarum. Hyacinth Bean Dolichos [mum] Hyacinth Bean Dolichos [mum] Inperial Pink Dianthus. Indian-shot Canna Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina Larkspur Delphinium. Larkspur Delphinium. Larkspur Delphinium. Love-in-a-mist Nigella. Love-grove Nemophila. Love-in-a-mist Nigella. Marigold Tagetes. Marvel of Peru Mirabilis. Mountain Fringe Adlumia. Monkey-flower Mimulus, Monkey-flower Mimulus, Monkey-flower Mimulus, Monkey-flower Mimulus, Monkey-flower Mimulus, Monntain Fringe Adlumia. Morning-plory Convolvulus, Montain Fringe Adlumia. Winds Gentantus. Vigin's-bower Cleamais. Wallflower Cheiranthes.				
Geranium Pelargonium. Gilliflower Mathiola. Globe Amaranth Gomphrena. Glory-vine Clianthus. Foppy Papaver. Pot Marigold Calendula. Primo's-feather Amarantus. Quaking-grass Briza. Redbot-poker Tritoma. Redbot-poker Tritoma. Rose-of-heaven Viscaria. Rose-of-heaven Viscaria. Rose-of-heaven Viscaria. Rose-of-heaven Cyiscus. Sage Salvia. Rose-of-heaven Cyiscus. Saffron Carthamus. Sage Salvia. Sage Salvia. Sage Salvia. Saffron Carthamus. Sage Salvia. Saffron Carthamus. Satin Flower Lunaria. Sotch Broom Cytisus. Satin Flower Lunaria. Sotch Broom Cytisus. Satin Flower Lunaria. Sotch Broom Cytisus. Satin Flower Lunaria. Satin Flower Lunaria. Sapidragon Antirrhinum. Sneazewort Helenium. Spider-flower Cleome. Spider-flower Cleome. Stock Gilli Mathiola. Sum-dial Lupins. Sundial Lupins. Swanter-Busiy. Brachycome. Sweet-Peas Lathyrus. Sweet-Peas Lat	Gay-feather	Liatris.		
Gilliflower Mathfola. Globe Amaranth Gomphrena. Glory-vine Clianthus. Gourds. Cucurbita. Hawkweed Crepis. Heart's-ease Viola. Heath Erica. Hedge Mustard. Hedge Mustard. Hedgehog Hedysarum. Hedgehog Hedysarum. Hollyhock Althea. Honesty Lunaria. Honesty Lunaria. Honesty Hedysarum. Hyacinth Bean Dolichos [mum Hyacinth Bean Dolichos [mum Hyacinth Bean Dolichos Immortal-flower Xeranthemum. Imperial Pink Dianthus. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink Dianthus. Job's-leader Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Joseph's-coat Amarantus. Lady's-slipper Balsamina. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-in-a-mist Nigella. Marvel of Peru Mirabilis. Monkey-flower Minulus. Monk's-hood Aconitum. Monning-plory Convolvulus, Monk's-hood Aconitum. Monning-plory Convolvulus, Monuntain Fringe Adlumia. Wolffower Clematis. Wallflower Clematis. Wallflower Clematis. Wallflower Cheiranthes.	Geranium	Pelargonium		
Glory-vine Clianthus. Gourds. Cucurbita. Hawkweed Crepis. Heart's-ease Viola. Heath Erica. Hedge Mustard. Erysimum. Hedgehog Hedysarum. Honesty Lunaria. Honeysuckle Hedysarum. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe-limortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lordon Pride Dianthus. Lore-grass Eragrostis. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marvel of Peru Mirabilis. Monkey-flower Mimuls. Montain-Fringe Adlumia. Mountain Fringe Adlumia. Moust Grepis. Wallflower Clematis. Mourd Glory-lore Music Scabiosa. Musk Geranium Erodum. Poppy Papaver. Poppy Papaver. Pot Marigold Calendula. Primrose Primula. Primrose Primula. Pot Marigold Calendula. Primrose Primula. Pot Marigold Calendula. Primrose Primula. Primrose Primula. Pot Marigold Calendula. Primrose Primula. Pot Marigold Calendula. Primrose Primula. Pot Marigold Calendula. Primrose Primula. Primose Primula. Primrose Primula. Primose Primula. Primose Primula. Primose Primula. Padarius Prizotantus. Seather Pasure Rebeas. Primula. Primose Primula. Pamaratus. Potaking-grass Baiza. Redhot-poker Tritoma. Redho-poker Indensity. Papaver Reather Amarantus. Sage Salvia. Saffron Cathanes. Redhot-poker Tritoma. Redhof-poker Tritoma. R				
Glory-vine Clianthus. Gourds. Cucurbita. Hawkweed Crepis. Heart's-ease Viola. Heath Erica. Hedge Mustard. Erysimum. Hedgehog. Hedysarum. Hollyhock. Althea. Honesty Lunaria. Honesty Lunaria. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Japan Pink Dianthus. Imperial Pink Dianthus. Imperial Pink Dianthus. Imperial Pink Dianthus. Japan Pink Dianthus. Job's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Joseph's-coat Amarantus. Larkspur Delphinium. Lordon Pride Dianthus. Larkspur Delphinium. Lordon Pride Dianthus. Lore-grove Nemophila. Love-grass Eragrostis. Love-in-a-puff Cardiospermum. Love-in-a-puff Cardiospermum. Love-in-a-puff Cardiospermum. Love-in-a-puff Cardiospermum. Marigold Tagetes. Marigold Tagetes. Marvel of Peru Mirabilis. Mexican Poppy. Argemone. Mignonette Reseda. Minosh Canna, Viscaria. Monkey-flower Mimulus. Monkey-flower Cleematis. Musk Geranium Erodum. Winfolower Cleematis. Musl Geranium Erodum. Winfolower Cleematis. Musl Geranium Erodum. Winfilower Cleematis. Musl Geranium Erodum. Winfilower Cleematis. Mulfilower Cleematis. Mulfilower Cleematis. Mulfilower Cleematis.				
Gourds Cucurbita Hawkweed Crepis. Hawkweed Crepis. Heart's-ease Viola. Heath Erica Guaking-grass Briza. Hedge Mustard Erysimum. Hedgehog Hedysarum. Honledys Althea Rose-of-heaven Viscaria. Honneysuckle Hedysarum. Horned Poppy Glaucium. Hyacinth Bean Dolichos [mum Ice-plant Mesembry anthe-Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Imperial Pink Dianthus. Indian-shot Canna. Indian-s				
Hawkweed. Crepis. Heart's-ease Viola. Heath Erica. Hedge Mustard Erysimum. Hedgehog Hedysarum. Hollyhock Althea. Honesty Lunaria. Honesty Lunaria. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe-Immortal-flower Xeranthemum. Imperial Pink Dianthus. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. Larkspur Delphinium. Lordon Pride Dianthus. Love-grose Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella Love-in-a-mist Nigella Love-in-a-mist Nigella Love-in-a-mist Nigella Love-in-a-mist Nigella Love-in-a-mist Nigella Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marigold Tagetes. Marigold Tagetes. Marvel of Peru Mirabilis. Marigold Tagetes. Marvel of Peru Mirabilis. Marigonette Reseda Minonette Reseda Minonette Reseda Minonetral Tringe Adlumia. Monkey-flower Mimulus. Mountain Fringe Adlumia. Mourning-bride Scabiosa. Musk Geranium Erodium. Primrose. Primurs. Primrose. Amarantus. Redhot-poker Tritioma. Rose Campion Agrostems. Sage Salvia. Rose Campion Agrostems. Rose Campion Agrostems. Rose-of-heaven Viscaria. Rose Campion Agrostems. Sage Salvia. Rose Campion Agrostems. Rose-of-heaven Viscaria. Rose Campion Agrostems. Rose-of-heaven Viscaria. Rose Campion Agrostems. Rose-Campion Agrostems. Rose-Campion Agrostems. Rose Campion Agrostems. Rose-Campion Agrostems. Rose-Campion Agroste	Courds	Cucurhita		
Heart's-ease. Viola. Heath Erica. Hedge Mustard Erysimum. Hedgehog Hedysarum. Hollyhock Althea. Honesty Lunaria. Honneysuckle Hedysarum. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe-Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink. Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grove Nemophila. Love-in-a-mist Nigella. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marvel of Peru Mirabilis. Monk's-hood Aconitum. Monning-glory Convolvulus, Monk's-hood Aconitum. Mourning-bride Scabiosa. Musk Geranium Erodium. Finedamtus. Musk Geranium Erodium. Prince's-feather Amarantus. Redhot-poker Tritoma. Redhot-poker Meadon-paker. Rose Campion Agrostema. Saffron Carthamus. Saffon Safvia.				
Heath Erica Hedge Mustard Erysimum. Hedgehog Hedysarum. Hollyhock Althea Honesty Lunaria Honeysuckle Hedysarum. Horned Poppy Glaucium. Hyacinth Bean Dolichos [mum] Ice-plant Mesembry anthe- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. Larkspur Delphinium. Larkspur Delphinium. Love-grose Nemophila. Love-grass Eragrostis. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Maiden Pink Dianthus. Marigold Tagetes. Maiden Pink Dianthus. Marigold Tagetes. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda Minonette Reseda Minonety-liower Mimulus. Monkey-flower Mimulus. Mountain Fringe Adlumia. Mourning-bride Scabiosa. Musk Geranium Erodium. Hedehot-poker Tritoma. Redehot-poker Tritoma. Redhot-poker Tritoma. Redehot-poker Tritoma. Redehot-poker Tritoma. Rose Campion. Agrostemma. Sage Salvia. Safiron Carthamus. Sagiron Carthamus. Sagiron Carthamus. Sagiron Carthamus. Scotch Broom Cytisus. Satin Flower Lunaria. Scotch Broom Cytisus. Satin Flower Caploses. Satin Flower Lunaria. Scotch Broom Carthamus. Statin Flower Lunaria. Rose Campion. Agrostemma. Sage Salvia. Rose Campion. Agrostemma. Sage Salvia. Satin Flower Lunaria. Scotch Broom Carthamus. Statin Flower Lunaria. Scotch Broom Carthamus. Statin Flower Lunaria. Scotch Broom Carthamus. Statin Flower Lunaria. Rose Campion. Agrostemma. Rose Campion. Agrostemma. Rose Campion. Agrostemma. Rose Campion. Agrostemma. Sage Salvia. Satin Flower Lunaria. Scotch Broom Carthamus. Statin Flower Lunaria. Rose Campion. Agrostemma. Sage Salvia. Satin Flower Lunaria. Satin Flower Lunaria. Satin Flower Lunaria. Satin Flower Lunaria. Satin Flower Scalvia. Rose Campion. Agrostemma. Sage Salvia. Satin Fl				
Hedge Mustard Erysimum Redhot-poker Tritoma. Rose, African Papaver Rhœas. Rose-of-heaven Viscaria. Rose-of-heaven				
Hedgehog Hedysarum. Hollyhock Althea Honesty Lunaria. Honeysuckle Hedysarum. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink. Dianthus. Joseph's-coat Amarantus. Larkspur Delphinium. Larkspur Delphinium. London Pride Dianthus. Love-grass Eragrostis. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-mist Nagella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marivel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mork's-hood Aconitum. Monning-glory Convolvulus, Monk's-hood Morky-flower Mimulus. Monnky-flower Mimulus, Monning-glory Convolvulus, Monky-flower Mims Muss Geranium Erodium. Mountain Fringe Adlumia. Musk Geranium Erodium. Mourning-bride Scabiosa. Musk Geranium Erodium. Nonkey-Granum Erodium. Rose-Gampion Agrostemma. Sage Salvia. Saffron Carthamus. Safiron Carthamus. Sage Salvia. Saffron Sarlvie. Saffron Carthamus. Sage Salvia. Saffron Carthamus. Scotch Broom Cytisus. Scotch Broom Cytisus. Shaftron Carthamus. Scotch Broom Cytisus. Scotch Broom Cytisus. Saffron Carthamus. Sage Salvia. Saffron Carthamus. Safic Plaver Lunaria. Saftron Carthamus. Sage Salvia. Saffron Carthamus. Safic Plaver Clemais. Sage Salvia. Saffron Carthamus. Sage Salvia. Saffron Carthamus. Sage Salvia. Saffron Carthamus. Sage Salvia. Saffron Carthamus. Sage Salvia. Saffron Cartham	Hedge Musterd	Freimum	Padhot-pokar	Tritoma
Hollyhock Althea Honesty Lunaria. Honeysuckle Hedysarum. Horned Poppy Glaucium Ite-plant Mesembry ant he- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. Larkspur Delphinium. London Pride Dianthus. Love-grave Nemophila. Love-grave Nemophila. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marigold Tagetes. Marigold Tagetes. Maryel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Monk's-hood Aconitum. Monning-glory Convolvulus, Mountain Fringe Adlumia. Musk Geranium Erodium. Erodium Saftron Carthamus. Scotch Broom Cytisus. Saftron Carthamus. Saftron Carthamus. Saftron Carthamus. Scotch Broom Cytisus. Saftron Carthamus. Saftron Carchamus. Saftron Carchamus. Saftron Carchamus. Scotch Broom Cytisus. Saftron Carchain. Shainselea. Silpper Balasamina. Slipperwort Cacalia. Rose Campanus. Sun-dial Lupins. Sunflower Daura. Sun-dial Sundania. Sun-dial Sunflower Cleome. Spadum. Speacewort Helenium. Su	Hedge Mustaid	Uodysarum	Dosa African	Panavar Phoas
Honesty Lunaria Honeysuckle Hedysarum. Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembr ya n t he-Immortal-flower Xeranthemum. Imperial Pink Dianthus. Imperial Pink Dianthus. Indian-shot Canna. Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grave Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-mist Nigella. Love-in-s-puff Cardiospermum. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monky-flower Mimulus, Monky-flower Mimulus, Monky-flower Mimulus, Monning-glory Convolvulus, Mountain Fringe Adlumia. Mourning-bride Scabiosa. Musk Geranium Erodium. Endower Clematis. Windflower Clematis. Wallflower Clematis. Wallflower Clematis. Wallflower Clematis. Wallflower Clematis. Wallflower Clematis. Wallflower Cheiranthes.	Hedgenog	Althor		
Honeysuckle Hedysarum. Horned Poppy Glaucium Itge-plant Dolichos [mum Itge-plant Mesembry anthe- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grose Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Miock-Orange Cucurbita. Monky-showd Aconitum. Monning-glory Convolvulus, Monky-showd Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia. Musk Geranium Erodium. Erodium. Erodium. Erodium. Safir Flower. Lunaria. Safir Flower. Lunaria. Safir Flower. Lunaria. Safir Flower. Lunaria. Satin Flower. Lunaria. Satin Flower. Lunaria. Satin Flower. Lunaria. Scotch Broom Cytisus. Safir Flower. Lunaria. Scotch Broom Cytisus. Safir Flower. Lunaria. Scotch Broom Cytisus. Safir Flower. Lunaria. Scotch Broom Cytisus. Satin Flower. Lunaria. Scotch Broom Cytisus. Satin Flower. Lunaria. Scotch Broom Cytisus. Satin Flower. Lunaria. Scotch Broom Cytisus. Safir Flower. Lunaria. Scotch Broom Cytisus. Satin Flower. Lunaria. Scotch Broom Cytisus. Satin Flower. Lunaria. Scotch Broom Cytisus. Satin Flower. Lunaria. Scotch Broom Cytisus. Safir Flower. Calceolaria. Snapdragon Antirrhinum. Sneezewort Helenium. Spacte-flower Stock Gilli Snapdragon Antirrhinum. Sneezewort Helenium. Spacte-flower Stock Gilli Snapdragon	Hollyhock	I unorio		
Horned Poppy Glaucium. Hyacinth Bean Dolichos. [mum Ice-plant Mesembry anthe- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mooky-flower Mimulus. Monky's-hood Acconitum. Monning-glory Convolvulus, Monky's-hood Acconitum. Mourning-bride Scabiosa. Musk Geranium Erodium. Erodium. Erodium. Saffron Carthamus. Satin Flower Lunaria. Scotch Broom Cytisus. Satin Flower Lunaria. Satin Flower Lunaria. Satin Flower Lunaria. Scotch Broom Cytisus. Sensitive-plant Mimosa. Slipperwort Calceolaria. Nandragon Antirrhinum. Sneezewort Heleinium. Spider-flower Gleower. Stock Gilli Mathiola. Stone-crop Sedum. Stramonium Datura. Stramonium Datura. Stramonium Datura. Summer Heliotrope Tournefortia. Swallowwort. Asclepias. Swan River Daisy Brachycome. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-William Dianthus. Tassel-flower Cacalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia. Venus' Looking-glass Campanula. Venus' Lookin	Honesty	Lodysorum		
Hyacinth Bean Dolichos [mum Ice-plant Mesembry anthe- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Mariyel of Peru Mirabilis. Maryel of Peru Mirabilis. Maryel of Peru Mirabilis. Maryel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Miock-Orange Cucurbita. Monky-flower Minulus. Monky-flower Minulus. Monky-flower Minulus. Monky-flower Minuls. Mountain Fringe Adlumia. Mush Geranium Erodium. Erodium. Erodium. Erodium. Mush Geranium Erodium. Erodium. Erodium. Windflower Anemone.				
Ice-plant Mesembry anthe- Immortal-flower Xeranthemum. Imperial Pink Dianthus. Indian-shot Canna. Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marigold Tagetes. Mary of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Miock-Orange Cucurbita. Monkey-flower Mimulus. Monk's-hood Aconitum. Monning-glory Convolvulus, Mountain Fringe Adlumia Mourning-bride Scabiosa. Musk Geranium Erodium. Ecothem Cytisus. Senstitve-plant Mimosa Senstitve-plant Mimosa Senstitve-plant Mimosa Senstitve-plant Mimosa Senstitve-plant Mimosa Schitter-plant Mimosa Senstitve-plant Mimosa Shipper Calceelaria. Mantirhinum. Senezewort Helenium. Spider-flower. Cleome. Spider-flower.				
Immortal-flowerXeranthemum.Sensitive-plantMimosa.Imperial PinkDianthus.SlipperwortCalceolaria.Jacob's-ladderPolemonium.SnapdragonAntirrhinum.Japanese MaizeZea.Spider-flowerCleome.Japan PinkDianthus.Stock GilliMathiola.Job's-tearsCoix (grass).Stone-cropSedum.Joseph's-coatAmarantus.StramoniumDatura.Lady's-slipperBalsamina.Sun-dialLupins.LarkspurDelphinium.SunflowerHelianthus.Love-groveNemophila.Summer HeliotropeTournefortia.Love-grassEragrostis.Swan River DaisyBrachycome.Love-in-a-mistNigella.Sweet-CloverTrifolium.Love-in-a-mistNigella.Sweet-CloverTrifolium.Love-in-a-mistNigella.Sweet-PocketHesperis.Love-in-a-mistNigella.Sweet-PocketHesperis.Love-lies-bleedingAmarantus.Sweet-BultanCentaurea.MarigoldTagetes.Sweet-WilliamDianthus.Marvel of PeruMirabilis.Tassel-flowerCacalia.Mexican PoppyArgemone.TobaccoNicotiana.MignonetteReseda.Touch-me-notImpatiens.Monky-showerMimulus.Variegated SpurgeEuphorbia.Monky-showerMimulus.Venus'-Looking-glassCampanula.Monning-gloryConvolvulus,Virginian StockMalcomia. <th>Hyacinth Bean</th> <td>Masambry antha</td> <th></th> <td></td>	Hyacinth Bean	Masambry antha		
Imperial Pink Dianthus. Indian-shot Canna Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grove Nemophila. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marigold Tagetes. Marican Poppy Argemone. Mignonette Reseda. Mookey-flower Mimulus. Monk's-hood Aconitum. Monning-glory Convolvulus. Mush Geranium Erodium. Mindflower Anemone. Mush Geranium Erodium. Slipperwort Calceolaria. Snapdragon Antirrhinum. Sneezewort Heleinum. Sneezewort Heleinum. Sneezewort Meenium. Stramonium Datura. Stramonium Datura. Stramonium Datura. Sun-dial Lupins. Summer Heliotrope Tournefortia. Swallowwort Asclepias. Swan River Daisy Brachycome. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Sultan Centaurea. Sweet-William Dianthus. Tassel-flower Cacalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia, Venus' Looking-glass Campanula. Venus' navelwort Cynoglossum. Virginian Stock Malcomia. Vigin's-bower Cheiranthes. Mindflower Anemone.	ice-plant	Wesembi yanthe		
Indian-shot Canna. Jacob's-ladder Polemonium. Sneezewort Helenium. Stock Gilli Mathiola. Stock one-crop Sedum. Stock one-crop Stock one-crop Sedum. Stock one-crop Stock one-crop			Sensitive-plant	Calaralaria
Jacob's-ladder Polemonium. Japanese Maize Zea. Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grave Nemophila. Love-grass Eragrostis. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Maiden Pink Dianthus. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Miock-Orange Cucurbita. Monk's-hood Aconitum. Monning-glory Convolvulus, Mountain Fringe Adlumia. Musk Geranium Erodium. Mindlower Cheiranthes. Mindlower Cheiranthes. Malden Pink Dianthus. Monk's-bood Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia Musk Geranium Erodium. Sneezewort Helenium. Spider-flower Spider-flower Spedum. Stock Gilli Mathiola. Stone-crop Sedum. Stramonium Datura. Sun-dial Lupins. Sumflower Helianthus. Sumflower Helianthus. Swan River Daisy Brachycome. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Posket Hesperis. Sweet-Posket Hesperis. Sweet-Posket Hesperis. Sweet-Rocket Hesperis. Sweet-Rocket Hesperis. Sweet-Rocket Hesperis. Sweet-Posket Hesperis. Sweet-Posket Hesperis. Sweet-Posket Hesperis. Sweet-Rocket Hesperis.			Shipperwort	Calceolaria.
Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-lies-bleeding Amarantus. Marigold Tagetes. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Monkey-flower Mimulus. Monkey-flower Mimulus. Monkey-flower Mimulus. Monning-glory Convolvulus, Musk Geranium Erodium. Mush Geranium Erodium. Spider-flower. Cleome. Stock Gilli Mathiola. Stone-crop Sedum. Stramonium Datura. Sun-dial Lupins. Sunflower Heliotrope Tournefortia. Swallowwort Asclepias. Swan River Daisy Brachycome. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-William Dianthus. Tassel-flower. Cacalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia, Vaniegated Spurge Euphorbia, Venus'-navelwort Cynoglossum. Virginian Stock Malcomia, Mountain Fringe Adlumia. Mountain Fringe Scabiosa. Musk Geranium Erodium.	Indian-shot	Canna.	Snapuragon	Antirrainum.
Japan Pink Dianthus. Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mook'o-frange Cucurbita. Mook's-hood Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia. Mousk Geranium Erodium. Mundflower Sedum. Stock Gilli Mathiola. Stone-crop Sedum. Stramonium Datura, Examonium Datura, Sum-dial Lupins. Sumflower Helianthus. Swallowwort Asclepias. Swallowwort Asclepias. Swallowwort Asclepias. Swallowwort Helianthus. Swallower Helianthus. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Rocket Hesperis. Sweet-William Dianthus. Tassel-flower Cacalia. Tobacco Nicotiana. Tobacco Nicotiana. Touch-me-not Impatiens. Variegated Spurge Euphorbia, Venus' Looking-glass Campanula. Venus'-navelwort Cynoglossum. Virginian Stock Malcomia. Virgin's-bower Clematis. Malflower Cheiranthes.	Jacob's-ladder	Polemonium.	Sneezewort	Helenium,
Job's-tears Coix (grass). Joseph's-coat Amarantus. Lady's-slipper Balsamina. Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marigold Tagetes. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Marvel of Peru Mirabilis. Mignonette Reseda. Mignonette Reseda. Moork's-hood Aconitum. Monky-flower Mimulus. Monky-flower Mimulus. Monky-flower Monky-flower Mimulus. Monky-flower Monky-flower Mimulus. Monky-flower Monky-flower Mimulus. Mountain Fringe Adlumia. Mourtain Fringe Adlumia. Mourning-bride Scabiosa. Musk Geranium Erodium. Stramonium Datura. Sun-dial Lupins. Sum-dial Lupins. Sum-dial Lupins. Sum-dial Lupins. Sum-dial Lupins. Sued-Clover Inidation. Swet-Sultan Centare. Sweet-William Dianthus. Newt-Clover Inidation. Sweet-Sultan Centare. Sweet-Sultan Centare. Sweet-Sultan Centare. Sweet-Sultan Centare	Japanese Maize	Zea.		
Joseph's-coat	Japan Pink	Diantnus.		
Lady's-slipperBalsaminaSun-dialLupinsLarkspurDelphiniumSunflowerHelianthusLovedon PrideDianthusSummer HeliotropeTournefortiaLove-groveNemophilaSwallowwortAsclepiasLove-grassEragrostisSwallowwortAsclepiasLove-in-a-mistNigellaSweet-CloverTrifoliumLove-in-a-puffCardiospermumSweet-PeasLathyrusLove-lies-bleedingAmarantusSweet-RocketHesperisMaiden PinkDianthusSweet-SultanCentaureaMaryol of PeruMirabilisTassel-flowerCacaliaMexican PoppyArgemoneTouch-me-notImpatiensMignonetteResedaTouch-me-notImpatiensMonky-flowerMimulusVariegated SpurgeEuphorbiaMonky-shoodAconitumVenus' Looking-glassCampanulaMonning-gloryConvolvulusVenus' Looking-glassCampanulaMountain FringeAdlumiaViginian StockMalcomiaMountain FringeAdlumiaVigin's-bowerClematisMusk GeraniumErodiumWindflowerAnemone	Job's-tears	Coix (grass).		
Larkspur Delphinium. London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Maryol of Peru Mirabilis. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monkey-flower Mimulus. Monkey-flower Mimulus. Monkok's-hood Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia. Musk Geranium Erodium. Summer Heliotrope Tournefortia. Swallowwort Asclepias. Swallowwort Asclepias. Swallowwort Asclepias. Swallowwort Diavre Daisy Brachycome. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Rocket Hesperis. Sweet-Sultan Centaurea. Sweet-William Dianthus. Tassel-flower Cacalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia. Variegated Spurge Euphorbia. Venus' Looking-glass Campanula. Vigin's-bower Clematis. Malcomia. Mignlower Cheiranthes. Mulflower Anemone.	Joseph's-coat	Amarantus.	Stramonium	·Datura.
London Pride Dianthus. Love-grove Nemophila. Love-grass Eragrostis. Love-in-a-mist Nigella. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Maryol of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monkey-flower Mimulus. Monkey-flower Monking-glory Convolvulus, Mountain Fringe Adlumia. Mourle Grant Musk Geranium Erodium. Summer Heliotrope Tournefortia. Swallowwort Asclepias. Swallower Daisy Brachycome. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Centaurea. Sweet-William Dianthus. Tassel-flower Cacalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia. Venus' Looking-glass Campanula. Venus' -navelwort Cynoglossum. Virginian Stock Malcomia. Wigin's-bower Clematis. Mulflower Anemone.	Lady's-slipper	Balsamina.		
Love-grass Eragrostis. Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Marigold Tagetes. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monky-flower Mimulus. Monky-flower Mimulus. Monky-flower Moning-glory Convolvulus, Mourning-bride Scabiosa. Musk Geranium Erodium. Memophila. Swallowwort. Asclepias. Swan River Daisy Brachycome. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Rocket Hesperis. Sweet-William Dianthus. Tassel-flower Cacalia. Tobacco Nicotiana. Tobacco Nicotiana. Touch-me-not Impatiens. Variegated Spurge Euphorbia, Venus' Looking-glass Campanula. Venus' Looking-glass Campanula. Vigin's-bower Clematis. Wallflower Cheiranthes. Mush Geranium Erodium.	Larkspur	Delphinium.		
Love-grass . Eragrostis. Love-in-a-mist . Nigella. Love-in-a-puff . Cardiospermum. Love-lies-bleeding . Amarantus. Maiden Pink . Dianthus. Marigold . Tagetes. Marvel of Peru . Mirabilis. Mexican Poppy . Argemone. Mignonette . Reseda. Mooke-Orange . Cucurbita. Monky-flower . Mimulus. Monky-flower . Mimulus. Monky-flower . Mimulus. Monky-flower . Aconitum. Morning-glory . Convolvulus, Mountain Fringe . Adlumia. Mourning-bride . Scabiosa. Musk Geranium . Erodium. Swan River Daisy . Brachycome. Sweet-Clover . Trifolium. Sweet-Peas . Lathyrus. Sweet-Rocket . Hesperis. Sweet-William . Dianthus. Tassel-flower . Cacalia. Tobacco . Nicotiana. Touch-me-not . Impatiens. Variegated Spurge . Euphorbia, Venus' Looking-glass . Campanula. Venus'-navelwort . Cynoglossum. Virginian Stock . Malcomia, Virgin's-bower . Clematis. Wallflower . Cheiranthes. Windflower . Anemone.				
Love-in-a-mist Nigella. Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marigold Tagetes. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monkey-flower Mimulus. Monk's-hood Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia. Musk Geranium Erodium. Sweet-Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Lathyrus. Sweet-Peas Clover Trifolium. Sweet-Peas Lathyrus. Sweet-Sulface Legisland Leg				
Love-in-a-puff Cardiospermum. Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marigold Tagetes. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monkey-flower Mimulus. Monk's-hood Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia. Mouring-bride Scabiosa. Musek-Granium Erodium. Sweet-Peas Lathyrus. Sweet-Rocket Hesperis. Sweet-Poket Hesperis. Sweet-Poket Hesperis. Sweet-Rocket Hesperis. Sweet-Rocket Hesperis. Sweet-Rocket Hesperis. Sweet-Poket Hesperis. Sweet-Sultan. Cecalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia. Venus' Looking-glass Campanula. Venus'-Poket Hesperis. Sweet-Sultan. Variegated Spurge Euphorbia. Venus' Looking-glass Campanula. Venus'-Poket Hesperis.			Swan River Daisy	.Brachycome.
Love-lies-bleeding Amarantus. Maiden Pink Dianthus. Marigold Tagetes. Marvel of Peru Mirabilis. Mexican Poppy Argemone. Mignonette Reseda. Mock-Orange Cucurbita. Monkey-flower Mimulus. Monk's-hood Aconitum. Morning-glory Convolvulus, Mountain Fringe Adlumia. Mour Geranium Erodium. Marantus. Sweet-Rocket Hesperis. Sweet-Sultan Centaurea. Sweet-William Dianthus. Tassel-flower Cacalia. Touch-me-not Impatiens. Variegated Spurge Euphorbia. Venus' Looking-glass Campanula. Venus'-navelwort Cynoglossum. Virginian Stock Malcomia. Vigin's-bower Clematis. Wallflower Anemone.				
Maiden PinkDianthus.Sweet-SultanCentaurea.MarigoldTagetes.Sweet-WilliamDianthus.Marvel of PeruMirabilis.Tassel-flowerCacalia.Mexican PoppyArgemone.TobaccoNicotiana.MignonetteReseda.Touch-me-notImpatiens.Mock-OrangeCucurbita.Variegated SpurgeEuphorbia.Monkey-flowerMimulus.Venus' Looking-glassCampanula.Monk's-hoodAconitum.Venus'-navelwortCynoglossum.Morning-gloryConvolvulus.Virginian StockMalcomia.Mountain FringeAdlumia.Vigin's-bowerClematis.Mourning-brideScabiosa.WallflowerCheiranthes.Musk GeraniumErodium.WindflowerAnemone.	Love-in-a-puff	Cardiospermum.	Sweet-Peas	· Lathyrus
MarigoldTagetes.Sweet-WilliamDianthus.Marvel of PeruMirabilis.Tassel-flowerCacalia.Mexican PoppyArgemone.TobaccoNicotiana.MignonetteReseda.Touch-me-notImpatiens.Mock-OrangeCucurbita.Variegated SpurgeEuphorbia.Monkey-flowerMimulus.Venus' Looking-glassCampanula.Monk's-hoodAconitum.Venus'-navelwortCynoglossum.Morning-gloryConvolvulus.Virginian StockMalcomia.Mountain FringeAdlumia.Vigin's-bowerClematis.Mourning-brideScabiosa.WallflowerCheiranthes.Musk GeraniumErodiumWindflowerAnemone.				
Marvel of PeruMirabilis.Tassel-flowerCacalia.Mexican PoppyArgemone.TobaccoNicotiana.MignonetteReseda.Touch-me-notImpatiens.Mock-OrangeCucurbita.Variegated SpurgeEuphorbia.Monkey-flowerMimulus.Venus' Looking-glassCampanula.Monk's-hoodAconitum.Venus'-navelwortCynoglossum.Morning-gloryConvolvulus.Virginian Stock.Malcomia.Mourning-brideScabiosa.WallflowerCheiranthes.Musk GeraniumErodium.WindflowerAnemone.				
Mexican PoppyArgemone.TobaccoNicotiana.MignonetteReseda.Touch-me-notImpatiens.Nock-OrangeCucurbita.Variegated SpurgeEuphorbia.Monkey-flowerMimulus.Venus' Looking-glassCampanula.Monk's-hoodAconitum.Venus'-navelwortCynoglossum.Morning-gloryConvolvulus.Virginian StockMalcomia.Mountain FringeAdlumia.Vigin's-bowerClematis.Mourning-brideScabiosa.WallflowerCheiranthes.Musk GeraniumErodium.WindflowerAnemone.	Marigold	Tagetes.		
Mignonette Reseda. Nock-Orange Cucurbita. Monkey-flower Mimulus. Monk's-hood Aconitum. Morning-glory Convolvulus. Mountain Fringe Adlumia. Mourting-bride Scabiosa. Musk Geranium Erodium. Touch-me-not Impatiens. Variegated Spurge Euphorbia, Venus' Looking-glass Campanula. Venus'-navelwort Cynoglossum. Virginian Stock Malcomia, Vigin's-bower Clematis. Wallflower Cheiranthes. Windflower Anemone.			Tassel-flower	Cacalia.
Mock-Orange Cucurbita. Variegated Spurge Euphorbia. Monkey-flower Mimulus. Venus' Looking-glass Campanula. Monk's-hood Aconitum. Venus'-navelwort Cynoglossum. Morning-glory Convolvulus, Virginian Stock Malcomia, Mountain Fringe Adlumia. Vigin's-bower Clematis. Mourning-bride Scabiosa. Wallflower Cheiranthes. Musk Geranium Erodium. Windflower Anemone.			Tobacco	· Nicotiana.
Monkey-flower Mimulus. Venus' Looking-glass Campanula. Monk's-hood Aconitum. Venus'-navelwort Cynoglossum. Morning-glory Convolvulus. Virginian Stock Malcomia. Mountain Fringe Adlumia. Vigin's-bower Clematis. Mourning-bride Scabiosa. Wallflower Cheiranthes. Musk Geranium Erodium Windflower Anemone.	Mignonette	Reseda.	Touch-me-not	.Impatiens.
Monkey-flower Mimulus. Venus' Looking-glass Campanula. Monk's-hood Aconitum. Venus'-navelwort Cynoglossum. Morning-glory Convolvulus. Virginian Stock Malcomia. Mountain Fringe Adlumia. Vigin's-bower Clematis. Mourning-bride Scabiosa. Wallflower Cheiranthes. Musk Geranium Erodium Windflower Anemone.	Mock-Orange	Cucurbita.	Variegated Spurge	. Euphorbia,
Morning-glory Convolvulus, Virginian Stock Malcomia, Mountain Fringe Adlumia Vigin's-bower Clematis, Mourning-bride Scabiosa, Wallflower Cheiranthes, Musk Geranium Erodium Windflower Anemone,	Monkey-flower	Mimulus.	Venus' Looking-glass	. Campanula.
Morning-glory Convolvulus, Virginian Stock Malcomia, Mountain Fringe Adlumia Vigin's-bower Clematis, Mourning-bride Scabiosa, Wallflower Cheiranthes, Musk Geranium Erodium Windflower Anemone,			Venus'-navelwort	. Cynoglossum.
Mountain Fringe Adlumia Vigin's-bower Clematis Mourning-bride Scabiosa Wallflower Cheiranthes Musk Geranium Erodium Windflower Anemone	Morning-glory	Convolvulus.	Virginian Stock	Malcomia,
Musk Geranium Erodium Windflower Anemone.	Mountain Fringe	Adlumia.	Vigin's-bower	. Clematis.
Musk Geranium Erodium Windflower Anemone.			Wallflower	.Cheiranthes.
	Musk-plant	Mimulus.	Youth-and-Old-Age	.Zinnia.

FINEST MIXED LAWN GRASS.

Per qt., 25 cts.; per peck, \$1.25; per bushel, \$4.50.

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns Cemeteries, etc. These grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

BULBS No TUBEROUS ROOTS.

The Following are Kept in Stock, or Supplied to Order;

TUBEROUS-ROOTED BEGONIAS.

The Tuberous - Rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1.00 per doz., \$7 per 100.

Double Finest Mixed. 30 cts. each, \$3 per doz., \$22 per 100.

GLADIOLUS, FRENCH HYBRID.

Superbfall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Named Sorts. 25 cts. each, \$2 per doz. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

DOUBLE TUBEROSES.

One of the most fragrant and beautiful of summer-flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3 50 per 100.

ASTILBE JAPONICA.

(Spiræa Japonica.)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

ASPARAGUS TENUISSIMUS,

One of the grandest acquisitions for decorative purposes. The stems or fronds retain their freshness and rich green color for a long time after being cut. 50 cts. each, \$5 per doz.

AMARYLLIS.

Splendid greenhouse bulbs, and also well suited for house culture.

Atamasco. 20 cts. each, \$2 per doz. Formosissima. 30 cts. each, \$3 per doz. Johnsonii. 75 cts. each. Vittata rubra. 50 cts. each.

CONVALLARIA MAJALIS.

(Lily-of-the-Valley.)

The most charming of spring-flowering plants. Pips, per 100, \$2; large clumps, 50 cts. each; small clumps, 25 cts. each, \$2.25 per dozen.

AMORPHOPHALLUS RIVIERI.

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

CALLA ETHIOPICA.

(Lily of the Nile.)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

CALADIUMS, FANCY.

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

CALADIUM ESCULENTUM.

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.; extra large bulbs, 50 cts. each, \$4.50 per doz.

DWARF FRENCH CANNAS.

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

CYCLAMEN PERSICUM.

Flowers of elegant and distinct shape and delicate colors. Large bulbs, 30 cts. each, \$3 per doz.

DAHLIAS.

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon and Large-Flowering. Named sorts, 25 cts. each, \$2.25 per doz.

SPECTABILIS.

(Bleeding-Heart.)

A good companion to Astilbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

ERIANTHUS RAVENNAE.

A fine ornamental grass, similar in habit of growth to the Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 to 50 cts. each.

ERYTHRINA CRISTA-GALLI. (Coral Plant.)

A beautiful tender greenhouse shrub; very ornamental. First size, 50 cts. each, \$4.50 per doz.; second size, 30 cts. each, \$3 per doz.



TUBEROUS BEGONIA.

EULALIA.

Japonica Zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white across the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each. Japonica Var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a

FUNKIA (HEMEROCALLIS). (Day Lily.)

long time. 50 cts. each.

Handsome perennial plants. They are quite hardy, and only require a moist soil and shady situation. 30 c. each, \$3 per doz.

HELIANTHUS MULTIFLORUS PLENUS,

(Double Golden Sunflower.)

Perfectly hardy, and flowering from July until frost. The flowers are of rich golden yellow, and last a long time after being cut. 20 cts. each, \$2 per doz.

HYACINTHUS CANDICANS.

A magnificent hardy plant, producing in July and August a flower-stem about tour feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

MANETTIA VINE. (Manettia Bicolor.)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

MADEIRA OR MIGNONETTE VINE.

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

LILIUM.

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 25 cts. each, \$2.50 per doz.

Candidum. 15 cts. each, \$1.50 per doz.

Lancifolium rubrum. 25 cts. each.

Lancifolium roseum. 25 cts. each.

Tigrinum fl. pl. 25 cts.

Tigrinum splendens. 25 cts. each.

MYRSIPHYLLUM ASPARAGOIDES.

(Smilax.)

A very graceful climbing plant; can be used

either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

PEONY, HARDY HERBACEOUS.

Large flowers, ranging from the purest white to the richest crimson, and most attractive. Large roots, 50 cts. each, \$5 per doz.

PAMPAS GRASS.

(Gynerium Argenteum.)

A species of grass from South America, growing about six feet high, with plumes of yellowish white about two feet in length. 30 cts. each, \$3 per doz.

RICHARDIA ALBA MACULATA. (Summer Calla,)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

TIGRIDIA, (Tiger-Flower.)

Extremely handsome, producing many magnificent flowers in the open ground. Conchiflora. 5 cts. each, 50 cts. per doz., \$3 50 per 100.

Pavonia. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

TRITOMA UVARIA GRANDIFLORA.

(Red-Hot Poker Plant.)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 c. each, \$3 per doz.

VALLOTTA PURPUREA.

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 50 cts. each, \$5 per doz.

SMALL FRUITS.

FOREIGN GRAPE-VINES FOR VINERIES.

One-Year-Old Vines, \$1; Two-Year-Old Vines, \$2.

Bowood Muscat. Berries very large, of a rich amber color when ripe.

Black Alicante or Black Tokay. A large, showy black grape; fine late variety.

Black Barbarossa. Berries round, very large; a late variety.

Buckland's Sweetwater. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.

Chasselas de Fontainebleau. Berries round and large, juicy and sweet.

Chasselas, White. Berries round; fair-sized bunch.

Charlsworth White Tokay. Berries oval and large; bunch very large, juicy and rich.

Duchess of Buccleugh. Berries round, golden color; an excellent bearer.

Frontignac, White. Berries round, medium size; very rich; a good bearer.

Gros Colman. A very handsome grape; berries and bunches of enormous size; hangs very late.

Hamburg, Black. Large, sweet and juicy; a well-known and leading variety; very fine.

Lady Down's Seedling. Berries large, oval, firm, sweet and richly flavored. One of the best late black grapes.

Madresfield Court. Berries very large, black, and of a rich muscat flavor; a superb grape.

Mrs. Prince's Muscat. Bunches large; berries medium size, nearly black.

Muscat of Alexandria. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Royal Ascot. Black oval berries; fine flavor.

Trentham Black. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. A late black grape; keeps well.

White Nice. Large bunch, and of very good quality.

HARDY GRAPE-VINES.

Allen's Hybrid. Medium early; amber white; tender and juicy, with a mild Muscat flavor. 75 cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75 cts. each. Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor. Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet foxy flavor. Does well everywhere and is always reliable. 50 cents each.

Concord Chasselas. Early, very large, rich amber; free from foxiness. 75 cents each.

Delaware. Early, small, light red; juicy, with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late, reddish lilac, juicy and sweet; very vigorous and very good. 35 cts. each. Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.


El Dorado. A very beautiful grape, clear golden yellow and of best flavor; ripens ten days before Concord. 50 cents each.

Elvira. Medium early; pale green, juicy and sweet. 40 cents each.

Hartford Prolific. Extra-early, large and very productive. Desirable for home use. 50 cents each.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara, Early. Large, white, tender and sweet, bunches very compact; a popular white sort. 50 cents each.



SHARPLESS STRAWBERRY.

CUMBERLAND TRIUMPH STRAWBERRY.

HARDY GRAPE-VINES, continued.

Isabella. Medium-early; large, purplish black; with little pulp. 30 cents each.
Lady Washington. White; bunches and berries quite large and of good flavor. 75 cts.
Lindley (Rogers' No.9). Light bronze; berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimac (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cents each. Prentiss. Bunch large; berry of medium size, yellowish green, sometimes tinted rose color. 75 cents each.

STRAWBERRIES.

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barn-yard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

Per	doz I	Per roa
Bubach. Pistillate. A leading variety; berries large and handsome; plant of	102.	i er 100
strong growth, and exceedingly productive\$6	50	\$2 00
Charles Downing. A well-known and popular family berry of fine flavor; the	50	#3 00
plants do well in most soils and locations		
·	50	3 00
Cumberland Triumph. An excellent early variety; berries of fine color, large		
and of a delicious flavor	50	3 00
Dayton. (New.) The plants are robust, compact growers; fruit of a crimson		
color, large size, uniform shape; very productive. Early to medium	75	4 00
Golden Defiance. Pistillate. This variety is very strong and hardy; fruit of a		
beautiful crimson; season late	50	3 00
Gandy. The berries are of mammoth size and shape, of a bright crimson		
color; one of the best and finest late sorts; flavor of superior quality	75	3 50
Jessie. A fine-flavored, firm, early berry; requires rich soil and good cultiva-	13	3 30
tion; mid-season		2 50
	50	2 50
Jersey Queen. One of the best late varieties; fruit large, bright crimson, firm,		
and of fine quality	50	2 50
Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously		
productive; blossoms perfect	75	4 50

STRAWBERRIES, Continued. Per doz. Per 100
Lenning's White, or Ladies' Berry. A fine pink variety; fruit of fair size, sweet, and quite productive
Parker Earle. A robust grower, with perfect flowers and good-sized fruit
of fine quality; rather late
Sharpless. Berries very large, solid and of fine flavor; plants hardy, very large and vigorous
Shuckless. Recommended as a strong grower, producing in great abundance
berries of uniform size and best quality. A late variety; perfect flowers 1 00 5 00 Shuster's Gem. Pistillate. Berries large, of globular form, uniform in size
and shape; quite firm, and of a rich scarlet color; very productive 75 400 The Marshall. (New.) Fruit large and perfect, of a dark, rich crimson color,
with large green hull
Timbrell. (New.) Pistillate. The plants are large and strong; foliage of a dark, rich, healthy color; the fruit stalks are unusually strong, and hold
the fruit quite free from the ground. Medium to late 1 00 5 00
RASPBERRIES.
Brinckle's Orange. Large; fruit of a beautiful buff or amber color. One of
the richest-flavored berries\$2 00 \$12 00
Brandywine. Fruit bright red, very firm and fine-flavored; hardy, and very
productive
Gregg. A new black-cap of the largest size; very productive, and of excel-
lent quality I 00 6 00
Hudson River Antwerp. One of the popular red varieties. Must be well covered in winter
Rerstine. One of the best half-hardy kinds. A strong-grower and good
bearer; fruit large and of a bright crimson color 1 00 6 00
BLACKBERRIES.
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower,
producing large crops\$1 50 \$6 00
Kittatinny. A stout, erect and vigorous-growing kind; fruit large and delicious
New Rochelle or Lawton. Fruit very sweet and delicious when well ripened 1 00 6 00
Wilson's Early. Very good; large, firm and sweet; hardy and productive,
and one of the earliest in fruit 1 00 6 00
CURRANTS.
Cherry. A strong-growing variety; fruit of the largest size, deep red\$1 50 \$10 00 Fay's Prolific. Very large, and exceedingly productive. Bunches of im-
mense size. A popular red currant
Red Dutch. The most prolific and best-flavored of the old red varieties I oo 6 co
Versailles. Foreign; vigorous grower; fruit of the largest size, dark red I 50 10 00 White Grape. The best white variety; berry large, beautiful, best quality I 50 10 00
Victoria. Late red; of good quality
GOOSEBERRIES.
Downing. Pale green; large, prolific and good. Best for both home and
market use\$1 50 \$10 00
Houghton's Seedling. Small to medium; fruit oval, pale red; very produc-
tive and free from rust
For less quantities of fruit plants than quoted, higher rates are charged, except
that six may be had at dozen rates, and fifty at 100 rates.

SHRUBS NO VINES.

HARDY VINES AND CREEPERS.

Ampelopsis quinquefolia. (Virginia or Strawberry Creeper.) Leaves crimson in autumn; very strong grower. 30 cents each.

"Veitchii. (Japanese Ivy.) Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho. (Dutchman's-pipe.) Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans. (Trumpet-creeper.) Scarlet flowers in August; handsome. 40 cents each.

" grandiflora. Very large flowers, of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 50 cents each.

" flammula. (Virgin's-bower.) White; very fragrant. 50 cents each.

Jackmanni. Large purple flowers; a great favorite. 75 cents each.

Hedera helix. (Evergreen Ivy.) Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

" helix tricolor. (Tricolor-leaved Ivy.) Leaves green, white and rose; very pretty.

50 cents each.

Humulus lupulus. (Hop-vine.) A rapid grower; very ornamental. 30 cents each.

Hydrangea scandens. (Japan Climbing Hydrangea.) Leaves dark green; ornamental white flowers. A little tender while young. \$1 each.

Ipomœa pandurata. (Hardy Moon-flower.) Foliage large, with white flowers shading to pink; from 3 to 4 inches across; opens during the day. 25 cents each, \$2.50 per dozen. Lonicera Belgica. (Honeysuckle.) Flowers all summer; very fragrant. 50 cents each.

" Sinensis. (Chinese Honeysuckle.) Dark green foliage; one of the best. 50 cts.

" reticulata aurea. (Golden-leaved Japan Honeysuckle.) Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Canadense. (Moonseed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Græca. (Virginia Silk-vine.) Foliage long, narrow and shining. 50 cts. each. Wistaria Sinensis. (Chinese Blue Wistaria.) Flowers pale blue, in June; a superb climber for any place. 75 cents each.

"Sinensis alba. The best white variety. \$1 each

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. albo. (Double White Flowering Almond.) A beautiful early-flowering shrub. 75 cents each.

" fl. pl. rubro. A variety of the preceding with rose-colored flowers. 60 cents.

Berberis vulgaris. (European Barberry.) A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cents each.

" atropurpurea. A purple-leaved variety of the above. 50 cents each.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each. Calycanthus Floridus. (Sweet-scented Shrub.) Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica. (White Fringe.) Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

DECIDUOUS HARDY SHRUBS, ETC., continued.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladder-like

pods. Very ornamental. 50 cts. each.

Cornus alba sanguinea. (White-fruited Redstemmed Dogwood.) Remarkable in
winter for the red color of its branches.

50 cents each.

Cratægus alba plena. (White-flowering Hawthorn.) Foliage and flowers very ornamental. 75 cents each.

coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low spreading shrub, bearing white flowers. 6oc. each.
Cydonia Japonica carnea fl. pl. (Japan Quince.)

Flesh-colored double flowers, produced early in spring. 75 cts. each.


rubra grandiflora. (Red Japan Quince.) Large red flowers; very showy. 50 cents each.

Cytisus laburnum. (Golden Chain.) Ornamental leaves; drooping, showy flowers; a small tree. \$1 each.

Deutzia crenata fl. pl. alba. Flowers double white, tinged with pink. One of

the best shrubs in cultivation. 50 cents each.

" gracilis. Dwarf, compact; pure white. 35 cents each.



" latifolius. (Burning-bush). Vigorous-growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea. (Copper Beech). Leaves purple, early in the season. A very ornamental tree. \$1.50 to \$5 each.

" laciniata. (Cut-leaved Beech). Medium growth, cone-shaped and compact, leaves very showy. \$1.50 to \$3 each.

Forsythia viridissima. (Golden Bell.) The best early-flowering shrub. 50 cents each.

Genista scoparius. (Scotch Broom.) Yellow; flowers in May. 40 cents each.

Hibiscus Syriacus atrorubens. (Althea, or Rose of Sharon). Very showy purple flowers. 35 cents each.

foliis variegatis. Variegated foliage; highly ornamental. 60 cents each.

Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.


Thomas Hogg. Large white flowers in summer; a superb plant. 50 cents to \$1 each.

hortensis. Changeable rose-colored flowers; very popular. 50 cents each.

Lonicera Tatarica. (Upright Honeysuckle.) Pink flowers in May; handsome. 40 cents.

"alba. A pretty upright shrub, producing white flowers in spring. 50 cents each.

Magnolia conspicua. A Chinese tree producing large white flowers early in spring \$2 to \$5 each.



DECIDUOUS HARDY SHRUBS, etc., continuea.

Magnolia Soulangeana. Resembling the above, except that the flowers are purple and white. \$1.50 to \$5 each.

Pæonia Moutan. (Tree Pæony.) Very large flowers, of gorgeous colors. \$2 to \$3 each.

Philadelphus coronarius. (Mock-Orange or Syringa.) Strong-growing; pure white fra-

grant flowers in June. 50 cents each.

Prunus Sinensis. (Double White-flowering Plum). Very pretty. 75 cents each.

Ribes aureum. (Missouri Currant.) Shining glabrous leaves; early yellow flowers. 35 cents each.

Rhus cotinus. (Purple-Fringe or Smoke-Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

' glabra laciniata. (Cut-leaved Sumac.) Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Spiræa Billiardii. Pink-flowered; a late-blooming species. 50 cents each.

- " prunifolia fl. pl. (Plum-leaved Spiræa). Double white flowers in spiral form.
 40 cents each.
- "Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50 cents.

Symphoricarpus racemosus. (Snowberry.) White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris. (Common Lilac.) Purple, sweet-scented flowers. 35 cents each.

" alba. White, sweet-scented; very delicate. 40 cents each.

" Persica. (Persian Lilac). Small-leaved; purple flowers of a different shade. 40 cents each.

Tamarix Africana. Beautiful feathery foliage; makes a small tree of great beauty. 50 cents each.

Viburnum opulus. (Snowball). Flowers white; a well-known shrub. 50 cents each.

" plicatum, (White Japan Snowball). A valuable new shrub. \$1 each.

Weigelia amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.

variegata. Beautiful variegated foliage. 50 cents each.

JAPAN MAPLES.

Striking foliage-plants of dwarf habit, rarely growing over three to six feet high. They have proved quite hardy. A mass of them on the lawn is very effective.

Acer carpinifolium. (Carpinus-leaved.) A very rare species; quite distinct from any other maple. \$3 each.

44 Japonicum. Leaves comparatively large, round, fluted or scalloped. \$2.50 each.

" Japonicum aureum. (Golden-leaved.) Foliage shaded in gold and other colors; curious and rare. \$3 each.

" polymorphum. Leaves small, deeply lobed, of lovely tints. \$1.50 each.

" albo variegatum. Finely cut small leaves, variegated with yellow, white and green. \$2 each.

atropurpurea. Foliage of dark purple tint, very deeply cut; remarkably showy. \$2 each.

" crispum. Cut-leaved, very dwarf, small pointed leaves. \$3 each.

" dissectum. (Cut-leaved Purple.) Dwarf, weeping, graceful form; leaves deeply and finely cut. A choice and ornamental-leaved variety. \$2.50 each.

" reticulatum. Dwarf; deeply lobed leaves; colors finely and is highly ornamental. \$2 each.

" sanguineum. Dwarf; rounded form; deeply lobed leaves of bright rosy purple. \$2 each.

" negundo. (Variegated Ash-leaved Maple.) Leaves white and green. \$1 each.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Azaleas, Camellias, etc., Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.

FLOWER SEEDS BY WEIGHT.

For Other Varieties, See Pages 33 to 53.

Per oz.	Per oz.
Ageratum Mexicanum, blue\$0 50	Lathyrus (Sweet Peas), White 20
Althea (Hollyhock), Double Mixed 1 00	
Atthea (Honyhock), Double Mixed 1 00	Scarlet 20
" Double White 1 25	Tainted Lady 20
Alyssum, Sweet, white 40	" Mixed Per lb., \$1 15
Amaranthus tricolor 50	Lobelia gracilis, Blue 50
" salicifolius 1 00	" speciosa, Crystal Palace 1 00
A '4 '- (C 1 1 ' \ NE' 1	" compacta . 3 00
Aquilegia (Columbine), Mixed 50	
Aster Chinensis, Fine Mixed 50	Lupinus (Lupins), Mixed Annual 25
" German Quilled, Mixed 50	Malcomia (Virginia Stock), Lilac 30
" Truffaut's Perfection 2 00	Mathiola (Stock, Ten-Weeks), English
" Chrysanthemum-Flowered 3 00	Mixed 75
" Reid's German, White I oo	" Finest Mixed 3 00
	11 0 0 1
Balsamina (Balsam) Paris, Mixed 50	TE 1 (1 D)
"Camellia-Flowered, Mixed . 1 00	Mesembryanthemum (Ice Plant) 50
Double White 1 00	Mimosa (Sensitive Plant) 75
" Queen's Double White I 00	Mimulus (Musk Plant) 3 00
Cacalia (Scarlet Tassel Flower) 50	Mirabilis (Marvel of Peru) 25
Calendula (Marigold), Double Pot, Me-	Myosotis (Alpine Forget-Me-Not), Blue 1 00
	THE
teor 25	
Calliopsis (Coreopsis)	Nemophila insignis, Blue
Canna (Indian Shot), Crozy's Mixed 75	" Fine Mixed 25
Cardiospermum (Balloon Vine) 25	Papaver (Poppy), French Mixed 30
Centaurea gymnocarpa 75	Perilla Nankinensis, Purple-Leaved 25
candidissima 2 00	Petunia, Purple 50
AT : 14 /TTT 11 T31 \ T 11	7,7
Cheiranthus (Wall-Flower), Double 3 00	
Cobœa scandens, Purple	Mixeu
Coix lachryma (Job's Tears) 25	Extra
Convolvulus major (Morning-Glory) 20	Phlox Drummondi, White 1 00
" minor, Fine Mixed 25	" Scarlet 75
Delphinium (Larkspur), Tall Branch-	" Fine Mixed 50
	D 1 1 (0 D1 .) ******
ing 30	
Dwall Nocket 30	Jean Jean Jo
Dianthus Chinensis (Indian Pink),	Mixeu 50
Mixed 50	" Double 5 00
" barbatus (Sweet William),	Pyrethrum aureum (Golden Feather) 75
Mixed 30	Reseda (Mignonette, Sw't) per lb., \$1 20
	" Large per lb., 2. 25
" Carnation Pink, Common	" Giant Pyramidal per lb 2 20
Mixed 75	Glant I yrannidai pci ib., 5 30
Digitalis (Foxglove), Mixed 30	Times Spiration 30
Dolichos (Hyacinth Bean) 25	Ricinus (Castor Bean), Fine Mixed 15
Eschscholtzia Californica, Orange 40	" sanguineus, Red 25
Trembonhio II	Salvia splendens (Mexican Sage) 2 00
	Scabiosa (Mourning Bride), Mixed 50
Comphysics (Cl. b. A	
Gomphrena (Globe Amaranthus),	Tagetes (Marigold), French Mixed 50
White 40	" African Mixed 50
" Crimson 40	Thunbergia Vine, Fine Mixed 50
Helianthus (Sunflower), Double Dwarf 25	Trifolium (Sweet-Scented Clover) 20
Hibiscus Africanus (Bladder Ketmia) 40	Tropæolum (Canary Bird Vine) 50
Theris (Candytust) White	"Nasturtium, Tall, Mixed 20
Iberis (Candytuft), White	" Tom Thumb Mixed 20
White Rocket	Tom Indino, mixed 20
Chilison	Verbena, Fine Mixed 75
" Purple 30	" Extra Fine Mixed 1 50
" Mixed	Viola (Pansy), Fine Mixed 2 00
Ipomœa (Cypress Vine), Scarlet 40	" Extra Fine Mixed 4 00
White	Zinnia elegans, Double Mixed 40
white 40	Zinnia diegans, Double Mixed 40
" Star 50	

